



# **BRIHANMUMBAI MAHANAGARPALIKA**

Section 4 Manuals as per provision of RTI Act 2005 of A Ward

# PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

Address - Office of Pest Control Officer 74, Mint Road 1st Floor, MCGM Bldg, Fort.Mumbai-400001.

# INDEX

Sr. No.	Section No.	Name of the manual	Page No
		Introduction	3
1	4 (1) (b) (I)	Particulars of Organization, functions & duties	4 – 13
2	4 (1) (b) (II)	Powers and Duties of Officers of Public Health Department	14 – 28
3	4 (1) (b) (III)	Procedure followed in decision making process including channels of supervision & accountability	31
4	4 (1) (b) (IV)	Norms sets for the discharge of functions	32
5	4 (1) (b) (V)	Rules, Regulations, Instructions Manuals & Records held or under the control for discharging functions	33 – 36
6	A Statement of the Categories of the documents that are held by it or under its control		37
7	4 (1) (b) (VII)	The Particulars of any arrangements that exists for consultation with or representation by members of the public in relation to the formulation of its policy	38
8	4 (1) (b) (VIII)	A Statement of Boards, councils, Committees & other Bodies constituted as its part	39
9	4 (1) (b) (IX)	Directory of Officers	40
10	4 (1) (b) (X)	Pay Grades of Officers	41
11	4 (1) (b) (XI)	The Budget allocated to each Agency Particulars of all plans, proposed expenditure & reports on disbursement made	42
12	4 (1) (b) (XII)	The manner of execution of subsidy programs	43 - 81
13	4 (1) (b) (XIII)	Particulars of recipients of concessions, permits, authorization granted by it	82
14	4 (1) (b) (XIV)	Details in respect of information available on Electronic form	83 – 84
15	4 (1) (b) (XV)	Particulars of the facilities available to citizens for obtaining information	85
16	4 (1) (b) (XVI)	The names designations & other particulars of the Public Information Officers	86 – 87
17	4 (1) (b) (XVII)	Other Useful Information	

## INTRODUCTION

## Right to Information Act, 2005

This handbook of "Right to Information Act, 2005" is prepared to facilitate the implementation of the act by giving information about the Pest Control Department A ward to the Citizens.

# **Objective**

- The Objective of this handbook is to provide information to citizens and transparency of information.
- All Citizens shall have the right to information.
- A person who desire to obtain any information under this act, not available in this hand book shall make request in writing in English, Hindi or in Marathi, accompanying such fees as may be prescribed, to the **Public Information Officer** of this department specifying the particulars of the information sought by him or her.

All the information furnished in the manuals is subject to addition, alteration and modification as and when necessary.

# **Section 4(1) (b) (I)**

# The particular of function & duties of the public authority

1.	Name of the Public Information Officer	Pest Control Officer
2.	Address	Office of the Pest Control Officer,74 Mint Road 1st Floor MCGM Bldg Fort 400001.
3.	Head of the Office	Insecticide Officer
4.	Parent Government Department	Public Health Department
5.	Reporting to which Office	Assistant Commissioner, A Ward
6.	Jurisdiction Geographical	L T MARG NORTH, NAVY NAGAR, COLABA DANDI SOUTH. N S RD WEST, P DMELLO BPT EAST
7.	Mission / Vision	To keep vector borne disease incidence at its minimum.
8.	Objectives	To control mosquitoes, Rats, House Flies etc.,
9.	Functions	Vector control in A ward's area
10.	Details of services provided (In brief)	Antilarval, Antiadult, Rodent Control, Antifly treatment.
11.	Physical assets (Statement of lands & Building and other Assets)	Nil
12.	Organization's structural chart	As per separate sheet attached
13.	Tel. Nos. & office timings	Telephone No.22695091 Email: pco.a@mcgm.gov.in Office Timing: 7.00am to 2.00pm and Break duty timing is 3.00pm to 5.30 pm (Monday to Saturday) 7.00am to 2.00pm on 2 <sup>nd</sup> and 4 <sup>th</sup> Saturday Visiting Hours: 3.00pm to 5.00pm (Monday to Saturday except 2 <sup>nd</sup> and 4 <sup>th</sup> Saturday)
14.	Weekly Holidays	Sunday and Public Holidays.

Section 4(1) (b) (I) Contd..

# ORGANISATION CHART OF PEST CONTROL DEPARTMENT 'A' WARD

# Ward Level:

Sr. No.	Particular	Schedule Staff	Existing Staff	Vacant Staff
1	Pest Control Officer	1	1	0
2	Clerk	1	1	0
3	Supervisory Junior Overseer	1	1	0
4	Junior Overseers	10	10	0
5	Fogging sub Inspector	1	1	0
6	Disinfectant Sub. Inspector	3	0	3
7	Superior field Worker / Mukadam	3	3	0
8	Labour / Field Worker	76	72	4

#### Section 4(1) (b) (I) Contd..

## Particulars of organization, functions & duties

## BRIHANMUMBAI MAHANAGARPALIKA PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

## (1) INTRODUCTION:

The Insecticide Branch of public Health Department is a derivative of the original Malaria Department, established in the then Bombay Municipal Corporation as per recommendations of Dr. C.A Bentley, who took over the investigation in process regarding malaria by his military predecessor since Capt. F.V. Mackie, I.M.S. (1908) & Capt A.G. Mc Kendrick, IMS (1909) & Others.

As originated from the malaria problem of Mumbai and also as a present need, malaria eradication remained the soul behind the functioning of the department. At present, however, the department is functioning in a very diversified manner, but retaining its original Identity by keeping malaria as the top and constant priority.

#### (2) FUNCTIONING:

The task of malaria vector control is directly undertaken by the governments of states, whereas mosquito nuisance control is an obligatory duty of the local self government bodies. In case of Mumbai both the problems are dealt with by the Municipal Corporation of Greater Mumbai.

Priority-wise various functions of the insecticide branch are as follows:-

- (A) Malaria vector control.
- (B) Dengue hemorrhagic fever vector control.
- (C) Mosquito nuisance control (Filaria vector)
- (D) Fly control.
- (E) Rodent and flea control.
- (F) Cockroach control.

Ward :- 'A'

Area :- 12.5 Sq. Km

**Population**: - 4,48432 (2001 Census)

Boundary:-

East - P D mello Rd, BPT BALLLARD PEAR

West - N.S. ROAD

North - L.T.MARG

**South** - NAVY NAGAR, COLABA DANDI

#### A) MALARIA VECTOR CONTROL:

Malaria is a communicable disease caused by certain parasites of the Genus – Plasmodium. It is caused by the bite of an infected female Anopheline mosquito.

The statement of Major G. Covell in his report "Malaria in Bombay, 1928 "Is equally true even today with all the great changes in the area, population, living habits, standard of living and development with fast urbanization of the city of Mumbai.

"There is no natural malaria in Bombay. The chief reason being the absence of natural streams. Anopheles stephensi is the only species of mosquito which plays any appreciable part in the transmission of the disease in the island, and its breeding places are exclusively man made as was explained in an earlier chapter, this mosquito is the one malaria carrying anopheline in India which is able to adapt itself to life in a large city in the case of other carriers facilities for breeding suitable to their needs are not produced in urban areas. But A. stephensi is the great well and cistern breeder of India, and unless this breeding places and others of a similar nature are rendered permanently mosquito proof it will continue to flourish even in the heart of the city. "

Based on the above facts and also that A. stephensi requires fresh water, preferably constantly renewed, or water bodies which are in darkness or constantly exposed to sunlight to breed in .Mosquito vector control is sequentially designed as below:

- (1) Reduction of breeding sources
- (2) Engineering methods Major and minor for total elimination of breeding potentialities
- (3) Biological methods zoological & botanical
- (4) Chemical Methods
- (5) Legal methods

Community participation is an indispensable factor in any public health program. In metropolis like Mumbai no administration can depend on community participation based only on public education especially when it comes to malaria. Considering the scientific facts involved in vector mosquito biology, mandatory participation of community is achieved by adopting legislative measures the then state of Bombay was the first government to adopt and implement Legislative measures for the control of the vector mosquito.

# **SECTIONWISE BOUNDARY OF P.C.O 'A 'WARD**

Ward	SECTION NO.	SECTIONWISE BOUNDRIES
		Best marg,Ramchandra Marg,Mery Whether Road, Henry Rd, wuldon rd,
	4	garden rd, oliver path, Auther Bunder, Stand Rd, Kargutkar
	1	Marg,Brahamkumari road. Lala nigam Rd, Jamshetji Bunder, Colaba Mrk,
		S.B.S Marg, Indumati Sakrika Marg, Koli lane 1 to 5 Rajewadkar street
	2	Electric House, Kushru Baug,SBS Rd, Sorabh Barucha Marg,1 to 3 pasta lane,Colaba, 4 <sup>th</sup> pasta Lane, N.A.Sawant Marg Area, Sasoon Dock & Area, Sasoon Dock & Area, Colaba pumping stn, pilot Bunder Road
	3	MG Rd, V.B.Gandhi Marg, Rampat rd, Police Head quarters B.A.R.C.Area Colaba, Regal Cinema & Hotel Taj, Mandlik Rd, BEST marg, SBS Rd, Convent Street, Nathalal
		parekh marg,
	4	Mumbai samachar, British hotel Lane, Dalal street, Veer Nariman rd, MG
		rd,Nagindas master rd, Hamam street, Calicut street, cochin street, Adi, SBS
		Marg, Mint Rd, Old Custom house Area, Taksal Area, Mint Road, Bank
		street, Cross lane, SBS Road
A	5	Bora Bazar Street, perin Nariman street, Bora Bazar street, perin Nariman street, P.N.Street, W.H.marg, M D.street, D.D.street, M.S. Marg, Agyari lane, Sir P.M.Rd, R.S. Marg, Modi street & Bombil lane, Modi street, Mint road, Mint back Lane
	6	L.T. Marg, Mahapalika Marg, C.S.T. Rly Station, Dr D.N.Rd. R.D.Lane, , Police Court lane, Maruti lane, S.A. Brelvir, , Gola lane, Mangesh shenoy marg, Bora bazaar street
		New Marine Line, Maharshi Karve Rd, Barex Marg, MG road, Bombay
	_	Hospital, Cross Maidan, Vithal das Thakre Marg, Veer Nariman road,A
	7	Rd, Churchgate, B' & C Rd Area. Churchgate, Wankhede stadium hockey
		ground,D Rd, Churchgate

	D.N.ROAD Area, Pita street, Janmbhumi Marg, Sir P.M Road, Dr D.N. Rd,
8	Veer Nariman point, Cawji patel street, Store Lane, Sir P.M rd, Mint Rd,
	Adi Marzban Rd & Area, BMC Garden, Azad maidan area
	Sitaram bldg,D.N Rd, Croferd Mkt, Musafir khana, sabu siddique rd,MRA
	ngr, P.D.Mello Rd,Karnac Bunder Rd, Rly, P.D.Mello Rd, St Georj Hopital,
9	&GPO W.H Ma, Goa Street, Vaju Kotak,& Ballard Estate, Yellow gate,
	police station,B.P.T. Area
10	Air India, Express Tower, Nariman point, Mahrshi Karve Marg, Gen.Jagannath Bhosle Marg, Free press marg. Barex, Free press marg, Dinsha wacha Road, J.TATA Road Area
11	Budhawar Park, Nathalal Parekh marg, Back Bay Depo, World Trade Ctr Transist camp, Nathlala parekh Marg, Indu clinic & Area, Cpt. Prakash Pethe Marg, Somani  Rd, & Machimar Ngr, Pandey Marg, Somani Marg, Cpt. Pethe, M.Karve Rd, M.Gandhi marg, & High court.

#### Section 4(1) (b) (I) Contd..

## (A) DENGUE HAEMORRHAGIC FEVER VECTOR CONTROL:

There are 2 species of Aedes mosquito in Mumbai which can play a role of vector in dengue (Dengue Hemorrhagic fever virus transmission from an infected person to a healthy person). Fortunately the habit and habitat of these species of mosquito are such that, mere reduction of temporary breeding places along with confined thermal fumigation even can work as a method of total relief during monsoon or focal outbreak.

#### **SLUM PROFILE - 'A' WARD**

SECTION NO	NAME OF SLUM
1	Aazad nagri, sundar nagari, darya nagar, sudam nagari and koli lane
2	Colaba dandi,
3	.No slum
4	No slum
5	No slum
6	GT hospital compound
7	No slum
8	No slum
9	Ramgad slum,
10	Shiv shakti nagar, Garib Janta Nagar, MP nagar
11	Geeta Nagar, Ganesh Murti Nagar 1 to 5, Ambedkar Nagar, dhobighat, Ambedkar Nagar Transit Camp, Amdedkar Nagar Sankaran shibir, Shivsrusti Nagar, and Macchimar nagar 1 to 5

## (C) MOSQUITO NUISANCE CONTROL (FILARIA VECTOR)

In case of nuisance causing mosquitoes, the major role is played by Culex quinquefasciatus which is also vector species for Filaria. This species is a typical breeder of polluted water. The breeding sources are open channel drains, Nullahs, Septic tanks, low lands, grass plots, Aqua Privies, Storm water entrances etc. The selection of method for the control of this mosquito more or less remains the same as those of malaria vector but differs with the size and nature of breeding sources.

# SECTION WISE WEEKLY ANTILARVAL PROGRAMME OF PCO 'A' WARD

Secti	MONDAY	TUESDAY	WEDNSD	THUSDAY	FRIDAY	SATURDA
on No.			AY			Y
1	Best marg,Ramcha ndra Marg,Mery Whether Road	Henry Rd, wuldon rd, garden rd, oliver path	Auther Bunder, Stand Rd, Kargutkar Marg,Braha mkumari road	Lala nigam Rd, Jamshetji Bunder, Colaba Mrkt	S.B.S Marg	Indumati Sakrika Marg,Koli lane 1 to 5 Rajewadkar street
2	Electric House, Kushru Baug,SBS Rd	Sorabh Barucha Marg,1 to 3 pasta lane,Colaba	4 <sup>th</sup> pasta Lane, N.A.Sawant Marg Area	Sasoon Dock & Area	Sasoon Dock & Area	Colaba pumping stn, pilot Bunder Road
3	MG Rd, V.B.Gandhi Marg	Rampat rd	Police Head quarters B.A.R.C.Ar ea Colaba	Regal Cinema & Hotel Taj	Mandlik Rd, BEST marg, SBS Rd	Convent Street,Nathal al parekh marg,
4	Mumbai samachar,Brit ish hotel Lane, Dalal street	Veer Nariman rd,MG rd,Nagindas master rd, Hamam street	Calicut street, cochin street, Adi	SBS Marg,Mint Rd, Old Custom house Area	Taksal Area, Mint Road	Bank street, Cross lane, SBS Road
5	Bora Bazar Street,perin Nariman street	Bora Bazar street, perin Nariman street	P.N.Street, W.H.marg, M D.street, D.D.street, M.S. Marg, Agyari lane	Sir P.M.Rd,R.S. Marg,Modi street &Bombil lane	Modi street	Mint road, Mint back Lane
6	L.T. Marg	Mahapalika Marg	C.S.T. Rly Station	Dr.D.N.Roa d	marg R.D.Lane, Police Court lane, Maruti lane,S.A. Brelvir	Gola lane,Manges h shenoy marg,Bora bazaar street
7	New Marine Line, Maharshi Karve Rd	Barex Marg, MG road, Bombay Hospital	Cross Maidan, Vithal das Thakre Marg	Veer Nariman road,A Rd,Churchg ate	B' & C Rd Area. Churchgate	Wankhede stadium hockey ground,D Rd, Churchgate
8	D.N.ROAD Area	Pita street, Janmbhumi Marg, Sir P.M Road	Dr D.N. Rd, Veer Nariman point, Cawji patel street	Store Lane, Sir P.M rd,Mint Rd	Adi Marzban Rd & Area	BMC Garden, Azad maidan area

	Sitaram	Musafir khana,	P.D.Mello	P.D.Mello	Goa Street,	Yellow gate,
	bldg,D.N Rd,	sabu siddique	Rd,Karnac	Rd, St Georj	Vaju	police
9	Croferd Mkt	rd,MRA ngr	Bunder Rd,	Hopital,	Kotak,&	station,B.P.T.
			Rly	&GPO W.H	Ballard	Area
				Ma	Estate	
	Air India,	Mahrshi Karve	Free press	Free press	Dinsha	J.TATA
	Express	Marg,	marg.	marg	wacha Road	Road
10	Tower,	Gen.Jagannath	barex			area
	Nariman	Bhosle Marg				
	point					
	Budhawar	Back Bay	Nathlala	Cpt.Prakash	Pandey	M.Karve
	Park,	Depo,World	parekh	Pethe	Marg,Soma	Rd,M.Gandhi
11	Nathalal	Trade Ctr	Marg,Indu	Marg,Soma	ni	marg,&High
	Parekh marg	Transist camp	clinic &	ni  Rd, &	Marg,Cpt.P	court
			Area	Machimar	ethe	
		Camp		Ngr		

## (D) FLY CONTROL:

Flies are the commonest and most familiar of all insects which in close association with man and occur throughout the year abundantly. Flies should be regarded as a sign of insanitation and their numbers as an index of that insanitation.

The fly Musca domestica found in Mumbai is called as housefly. Its breeding places varies from fresh horse manure, garbage to decaying foods and vegetables. They are prevalent near dwelling houses, restaurants, hospitals, cattle shades, slaughter houses, dumping grounds, markets etc. The span of metamorphosis of fly is variable as per the environmental conditions and nature of breeding grounds.

The flies transmit diseases like typhoid. Diarrhoea, Dysentery, Cholera, Gastro-enteritis, etc. The control of flies can be achieved by using various types of Insecticides in operational methods ranging from residual sprays, space sprays and dusting. However, constant control can be achieved by eliminating their breeding places and by bringing an overall improvement in the environmental sanitation.

# WEEKLY ANTIFLY PROGRAMME OF PCO 'A' WARD FROM

LOCALITY ( Squad No. 1 )	DAY	LOCALITY ( Squad No. 2 )
Municipal Head office	Monday	Sahakar bhandar, wood house rod, best path, kuprej road, mk road, lalit bldg, macchimar parisar, harajimal somani marg, new excel cl;, dn road, Ent hospital
Municipal Head office	Tuesday	Best Marg, merry whether Rd, Garden rd, arthar bunder road, sabusiddhik road, Shivaji mandai, fule mandai, sitaram bldg, rangbhavan, Lt marg, .
Municipal Head office	Wednesday	Colaba mkt, azad nagari, sundar nagari, stand Cinema, Barrek road, liberty cinema, bel hevaven Income tax office nd area
Municipal Head office	Thursday	J.B. Bhosale Marg, Minister bunglows NCPA garden, fule nagar, Shivaji nagar, Mint road, apna bazar, old custom house, potdar chember, bazar gate and Bora bazar
Municipal Head office	Friday	Colaba pumping, N.M.Rd, NA Sawant road, Sasun Dock, karnak bunder, St george Hospital, kalikat street, ballard pear and P.D. mello road
Municipal Head office	Saturday	Ganesh murti nagar, Ambedkar Nagar, Dhobighat, G.D Somani Marg, Churchgate Stn, ABCD Road, Wankhede stadium,

Section 4(1) (b) (I) Contd...

## (E) Rodent and Flea Control:

Rats are a part of man's environment and because of its close association, they are not only hazard to health but also cause great damage to buildings, food and other commodities. Apart from its nuisance value, rat is responsible for diseases like Plague, Rat-bite fever, Salmonellosis (Food poisoning), etc. Mumbai has remained an active port since Historical times and hence is in constant danger of Plague epidemics. During the Plague threat of 1994 in Mumbai, this branch has played a very important role in preventing the probable entry of Plague incidence in Mumbai. The invention of anti-plague vaccine was done at the Municipal Rat Destruction Unit at Haffkine Institute, Parel. Regular sampling of various Rat species for ascertaining the Index of the vector flea and dissection to assess the susceptibility to plague bacilli is carried out.

#### The common species of rats in Mumbai are:-

- 1) Rattus rattus :- Roof Rat
- 2) Rattus norvergicus:- Sewer Rat
- 3) Rattus wroughtoni :- House Rat
- 4) Bandicota bengalensis :- Field Rat
- 5) Bandicota indica & Bandicota Gegantia :- Field Rat
- 6) Mus musculus :- House Mouse
- 7) Suncus caeruleus :- Comman House shrew
- 8) Suncus murinus :- Shrew

The common methods of rat destruction are Physical and Chemical.

Additionally Night Rat Killing is an unique method of rat control used only in Mumbai.

#### RAT LABOUR BOUNDARY 'A' WARD

- <u>LABOUR 1</u>:- MCGM HO, GT HOSP,. KAMA HOSP, ENT HOSP, AAZAD MAIDAN & CROWFORD MARKET
- <u>LABOUR 2</u>:- BORA BAZAR, BAZAR GATE, MODI STREET, ST GEORGE HOSP, AND BALLARD PEAR
- <u>LABOUR 3</u>:- A WARD OFFICE, MINT, OLD CUSTOM HOUSE MUSEUM, CITY CIVIL COUT, HIGH COUT, MUMBAI UNIVERCITY
- <u>LABOUR 4</u>: CUFF PARADE, MARINE DRIVE, VIDHAN BHAVAN, MANTRALAYA, ABCD ROAD, AND CHUCHGATE
- LABOUR 5: REGAL CINEMA, TAJ MAHAL, COLABA TO NAVY NAGAR, TIFR
- LABOUR 6: BADHWAR PARK

#### (F) Cockroach Control:

De-cockroaching activity is carried out only in City wards i.e. A to G ward. It includes chemical treatment of inspection chambers in selective localities. This activity also has public health significance as cockroach is mechanical carrier of infection. In A/Ward decockroachry treatment is complaint oriented

# **Section 4(1) (b) (II)**

# **Powers and Duties of Officers and Employees**

# **Delegation of power to the Pest control Officer**

# Α

Sr. No.	Designation	Power – Financial	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	Power to sign payment and adjustment vouchers against the previous sanction of the competent authorities to limit of Rs. 1000/-	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488, 517(1)(a)	

В

Sr. No.	Designation	Power – Administrative	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	<ol> <li>Power to grant casual leaves to subordinate staff and Labour staff accordance with the MSR on application from staff.</li> <li>Powers to grant leaves including maternity and injury leave to the Labour staff in accordance to the MSRs on the subject.</li> <li>Power to sign unclaimed wages refund certificates of the staff working under him.</li> <li>To authorize (1) employees to renew subscription to Provident Fund (Rule 16-d of provident fund (2) to grant advance (Rule 24) &amp; (3) to sanction refund of Municipal Contribution in ordinary cases and the recovery in respect of Municipal claims.</li> </ol>	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488, 517(1)(a)	

# Section 4(1) (b) (II) Contd..

С

Sr. No.	Designation	Power – Magisterial	Under which legislation / rules / order / GRs.	Remarks
		N.A.		

D

Sr. No.	Designation	Power – Quasi Judicial	Under which legislation / rules / order / GRs.	Remarks	
		N.A.			Ì

Ε

Sr. No.	Designation	Power – Judicial	Under which legislation / rules / order / GRs.	Remarks
		N.A.		

Note I - Financial powers are likely to be revised.

 $\ensuremath{\mathsf{II}}$  - Power to operate different activities in the SAP system is defined by

Jt. M.C. (Improvement)

# Section 4(1) (b) (II) Contd..

Α

Sr. No.	Designation	Duties – Financial	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	Nil		
2.	Clerk	Nil		
3.	Supervisory Junior Overseer	Nil		
4.	Junior Overseer	Nil		

В

Sr. No.	Designation	Duties – Administrative	Under which legislation / rules / order / GRs.	Remarks
1.	Pest Control Officer	1. To formulate the plan of work for the control of insect pests and to organize the work in the ward.	MMC Act 1888, u/s 253, 274(1)(1A), 375A, 381, 381A, 381B, 483, 488, 517(1)(a)	
		2. To direct and guide the staff under him in day to day work.		
		3. To keep the ward area under constant surveillance to know the sites of mosquito breeding and rat infestation to enable to take control measures.		
		4. To organize and execute rat control work in the ward according to seasonal variations in the pattern of work.		
		5.To organize and supervise antifly work; intensifying antifly campaign during monsoon months.		
		6.To organize and supervise insecticidal fogging work on the basis of the field inspections.		
		7.Monsoon actions, inspections, service of notices, accepting advances and rendering insecticide treatments for control of mosquitoes in private/commercial premises during monsoon months/during the fair season on the basis of actual		
		inspection.		

	, , , , , , , , , , , , , , , , , , ,
8.To attend to disinfestations of	
premises in case of epidemic spread of	
diseases like plague, cholera, typhoid,	
polio, Diarrhea, etc.	
9.To survey and detect malaria vector	
species of mosquitoes in their larval	
and adult stages and to take adequate	
measures for their control.	
10.To organize and execute a focal	
indoor residual spraying in the locality	
as per specific orders from the	
Insecticide Officer.	
11.Attending ward committee	
meetings, etc.	
12.To organize and execute indoor	
residual spraying according to the	
directive of NAMP.	
13.To participate in the filarial survey	
as and when required.	
14.To procure and stock pesticides	
and spraying equipment and to effect	
control over the use of pesticides.	
15. Field observations and supervision	
of ensuring effective kill of pests with	
optimum dosages of pesticides.	
16.Controlling ward stores.	
17.To attend to complaints from the	
public and to direct and instruct the	
staff for redressing their grievance	
through the Public redressal system at	
Civic Facility Centre.	
18.To initiate statutory actions under	
the provision of B.M.C. Act and to do	
follow up work (attending courts in the	
contested matters).	
19.To establish contract with the	
officers of other Departments and to	
get the required work done from them	
for effecting source reduction of	
various pests.	
20.To maintain liaison with The Asst.	
Municipal Commissioner of the ward	
for day to day functions and	
performance.	
21. To attend to routine office work and	
correspondence.	
OO To sheet on the side of	
22. To check and maintain account,	
books treatment memo of payment	
treatments and other registers.	
23. To inspect and certify the mosquito	
proof condition of the newly installed	
cisterns as per 'P-Form' requirement	
and maintain proper record.	

		24. To supervise the working of staff under him and to take disciplinary action in consultation with zonal A.I.O., Dy. I.O. and I.O. for effecting proper working.	
2.	Clerk	1.To maintain seniority list of Labour / Sup. Staff	
		2. Issue of office orders, pertaining to	
		Promotion / Reversion / Appointment	
		3. Maintaining leave records of Lab.	
		Staff where SR in in Insecticide Office	
		4. Preparing monthly pay rolls pf	
		employee working in I.O.'s office	
		5. Submission of Scholarship record of	
		the employees children every year.	
		6. Preparing P.F./ Pension claims of	
		the superannuated ? Death cases of	
		employees.	
		7. Put up the P.T. case of the Ex.	
		Employee whose death occurred while in service.	
		8. Preparing Impress bill	
		9. Insecticide bill.	
		10. Preparing allocation and bills of the	
		work pertain to Insecticide office.	
		11. Taking inventory of stock and	
		maintaining stock register	
		12. Maintaining dead stock register	
		13. Maintaining Plant & Machinery	
		register	
		14. Preparing bills for Insecticide	
		treatment	
		15. Preparing bills market Insecticide	
		treatment	
		16. Preparing bills BEST B.P.T.	
		treatment	
		17. Maintaining service record of the employee working under Insecticide department	
		18. Maintaining leave/records	
		19. Certification / sanctioning leave	
		20. Preparing yearly /quarterly report of	
		the superannuated employee of	
		Insecticide department.	
		21. To observe the M.S.R. while grant	
		of leave in the cases of Extra ordinary	
		injury leave & Cancer and Infection	
		disease.	
		22. To make entries of each & every	
		papers received in the office	
		23. To give the number serially and	
		handed over to concerned authority	
		24 To maintain watch case register	
		25. To maintain M.C.L. A/B/C' register	
		26. preparing the weekly abstract of	
		the receipt & disposal of the papers	

		27. Maintaining record of S.R.	
		including R.P. F.P. given to the parties	
		date month & year wise.	
		28. Maintaining register of cash	
		received under Right of Information Act	
		2005	
		29. To close the number and send the	
		papers outward	
		• •	
		30. To maintain postage register	
		31. To maintain RTI register.	/ 00 100
			u/s 68, 483,
	Supervising	1. Muster: To take the muster of entire	253, 274(1)
3.	Junior	labour staff of the ward twice a day i.e.	(1A), 375A,
	Overseer	in the morning and in the afternoon.	381,381A,
			381B, 488
		2.Labour arrangement: To arrange	
		daily labour distribution from available	
		staff for the	
		day, after taking into consideration the	
		absenteeism.	
		3.Stores works :	
		a).Issue of insecticides and suitable	
		equipments according to their daily	
		program needs twice a day.	
		b).To assist P.C.O. in procurement of	
		supplies of insecticides and	
		equipments in due time.	
		c).To receive different items of	
		consignment of insecticides from the	
		transport contractors.	
		d). To attend Sewree Oil Installation to	
		receive Mosquito Larvicidal Oil.	
		e).To maintain stores ledger in up-to-	
		date manner.	
		f). To issue spray equipment and other	
		implements to staff and to receive it	
		· ·	
		back at end of day after due checking.	
		g). To arrange for repairs to equipments	
		and to maintain them in good working	
		condition.	
		h).To maintain Dead Stock Ledger in	
		up-to-date manner.	
		4. Transport arrangement: To contract	
1		with garage, to arrange substitute	
		vehicle whenever needed, ensuring	
1		regular vehicular attendance.	
		5.Office work:	
1		a).To supervise and ensure up-to-date	
		maintenance of all registers by J.O.'s.	
		of the ward.	
1		b).To arrange attendance of Court	
1			
		cases of the ward.	

		6.Reports: 1).To get the daily summary reports filled in from the respective J.O. of all sections.		
		2).To maintain register of malaria cases focal spraying and to prepare periodical reports under N.M.E.P. and to put them up to P.C.O.		
		3).To prepare monthly performance budget reports of all activities.		
		4).To gather and consolidate the information and prepare various periodical reports.		
		5).To supervise the office working of J.O., D.S.I., F.S.I.		
		6).To organize routine work in absence of P.C.O. of the ward.		
		7).To assist P.C.O. of the ward as and when required as per his directions and		
		8).To carry out any other assignments as per direction from P.C.O./A.I.O./Dy. I.O./I.O.		
4.	Junior Overseer	1. The J.O. has got an area which is divided into six blocks and a block is inspected daily so that he complete his round of the whole area in one week for ground work	274(1)(1A),	
		2. The section is divided in such a way that the storage tanks on the terraces and lofts of buildings are inspected once in a six weeks. The J.O. puts chalk mark on his date of inspection on the cisterns which should tally with the dates shown in the visit book, field book and crusade book.		
		3. The J.O. treats all collections of water in such places as storm water entrances, choked gully traps, pits depressions, foreshore pools, wells and open channel drains which are likely to breed mosquitoes, once every week.		
		4.He samples all Anopheles and Aedes breeding detected and forwards the same to the Laboratory for identification along with all relevant date such as nature of breeding places, etc.		

5. Whenever to finds a drain line	
chocked and causing accumulation of	
sewage or sullage, he makes a	
reference to the drainage dept. Under	
intimation to I.O. on the usual printed	
Proforma.	
6. He makes out a reference to the	
Water Inspector of the division	
concerned whenever he finds any	
leaking hydrants on the usual printed	
proforma under intimation to I.O. He	
also reports the cases of unauthorized	
water connections to the cisterns	
whenever detected in this inspection.	
7. On his inspection the records his	
findings on (i) N.M.P. cisterns (ii)	
N.M.P. wells (iii) O.C. drains (iv)	
Construction plots and Open Masonry	
tanks, and launches action under	
section 381. He also starts action	
under section 274, whenever a cistern	
or premises is found inaccessible.	
8. He takes instructions from P.C.O. on	
the technique and usage of the various	
formulations of insecticides, generally	
at an appointed time once every week	
, , ,	
and also as and when required.  9. Under instructions from P.C.O. he	
attends to complaints and sees what	
suitable action is always taken to	
redress the grievances. After having	
done, so he obtains a certificate signed	
by the complainant; to that effect in the	
field book.	
10. He reports to the P.C.O., Head	
Office regarding compliance/non-	
compliance of notices. He attends	
court cases and prosecutions and	
proceed with after conviction actions	
whenever the requisition are not	
complied with during the first	
prosecution.	
11. He inspects ornamental tanks,	
fountains and retained open wells, tries	
as many dips as necessary to detect	
breeding and stock these situations	
with larvivorous fishes Gambusia and	
Guppy whenever found necessary.	

		12. During and prior to the monsoons,		
		he notes down all private premises		
		where depressions, pits, queries, and odd containers are observed and starts		
		action under Section 381. He induces		
		the parties concerned to deposit the		
		required amount of money for		
		rendering insecticide treatment on		
		payment, so as to arrests & destroy mosquito breeding. In such cases		
		where the deposits are received in the		
		Head Office, he renders treatment to		
		the water collections and keeps a		
		record in the monsoon action treatment		
		register.  13. He maintains proper record of the		
		treatment rendered amount of deposit		
		used and puts up refund memo at the		
		end of monsoon.		
		14. He maintains an account of quantity of insecticides used daily.		
		15. He serves notices, summonses		
		and memos received for service from		
		other wards, and reports compliance within a reasonable period.		
		16. He Executes warrant with the help		
		of police.		
		17. He maintains a field book of the work done in the field.		
		18. He carries out any other work that		
		he may be called upon to perform by		
		his superiors in connection with his duties.		
	Junior		u/s 253,	
5.	Overseer	1. To get himself apprised of rodent	274(1)(1A), 375A, 381,	
	(Rat)	infestation of various localities	381A, 381B,	
	,		483, 488.	
		2. To prepare program of rodent control work in accordance with the		
		policies and guidelines set by the		
		Asstt. Insecticide Officer.		
		3. To supervise the working of		
		labourers, Superior Field Workers and		
		Field Workers.  4. To keep record of the work done		
		and to submit periodical reports.		
		5. To attend to complaints of rat		
		nuisance and to take suitable action for redressing of grievances.		
		6. To maintain dead stock and		
		rodenticide registers up-to-date.		
		7. To keep control over the consumption of rodenticide.		
		8. To maintain equipment in perfect		
		working order.		

6.	Fogging sub- Inspectors	1. To draw advance program of fogging operations so as to cover all the wards during the month, special attention being paid to areas infested.	488
		2. To attend to complaints asking for	
		fogging operations as directed.	
		3. To communicate intimation of	
		fogging, by P.C.O., program to various Councilors concerned.	
		4. To maintain accounts of Insecticides	
		received by him and consumed in	
		fogging operations.	
		5. To supervise the fogging operations	
		and watch for results.	
		6. To undertake fogging inside the	
		premises on payment of schedule fees.	
		7. Whenever any odd services are	
		necessary, F.S.I. is required to arrange	
		for fogging even at night time.	
		8. To prepare varied formulations for	
		fogging.	
		9. To keep a check over his staff and	
		report any irregularities if and when	
		noticed to P.C.O.	
		10. To arrange to maintain the fogging	
		equipment and see that they are kept	
		ready in order for the operation any	
		time.	
		1. To keep the record of potential fly	
		breeding places such as dustbins,	
	Dis-infestation	refuse dumps, municipal/private	
7.	sub-inspectors	markets slums, and to arrange anti fly	488
		spraying according to program and	
		instructions received from the Pest	
		Control Officer.  2. To keep daily record of the	
		Insecticide consumed.	
		3. To arrange disinfection of premises	
		from where cases of fly borne diseases	
		are reported.	
		4. To attend to complaints of insect	
		nuisance received from citizens in his	
		best.	
		5. To render Pest Control treatment to	
		private premises under Pest Control	
		Officer's instructions and to prepare	
		and forward bills for signature to	
		Insecticide Officer.	
		6. To render Insecticide treatments to	
		places in respect of which deposits	
		have been received and to keep proper	
		record of such treatments.	
		7. To carry out decockroaching work	
		by opening inspection chambers and	
		manholes of sewer systems.	

8.	Superior Field Worker	1. To supervise the removal of aquatic vegetable from water ponds, low-lying lands, etc.	488
		2. To supervise channelization of Nallahs & water courses to avoid breeding of mosquitoes.	
		3. To supervise treatment of	
		mosquitogenic places.	
		4. To participate in Filaria Blood Survey as and when arranged (Applicable to Superior Field Workers only).	
		5. To keep records of the insecticide consumed, work done, etc.	
		6. To attend to any other work connected with mosquito/Filaria control program.	
9.	Superior Field Worker (Antifly)	1. To supervise treatment of fly infested sites such as Markets, Dumping grounds, Dustbins, Refuse vehicles, Refuse wages, Motor loading spots, etc.	488
		2. To maintain records of work done and insecticide consumed.	
		3. To attend to any other work connected with anti-fly measures.	
10.	Superior Field Worker (Rodent Control)	1. To supervise & setting of 30 nos. of Rat traps /Labour.	488
		2. To supervise checking of 'set rat traps'	
		3. To supervise collection of Rats from set rat traps and their disposal.	
		4. To supervise poison baiting according to direction given by the supervisors.	
		5. To maintain records of equipments, pesticides, rodenticides and field operations.	
		6. To attend to any other work connection with the Rodent Control Program.	
11.	Rat Labourers	Setting of 30 number of Rat traps daily.	488
		2. To guide the aggrieved citizens about domestic setting of rat traps.	
		<ul><li>3. Checking of set Rat Traps.</li><li>4. Collection of Rats from set Rat</li></ul>	
		Traps.	
		5. Poison baiting of 200 rat burrows, according to direction given by superiors.	
		6. Any other work connected with the rodent control program.	

		T	T T
		7. To carry out mass trapping and complaint trapping as per need of situation.	
		8. To collect trapped live rats and kill those by immersing in water at ward store.	
		9. To carry dead/live rats at Haffkine Institute at M.R.D.E. Parel.	
12.	Night Rat Killers (NRK)	1. Clubbing and killing of rats during night hours with the help of club and torch by moving in areas of high outdoor rat infestation.	488
		2. Club and kill 30 numbers of specified outdoor species of rodents daily.	
		3.To produce 30 number of freshly clubbed and killed rats at the mustering chowky of Pest Control Officer in the appointed ward.	
		4.To compensate the shortfall if any within 3 working days.	
		5.To carryout night rat killing operation as per the operations of Superiors in the appointed area.	
		6.To demonstrate night rat killing methods to new recruits or trainees as required and Press Media if official permission is obtained.	
13.	Malaria Labourers	1. To assist the senior officers J.O's, DSI's etc. for detection of mosquito larvae from suspected breeding places such as water collection in ditches, cisterns, ponds, wells, fountains etc., and do the work as per there order from time to time.	488
		2. As per senior officers J.O.'s or DSI's instructions to make the arrangement of separate ladder (which is kept some where there) where permanent iron ladder is not available for the inspection of cisterns, cesspool manhole etc.	
		3. To carry the bucket & the kit bag containing pump, essential materials & Insecticide solutions all the time while accompanying the senior officers, J.O.'s or DSI's.	
		4. To properly spray the Insecticide solutions on permanent or suspected mosquito & fly breeding places as instructed by the superiors.	
		5.To apply necessary Insecticide treatment (if required) by opening the lids of manhole, cesspool or septic tank for the detection of the breeding places of mosquitoes and flies and there prevention.	

6. Keeping clean the drains & nearby	
areas by uprooting the bushes in the vicinity because these drains and	
nearby dirty areas may be the	
suspected breeding places for	
mosquitoes, flies etc.	
7. To render Insecticide treatment in	
drains with the help of material	
available for destroying the breeding	
places of mosquitoes etc. and stopping	
the recurrence of the same. To fill-up	
the ditches in the drains with earth to	
avoid the clogging of water and to	
maintain continuous flow of the	
drainage water. Canalizations /	
creation of Nallas wherever required.	
8. To render effective Insecticide	
spraying treatment using stirrup pump, power sprayer, knapsack sprayer and	
syringes at the existing or suspected	
breeding places of mosquitoes & flies.	
This can be done either alone or	
someone's assistance if possible.	
9. To spray the MLO on the stagnant	
water surfaces, if required, with the	
help of the bucket, mop, cotton ball etc.	
10. To prepare any Insecticide solution	
in the office or in the section & to bring	
the water for the preparation of the	
same & to do the insecticide spraying	
as per the orders of the superiors.	
11. To load & unload materials & other	
things required in the day to day work	
provided from one ward to other ward	
and vice versa as per the orders.	
12. To carry out any preventive	
measure or work assigned in the MCGM limits for the destruction or	
control of mosquitoes or other insects.	
control of mosquitoes of other msects.	

С

Sr. No.	Designation	Duties - Magisterial	Under which legislation / rules / order / GRs	
		N.A.	_	

D

Sr. No.	Designation	Duties - Quasi Judicial	Under which legislation / rules / order / GRs	
		N.A.		

Ε

Sr. No.	Designation	Duties – Judicial	Under which legislation / rules / order / GRs	
		N.A.		

## **Section 4(1) (b) (III)**

#### PROCEDURE FOLLOWED IN DECISION MAKING PROCESS


- 1. What is the procedure followed to take a decision for various matters? (Reference to secretarial, manual, and rule of business manual, and the other rules / regulations etc. can be made)
  - Procedure is followed as per delegation of power to responsible officer with a reference to the matter and guidelines, various circulars, Corporation Resolutions, Bombay Municipal Corporation (Service Regulations 1989) & BMC Act 1888 are referred for taking decision.
- 2. What are the documented procedures / laid down procedure / defined criteria / rules to arrive at particular decision for important matters? What are different level through which a decision process moves ?
  - As per BMC (Service) Regulations 1989 & BMC Act 1888
- 3. What are the arrangement to communicate the decision to public?
  - If related to public, communicated by Postal Agency.
- 4. Who are the officers at various levels whose opinions are sought for the process of decision making?
  - Head of the department.
- 5. Who is the final authority that rests the decision?
- Municipal Commissioner / Standing Committee / Corporation depending Upon the matter.

Sr. no	Activity	Steps Involved	Time Limit	Authority role and responsibility of the employee/ officer in connection with each activity. (mention designation)	Remarks
	Vector	Scrutiny of	Fifteen days		
	Control &	Application,	for all		
	Granting	Site Report,	applications		
	NOC's and	Proposal,	from the date		
	Permission	Approval.	of submission		
	for all		of valid		
	water		application		
	bodies		along with		
			required		
			documents.		

The Procedure followed in the decision making process including channels of supervision and accountability.

Process for proposal and channel of supervision

# **Ward Level:**



# **Section 4(1) (b) (iv)**

# NORMS SET BY IT FOR THE DISCHARGE OF ITS FUNCTIONS.

Sr. No.	Designation	Activity	Units to be covered	Financial Targets in Rs.	Time Limit	Remarks
1.	Pest Control Officer	As mentioned in Section 4 (1) (b) (iii)		There are no financial targets set for this department. As mentioned earlier the work is carried out on day to day basis.	Time limit for each activity is as mentioned in Section 4 (1) (b) (iii)	
2.	Supervising J.O.			NA		
3.	J.O. (Vector Control			NA		
4.	J.O. (Rat)			NA		
5.	F.S.I.			NA		
6.	D.S.I.	_		NA		
7.	S.F.W.			NA	_	

# **Section 4(1) (b) (v)**

# Rules, Regulations, Instructions, Manual and Records, for discharging functions.

Sr. No.	Subject	G.R./Circular/Office order. Rule no. notification etc. date.	Remarks if any
1.	Circulars	Various Circular issued time to time.	

BMC Act Indian Insecticide Act 1968 Indian Epidemic Act WHOPES NVBDCP and TAC

# **Section 4(1) (b) (vi)**

# A statement of the categories of the documents that are held by it or under its control.

Statement of Categories of documents held in the office of Pest Control Officer, F/South ward.

Sr.	Subject	Type of	File no.	Particulars	Proposed
no.		Document	or		Periodicity of
		file or	Register		preservation
		register	no.		•
1.	Insecticide			Details of	1 Year
	Register			Insecticide	
				received by	
				department	
2.	Dead Stock			Details of Dead	Permanent
	Register			Stock received by	
				department	
3.	Packing Material			Details of Material	Permanent
	Register			received by	
				department	
4.	Machinery Register			Details of	Permanent
				Machinery	
				received by	
				department	
5.	Notice 'A' Register			Details of A form	1 Year
				Notices issued by	
				department	
6.	Notice 'B' Register			Details of B form	1 Year
				Notices issued by	
				department	
7.	Complaint Register			Details of	1 Year
				Complaint	
				received by	
				department	
8.	Mosquito Breeding			Details of	1 Year
	Register			Mosquito Breeding	
	Anopheles			detected by Staff	
	Breeding Register				
	Aedes Breeding				
	Register				
	Culex Breeding				
	Register				
9.	Well Register			Details of all types	Permanent
				of Wells in the	
				ward	
10.	Tube Well Register			Details of all Tube	Permanent
				Wells in the ward	

	Court Register	Details of all types	Permanent
	Summons Register(Optional)	of Court Cases in the Ward	
	Warrant	lile Walu	
	Register(Optional)		
	Conviction		
	Register(Optional)		
	Malaria Positive	Details of IRS	1 Year
	Case Register		
	Space Sray		
	Register		
	Residual Spray Register		
	Crusade Register		
	Cistern Certification	Details of numbers	Permanent
	Register A & B	of cisterns in the	
	Cistern Noc	ward	
	Register		
l l	Vechicle		1 Year
	Attendance		
	Register Reference To		1 Year
	A.E./C.O.		1 Toal
	Bill Cum Receipt		Permanent
	Book		
	Aqua Privy		1 Year
	Treatment Register		4.27
	Antifly Work		1 Year
	Register Decockroaching		1 Year
	Register		1 Tour
	FSI's Fuel Register		Permanent
	Space Spray		1 Year
	Register		
	Daily Rat Collection		1 Year
	Register Rat Complaint		1 Year
	Register		i i eai
	Rodent Control		1 Year
	Activity Register		
25.	Treatment Register		1 Year
	Visit Book Cum		1 Year
	Issue Register		4 Vas:
	Building Construction		1 Year
	Register		
	Watch Case		1 Year
	Register		
	Swimming Pool		Permanent
	Register(Optional)		
	Cooling Tower		Permanent
	Register(Optional) Bill Book Register		1 Year
	Dumping Register		1 Year
I I	(Optional)		
	I.O.D Register		1 Year

34.	Workshop Register(Optional)	1 Year
35.	Aedes Survey	1 Year
	Register	
36.	Dengue Cases	1 Year
37.	Register Leptospirosis Case	1 Year
37.	Register	i fear
38.	Fogging Activity	1 Year
	Register	
39.	Biological Control Activity Register	Permanent
40.	Fountain Register	Permanent
41.	Muster	Permanent
42.	Inward Register	Permanent
43.	Outward Register	Permanent
44.	Order Book	Permanent
	Register	T Simulation
45.	Staff Address	Permanent
	Register	
46.	Impress Account	1 Year
	Book	
47.	Postage Register	1 Year
48.	Stationary Register	1 Year
49.	Clothing Register	1 Year
50.	Unpaid Claim	2 Year
	Register	
51.	L.T.A Register	Permanent
52.	Audit Note Register	Permanent
53.	P.F Advance	2 Year
54.	Register Pension Claim	Permanent
J-4.	Register	1 Gillandit
55.	Electricity	1 Year
	Telephone Charges	
	Register(Optional)	
56.	Income Tax	1 Year
	Register	
57.	Staff Scholarship	1 Year
	Register	
58.	O. T Register	1 Year
59.	Bill Register	1 Year
60.	Earned Leave And CI Register.	Permanent
61.	Work Sheet	1 Year
01.	Register	I I Gai
62.	CFC Challan File	1 Year
63.	Task file	1 Year
64.	Complaint file	1 Year
65.	Important complaint	1 Year
	file	
66.	Important report file	1 Year
67.	Office copy file	Permanent
68.	Monthly report file	1 Year
69.	Yearly report file	1 Year
70.	Action papers file	1 Year

71.	Well / tube well papers file	Permanent
72.	I.O.D papers file	1 Year
73.	Well reports file	Permanent
74.	Municipal properties reports file	Permanent
75.	Govt. properties reports file	Permanent
76.	Circular file	Permanent
77.	Imp circular file	Permanent
78.	Minutes file	Permanent
79.	Dengue cases file	1 Year
80.	Leptospirosis case file	1 Year
81.	Fogging machine repair file(OPTIONAL)	1 Year
82.	Fountain paper file	Permanent
83.	Crusade data file	Permanent

# Section 4(1) (b) (vii)

THE PARTICULARS OF ANY ARRANGEMENT THAT EXISTS FOR CONSULTATION WITH OR REPRESENTATION BY THE MEMBERS OF THE PUBLIC IN RELATION TO THE FORMULATION OF ITS POLICY OR ADMINISTRATION THEREOF

## Formulation of Policy

Sr. No.	Subject / Topic	Is it mandatory to ensure public participation (Yes/No)	Arrangement for seeking public participation.
	The policy decisions on various important subjects / Topics are taken by Higher authorities of Corporation	Yes	<ol> <li>Corporation</li> <li>Standing Committee</li> <li>Public Health         Committee</li> <li>Law &amp; revenue Committee</li> <li>Prabhag Committee</li> </ol>

## Implementation of Policy

Sr. No.	Subject / Topic	Is it mandatory to ensure public participation (Yes/No)	Arrangement for seeking public participation.
	Implementation is carried out after getting sanction of the competent authorities	Yes	<ol> <li>Corporation</li> <li>Standing Committee</li> <li>Public Health         Committee</li> <li>Law &amp; revenue         Committee</li> <li>Prabhag Committee</li> </ol>

#### Section 4(1) (b) (viii)

# A STATEMENT OF BOARDS, COUNCIL, COMMITTEES AND OTHER BODIES CONSTITUTED AS ITS PART.

#### **Types of Committees/Boards**

- 1. Grievance Committees
- 2. Promotion Committees
- 3. Committees formed for granting continuation to the employees beyond age of 55 years.
- 4. Municipal Medical Staff Selection Board

#### **Composition of Committee**

#### **Grievance Committees (for Staff)**

- 1. Head of the Department Executive Health Officer
- 2. Concerned Deputy Executive Health Officer/Assistant Health Officer
- 3. Joint Ch. P.O. (Health)
- 4. Labour Officer
- 5. Administrative Officer / Officer Supdt.
- 6. Representatives of the concerned units.

#### **Promotion Committees (For the posts - Insecticide Officer to Junior Overseer)**

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.( B.C. Cell)

#### **Promotion Committees (For the posts – Other than superior staff)**

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.(B.C. Cell)

# Continuation beyond age of 55 Years (For the posts - Insecticide Officer to Junior Overseer)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Administrative Officer (Hospital)

#### Continuation beyond age of 55 Years (For the posts – Other than superior staff)

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Personal Officer
- 4. Joint Ch. P.O.(B.C. Cell)

#### **Municipal Medical Staff Selection Board**

- 1. Executive Health Officer (Health)
- 2. Executive Health Officer
- 3. Ch. Medical Superintendent (Peripheral Hospital)
- 4. Deputy Executive Health Officer ( Head Quarter )

# **Section 4(1) (b) (ix)**

# **Directory of Officers & their Pay Grades**

## **DIRECTORY OF OFFICERS**

SR. NO.	NAME	Designation	Date of Appointment	Telephone No.	Place of Working
1	Shri. Prashant Kamble	P.C.O.	01/04/2011	7506449017	PCO A
2	Shri. Rohit Boricha	Clerk	24/12/1999	9930343904	PCO A
3	Shri. Rajesh R. Sutar	S.O.	04/02/1985	9869954083	PCO A
4	Shri, Santosh S. Kulkarni	J.O.	02/09/1992	9892546879	PCO A
5	Shri. Sitaram G. Rahate	J.O.	11/06/1981	9821290950	PCO A
6	Shri. Subhash K Galande	J.O.	06/08/2006	8097980300	PCO A
7	Shri. Dinkar S. Jagdale	J.O.	25/05/1992	9920105728	PCO A
8	Shri. Prakash T. Shinge	J.O.	14/06/1993	9004854714	PCO A
9	Shri. Isak A. Bobde	J.O.	04/05/1979	9892659446	PCO A
10	Shri R. R. Yadav	J.O.	22/03/1982	9969813738	PCO A
11	Shri Sunil D. Chavan	J.O.	05/03/1993	9821408402	PCO A
12	Shri.Sanjay M. Phalke	J.O	16/03/1993	9969471938	PCO A
13	Shri. Udaykumar M. Vengurlekar	J.O	06/12/1990	9892551731	PCO A
14	Shri. Walu R. Dahale	J.O	01/10/2008	9004716517	PCO A
15	Shri. Sunil Patil	J.O (RAT)	04/11/1993	8433380187	PCO A
16	Shri Leelanand J. Kadam	FSI	06/05/1983	9221474259	PCO A
17	Shri. Shashikant M. Devkate	SFW	04/11/1993	9220071881	PCO A
18	Shri. Pradip v. Javkar	SFW	17/03/2005	8879563826	PCO A
19	Shri. Ramchandra M. Patil	SFW	01/08/1994	9220788687	PCO A

# **Section 4(1) (b) (x)**

# Officers Pay Grades

DESIGNATION	DESIGNATION	GRADE	GRADE
	CODE	CODE	
P.C.O.	B 271	B 28	9300-34800 GRP 4300
Clerk	C 034	C 27	5200-20200 GRP 2000
Sup. J.O.	C 444	C 19	5200-20000 GRP 2000
J.O.	C 436	C 31	5200-20200 GRP 2000
J.O. (Rat)	C 438	C 31	5200-20200 GRP 2000
F.S.I.	C 547	C 37	5200-20200 GRP 1950
D.S.I.	C 612	C 49	5200-20200 GRP 1900
SFW	D 416	D 23	5200-20200 GRP 1800
Labour	D 114	D 25	5200-20200 GRP 1800

# **Section 4(1) (b) (xi)**

# THE BUDGET ALLOCATED TO EACH AGENCY (PARTICULARS OF ALL PLANS, PROPOSED EXPENDITURE AND REPORTS ON DISBURSEMENT MADE)

FUND CENTER Health	COMMITMENT ITEM	BUDGETED AMOUNT
4010470000		
GL Account	Head	RS
Code		
140409900	Misc Fees	1000
140804000	Fountain permission charges	100000
140804100	New bldg insecticide	1000000
180400200	Fine	1000
180400300	Rent recovery	2000
180409900	Other recoveries	220000
180809900	Misc receipt	1000
210100101	Basic pay	2248000
210100102	Incentive bonus	190000
210100104	Grade pay(superior)	322000
210100201	Basic pay	2977000
210100202	Incentive bonus	515000
210100204	Grade pay(labour)	613000
210200101	Dearness allowance	2814000
210200102	House rent allowance	756000
210200103	Conveyance allowance	94000
210200105	LTA	97000
210200107	Mun med allowance	41000
210200111	Prted Der allowance (sup)	39000
210200113	Tra allowance for sup & sub	84000
210200118	F. planning allowance –su	3000
210200119	Children edu allowance	87000
210200199	Other allowances	4000
210200201	Dearness allowance	3924000
210200202	House rent allowance	1054000
210200203	Conveyance allowance	6000
210200205	LTA	176000
210200207	Mun med allowance	96000
210200211	Prted Der allowance (lab)	11000
210200213	Transport allowance	210000
210200218	Family planning allowance	74000
210200219	Children edu allowance	219000
210200299	Other allowances	93000
210209913	Uniforms	80000
210209915	Contrbn-int 4%towr	22000
220110101	Office electricity exp	50000
220119900	Other off contin exp	5000
220120101	Official teleph exp	20000

	Total	15712000
230350014	Spares & tools	10000
230350012	Other store	30000
230350010	Material	10000
230350006	Clothing & linen	30000
230350001	Accessories	20000
220300200	Conveyance	2000
220210600	Photocopying exp	3000
220210400	Stationery	4000
220120102	Mobile phone exp	4000

# **Section 4(1) (b) (xii)**

# THE MANNER OF EXECUTION OF SUBSIDY PROGRAMMES INCLUDING AMOUNTS ALLOCATED AND DETAILS OF BENEFICIARIES OF SUCH PROGRAMMES

#### **NOT APPLICABLE**

#### Section 4(1) (b) (xiii)

# PARTICULARS OF RECIPIENTS OF CONCESSIONS, PERMITS OR AUTHORIZATION GRANTED BY IT.

#### Technical Norms of granting permission of different water bodies Notice and requisitions

#### BRIHANMUMBAI MAHANAGARPALIKA PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

# <u>CONDITIONS /SPECIFICATIONS GOVERNING PERMISSION TO WATER STORAGE TANKS</u> (<u>CISTERNS</u>)

REFERENCE; - SECTIONS 274, 274(A) &381(A) OF THE M.M.C.ACT.

#### The body of the tank:

- 1. The cisterns should be made of wrought iron, mild steel, R.C.C. or any other material sufficiently thick and strong to withstand the Wight of an average and when he stands the top of the tank.
- 2. The side sheet, the bottom sheet and the top sheet should be properly bolted or welded to leave no gaps or crevices at any point.
- 3. The top sheet of the tank should be propped by the permanent fixtures from the inside to prevent sagging. There should be no depression on the top sheet which is likely to hold or retain water.
- 4. The cylindrical tank should not be more than 2.25 mm in height including the height of the foundation on which it may be rest.
- 5. The cylindrical tank more than height should be installed horizontally or proper foundation.

#### The Manhole and the cover assembly.

The manhole cover should be fitted on the masonry elevation at least 12cm above the level of the top slab with it's collar rim grouted in the elevation with vertical bolts.

- 6. There should be a circular manholes on the top sheet and cast iron rim with collar should be firmly fixed on it.
- 7. The rim with collar should be cast in one place.
- 8. There should be no gap between the top sheet and collar. if gaps exist they should be caulked with lead wool or molten lead or any material approved by the certifying authority.
- 9. The manhole should have a properly fitting cap cover of the cast iron cast in one place.

Section 4(1) (b) (XIII) Contd...

10. The vertical edge of the cap cover should rest on the collar around the manhole with the rim of the latter toughing the inside of the cap cover to afford a double resting arrangement.

- 11. In case of masonry cisterns, the manhole collar ring should be visibly above the top laval of the cisterns.
- 12. The cross bar of the cap cover should be short so that the hinge and the hasp is as close to the lid as possible to ensure proper closing of the lid.
- 13. The lid of the cisterns should always be reverted.
- 14. If the cistern is more than 3mm long an additional manhole cover should be provided to facilitate sampling at all corners with a sampling device of 1.5 mm length.
- 15 .The feeding, overflow (warning) and take pipes should be provided with check nuts from inside and outside to prevent formation of gaps and to avoid leakage.
- 16. The overflow pipe should be protected at its free an by a perforated copper or brass plate, and the perforated plate should be within the hand reach to facilitate inspection.

#### The access.

- 17.All cisterns with height more than 1.2 should be provided with a fixed sturdy iron ladder.
- 18. The upper end of the ladder should be formerly fixed to the top sheet. They should be provide with side supports.
- 19. The iron ladder exceeding 2.5 m.m.in height should be provided with side supports.
- 20. The ladder exceeding 8m in height should be provided with hand rails on both sides.
- 21.If access to the terrace is by means of a wooden staircase, if should not remain open and exposed to the sun and rain.
- 22. If the cistern is under some cover or shelter, there should be sufficient space between the cistern and the roof to enable easy inspection and sampling.
- 23. In the case of overhead water storage tank, sturdy and safe iron or R.C.C. platforms should be provided at suitable intervals, instead of straight ladder from bottom to the top.

#### The Suction Tank:

- 24. The top of the tank should be raised above the surrounding ground level by a minimum of 45 cm. If the depth of the suction tank is more than 8 feet then there should be provision of safe, easy and permanent mean of access (without obstructing the proper closure of the lid cover) from top slab of the tank to the bottom of the tank
- 25. The pump room should invariably be connected the house drains by means of a gully trap. The pump foundation hollows should be filled in to the top circumference.

#### SPECIAL REQURIMENT:-

26. Horizontally installed cylindrical tanks should have a rectangular platform serving as Section 4(1) (b) (XIII) Contd..

the resting surface for cover assembly. The platform should be specious to accommodate fixing of a ladder.

27. Vertically installed cylindrical tanks with convex top should have an appropriate railing along

the top of circumstance.

- 28. The manhole size and the cover assembly components should be of standard dimensions and easily available in the local market.
- 29.H.D.P.E.tanks should be so fabricated as to avoid any degree of sagging of the top after fixing of a cover assembly or on climbing over it during the inspection
- 30. The distance between the adjacent manhole cover and between any manhole cover and the side wall of the suction tank should not exceed 5feet.

#### Tanks

S	Sub: Issue and Renewal of 'NOC'/Approval for  A) Brand and model of water storage tanks already approved by the H.E. (as far as material and design is concerned); with respect to mosquito proofing and mean of access for inspection & Height up to  Capacity upto & Height up to  B) Lid covers with respect to design and material from mosquito proofing point of view.
Dy	. H.E. (Maint.)
	M/s. have applied
for sul	M/shave applied 'NOC/Approval For theirbrand water storage tanks and bmitted necessary undertaking on Rs. 100/- stamp paper vide letter dated
bra	As far as this department is concerned, Renewal of 'NOC'/Approval is hereby given for the riod ofMonths from the date of expiry i.e. upto forand water storage tanks, subject to fulfillment of following conditions of this department by the rty.
1)	No brand water storage tank will be sold or installed in the Greater Mumbai limits without complying each of the conditions specified in the 'Condition Memo' i.e. Item No. 1 to 29 of Insecticide Branch of Municipal Corporation of Greater Mumbai (Copy of Condition/specification memo attached herewith).
2)	The capacity of the tank will not exceedLtrs.
3)	The height of the tank will not exceed as shown in the brochure/drawings (submitted by the party vide letter dt).
4)	No brand water storage tanks of capacity more than Ltrs. and height more than will be marketed or installed in the limits of M.C.G.M. without prior approval of Insecticide Officer and Dy. H.E. (Maint.) of M.C.G.M.
Sec	etion 4(1) (b) (XIII) Contd
5)	As required by M.C.G.M., the manhole cover will be of cast Iron circular with double resting and locking arrangement as per the memo of conditions. The cross bar shall be fitted to the

cap cover with study nuts and bolts and not by screws. The ring shall be fitted on the top of the tank with heavy duty nuts and bolts will be of the standard pattern approved by the collar ring,

the lid cover and the cross bar fitted to the lid hinges of one end and the purpose of lock of the another and without leave any which is man these so as to render the entire arrangement perfectly mosquito proof.

- 6) As required by M.C.G.M., we manufacturer will provided a sturdy, safe from ladder with the tank with holder grips to the top ends. The top ends of the ladder will be firmly fixed by means of nuts and bolts and the bottom end will be fixed on the cement block.
- 7) All dealers/distributors and sub agents will also comply with the conditions as mentioned above at the time of every sale and installation being made by them in the limits of M.C.G.M.
- 8) Before marketing of tanks NOC/Permission from the hydraulic Engineer of MCGM in connection with the above tank shall be obtained.
- 9) No change in the tank in connection with the manhole cover assembly, ladder arrangement, upper surface of the tank, height etc. shall be made without prior permission of the Insecticide Officer and Dy. Hydraulic Engineer (Maint.) of M.C.G.M.
- 10) Where the height of the tank is more than 246 cms (in case of higher capacity tanks approved by I.O.), a protective railing should by provided around the top of the tank for easy access and safety inspection.
- 11) Any other condition that may communicated by the Insecticide Officer will be complied with as and when required.
- 12)On expiry of the NOC/Approval, the same will be got renewed from the Insecticide Officer within the period of 1 month from the date of expiry.
- 13)If any of the above conditions and condition No.1 to 29 of condition/specification memo of Insecticide Branch is found to be flouted, the NOC/Approval or renewal of NOC/Approval shall be summarily revoked by Insecticide Officer.

Yours faithfully,

Insecticide Officer

Encl: Condition/Specification Memo

Note: The NOC / Approval is conveyed to H.E. and copy of the same is served / sent to the applicant.

# MUNICIPAL CORPORATION OF GREATER MUMBAI

#### Public Health Department Insecticide Branch

## PRELIMINARY LETTER FOR WELLS

	No. : IO/ /SR Date:
To,	
	Sub: Permission to Bore a Tube Well at
	Ref: Your letter/application dt. and PCO//SR of
Sir,	
provi 1)	With reference to your letter/application dt you are requested to uce following documents within 15 days so as to enable us to process your application for sional permission to the proposed tube well.  Site plan indicating the location of the proposed tube well.
2) 3)	Documentary evidence of ownership if you are the owner/N.O.C. from Owner/Land lord. Specific purpose for which the tube well water is proposed to be used.
	Yours faithfully,
	Asst. Insecticide Officer (City/Eastern/Western)

#### MUNICIPAL CORPORATION OF GREATER MUMBAI

Public Health Department Insecticide Branch

#### PROVISIONAL PERMISSION FOR TUBE WELL

Shri. Chhatrapati Shivaji Maharai Market Bldg... 4<sup>th</sup> floor, Palton Road, Mumbai - 400 001.

No. IO/ /SR Date:

To,

	Sub: Provisional Permission to Bore a Tube Well at
Sir.	Ref: Your letter datedand PCO/

Provisional permission is hereby granted to Bore a Tube Well at the above site, subject to fulfillment of all the conditions governing use well within the period of 3 months.

- 1. You should give a Undertaking on Rs.100/- Stamp Paper specifying all conditions in connecting with the Tube Well as per the memo of conditions accompanying this letter.
- 2. The responsibility of maintenance of the Tube Well should also be transferred to the new Owner or Society with the intimation to this office in case of transferring the property.
- 3. The Tube Well water will be allowed to be used only for purpose at the same site only. In case you use the water for any other purpose than granted, you should get permission by fresh application.
- 4. You should give the information about drilling in the standard format enclosed.

You should comply with all conditions within 3 months from the date of obtaining the provisional permission so as to consider to grant you final permission, failing which the provisional permission granted to you will automatically stands revoked except.

In case of Bore Well allowed for building construction all conditions should be complied alongwith completion of building and you should apply for final permission, of if the Well is not needed more, it should be dismantled, closed and the site should be consolidated.

Yours faithfully.

Asst. Insecticide Officer

## MUNICIPAL CORPORATION OF GREATER MUMBAI

Public Health Department Insecticide Branch

#### **FINAL PERMISSION FOR WELL**

Shri. Chhatrapati Shiva Maharaj Market Bldg., 4 <sup>th</sup> floor, Palton Road, <u>Mumbai – 400 001</u> .						
No. IO/ Date:	/SR					

To,

Sub: Permission to allow to retain a newly dug surface well/newly bored tube well and to use /allow the use of water from the existing well for

Ref: An undertaking submitted by you and PCO/ / of

Sir/Madam.

Sii/iviadam,																		
Perm water/allow	ission the		of v	retain vater at the	from	the	e	xistiı	ng	well	fo	r _						_
compliance prohibiting t conspicuous	he use	of the	ditions	menti	ioned	in the	me	mo	of co	ondit	ions	duly	/ sigi	ned b	by yo	u. A	bore	d
The conditions is legal action		ound to	o have	e been	comp	olied v	with	or b	orea	ched	, in t							
										You	ırs fa	aithfu	ılly,					
										Inse	ectic	ide (	Office	er				

## MUNICIPAL CORPORATION OF GREATER MUMBAI

Public Health Department Insecticide Branch

#### **NOC FOR SWIMMING POOL**

То	, No. : IO/ /SR
	Date:
	Sub: Ref: Your letter dt
Sir	
	As far as this office is concerned, there is 'NO OBJECTION' for allowing you to maintain the ove mentioned Swimming Pool as the same is designed and constructed to avoid breeding of squitoes. However, the following conditions are to be strictly adhered to:
1)	The Swimming Pool should be maintained in such a way to prevent mosquito breeding.
2)	The approved, design and layout of the Swimming Pool should not be altered without obtaining necessary sanction from Competent Authorities.
3)	The staff of P.C.O Ward should be allowed to inspect the Swimming Pool as and when required.
in t	You are liable for preventive action from this department in case mosquito breeding is detected he said Swimming Pool and its accessories.
	Yours faithfully,
	Asst. Insecticide Officer ( )
	te: This NOC is regarding structure and functioning of the pool and the balancing tank with spect to vector control. This NOC therefore does not exempt the applicant from obtaining

permission from Medical Officer of Health and Police authorities.

# MUNICIPAL CORPORATION OF GREATER MUMBAI PUBLIC HEALTH DEPARTMENT INSECTICIDE BRANCH

## N.O.C. for Cooling Tower/Tank

Mał	i. Chhatrapati Shivaji naraj Market Bldg., floor, Palton Road,
<u>Mur</u>	<u>mbai – 400 001</u> .
Tel.	No.: 2618801 Extn.123/7
	2619206 (Direct)
No	o. IO/ /SR
	Date:
To,	
Sub: N.O.C. for Cooling Tower/Tank a	at
Ref: Your application letter dt and PCO/ / dt	
Cir	
Sir,	
With reference to your letter cited above, you are h	ereby informed to submit an undertaking
on Rs. 100/- stamp paper as per accompanying memo	of condition and carry out the work as
stated herein.	•
Υοι	urs faithfully,
Asst. Insec	eticide Officer ( )
Encl : Memo of conditions.	

# MUNICIPAL CORPORATION OF GREATER MUMBAI

## Public Health Department Insecticide Branch

		No. : IO/	/SR	
		Date:		
To,				
		> !: + / <del>-</del>   <i>-</i>   <i>-</i>		
	Sub: N.O.C. for C	Cooling Tower/Tank at		
	Ref: An undertak	ing submitted by you and		
	PCO/	/ of		
0:				
Sir,				
		concerned, there is no objection		bove referred
Cooling Tow	er/Tank provided all the o	conditions are maintained at all	the times.	
		Acet Incontinide Office	or (	
		Asst. Insecticide Offic	er()	

#### MUNICIPAL CORPORATION OF GREATER MUMBAI

# Public Health Department Insecticide Branch

#### Requirement and undertaking for Tube well

- 1. The mouth of the Tube well will be kept and maintained in mosquito proof condition.
- 2. The notice board will be displayed and affixed in conspicuous point indicating that "WATER NOT FOR DRINKING PURPOSE".
- 3. The independent pipe line will be laid down pointed in a conspicuous colour (RED) for carrying water from the tube well to the place where it is needed,.
- 4. The tube well water will not be used for the purpose other then permitted.
- 5. Adequate arrangements will be taken to dispose of waste water and spillage by connecting it to municipal sewer and will not be allowed the water to accumulate.
- 6. The municipal water supply and well water supply will not be intermixed at any point an will be provided a separate standard pattern mosquito proof tank for storing well water with safe access as per municipal rules.
- 7. The tube well will be closed sunk into ground until final fitting are provided with properly fitting plug during the period when boring operations are not actually going on.
- 8. All the pits dug will; be filled in this connection with earth the boring operations are complete.
- 9. The pump and all its fittings will be removed after the completion of the building construction work and plugged the well permanently, if not required further.
- 10. The well water will be used only at the site and will not be transported for, outside the premises.
- 11. The well will be bored and all works completed within 3 months from granting of provisional permission.
- 12. The responsibility will be transferred whenever ownership is transferred or changed and shall be binding on the new owner / owners.

The above items will be binding on me /us, our administrators and assignees. I/We also comply with any other condition of the other department of Municipal Corporation of Greater Mumbai If any.

Yours faithfully,

#### **HCC WELL:-**

The Insecticide officer, Municipal corporation of grater Mumbai.

Sir.

I /we the undersigned, hereby given undertaking in writing and declare as follow:

- I/we cover the well with R.C.C. slab and provide standard patterns mosquito proof covers to make the well mosquito proof and will continues to maintain mosquito proof condition at all times.
- 2) I/We lay down an independent pipe line painted in a conspicuous color (Red) for carrying water from the well to the place where it is needed.
- 3) I/We not intermix the municipal water supply and well water supply at any point and provide separate standard pattern mosquito proof tank for storing well water with safe access as per municipal rules.
- 4) I/we will not tap the well water at any point and I/we take direct line to the feeding storage tank, or to the process or site of use.
- 5) I/We display a notice board, in conspicuous point indicating that "WATER NOT FOR DRINKING PURPOUS".
- 6) I/We will not use well water for the purpose other than permitted.
- 7) I/We make adequate arrangements to display waste water spillage by connecting it to be municipal sewer and will not allow water to accumulate.
- 8) I/We will remove, the pump and all other accessories after the completion work without disturbing the mosquito proof arrangements of the well.
- 9) The HCC well water will be used only at the site and will not be transported for the outside the premises.
- 10) The responsibility will be transferred whenever ownership is transferred or changed and shall be binding on the new owner / owners.

(This item is applicable only where the well water is to be used for construction purpose) This will be binding on me/us, our heirs, administrators and assignees. I/We also comply with any other conditions of the other departments of Municipal Corporation of Greater Mumbai.

	Yours faithfully,
Ring well conditions to be added	

#### **Ring WELL**

The Insecticide officer, Municipal corporation of grater Mumbai. Mumbai.

Sir.

at

I /we the undersigned, hereby given undertaking in writing and declare as follow:

1) I/we cover the well with R.C.C. slab and provide standard patterns mosquito proof covers to

make the well mosquito proof and will continues to maintain mosquito proof condition

all times.

- I/We lay down an independent pipe line painted in a conspicuous color (Red) for carrying
  - water from the well to the place where it is needed.
- 2) I/We not intermix the municipal water supply and well water supply at any point and provide separate standard pattern mosquito proof tank for storing well water with safe access as per municipal rules.
- 3) I/we will not tap the well water at any point and I/we take direct line to the feeding storage tank, or to the process or site of use.
- 4) I/We display a notice board, in conspicuous point indicating that "WATER NOT FOR DRINKING PURPOUS".
- 5) I/We will not use well water for the purpose other than permitted.
- 6) I/We make adequate arrangements to display waste water spillage by connecting it to be municipal sewer and will not allow water to accumulate.
- 7) I/We will remove, the pump and all other accessories after the completion work without disturbing the mosquito proof arrangements of the well.
- 8) The ring well water will be used only at the site and will not be transported for the outside the premises.
- 9) The ring well will be dug and all works completed within 3 months from granting of provisional permission.
- 10) The responsibility will be transferred whenever ownership is transferred or changed and shall be binding on the new owner / owners.

(This item is applicable only where the well water is to be used for construction purpose) This will be binding on me/us, our heirs, administrators and assignees. I/We also comply with any other conditions of the other departments of Municipal Corporation Greater Mumbai.

Yours faithfully,

#### MEMO OF CONDITIONS FOR RAIN WATER HARVESTING SYSTEM

To,
The Insecticide Officer,
Municipal Corporation of Greater Mumbai,

I agree to abide by the condition mentioned herein below:-

- 1. The rain water harvesting tank shall have top slab cover of RCC without any chinks or crevices between the top slab and the side walls, leaving circular manhole opening, not less than 45 cms radius and raised by 15mm, above the surface level of the top slab.
- 2. The shortest liner distance between the centres of such manhole openings should not exceed 250 cms from each other and from any corner or surface of the side walls from inside.
- 3. Every such manhole should be provided with a new properly fitting mosquito proof, hinged cast iron or polymer cover approved by the BMC.
- 4. The top slab should have proper centrifugal slope round the manholes towards the edges of the slab so as to prevent water accumulation thereon.
- 5. The well should be provided with water sealed rain water entrance, so as to isolate the inner surface of the water from the atmosphere. In case of water entrance through pipe; every such entrance should have water seal arrangement as mentioned hereinabove.
- The existing open well, if used for the rain water harvesting system, it shall be covered with RCC slab and will be provided with standard pattern cast iron or polymer, mosquito-proof cover to render the well mosquito proof and will continue to maintain it in mosquito proof condition at all times.
- 7. The height of the parapet wall/side wall of the well/tank should be at least 45 cms above the surrounding ground level.
- 8. The mouth of the tube/ring well will be kept and maintained in mosquito proof condition at all times.
- 9. The notice board will be displayed and affixed in conspicuous point indicating that "WATER FROM THIS SYSTEM NOT FOR DRINKING PURPOSE".
- 10. The independent pipe line will be laid down painted in a conspicuous colour (RED) to the visible pipe fittings of the entire rain water harvesting system.
- 11. The water of the rain water harvesting system will not be used for the purpose other than permitted.

12. Adequate arrangements will be taken to dispose of waste water and spillage by connecting it to municipal sewer and will not be allowed the water to accumulate at/around the rain water harvesting system.

Section 4(1) (b) (XIII) Contd..

- 13. The municipal water supply and the water of rain water harvesting system will not be intermixed at any point and will be provided with a separate standard pattern mosquito proof tank TOTALLY ISOLATED FROM EACH OTHER, for storing water and also provided with safe, easy and permanent access.
- 14. The water pumped out or drawn from the system should not be tapped or used for any other purpose other than feeding a standard pattern mosquito-proof tank meant for non-potable purpose.
- 15. The tube/ring well will be closed sunk into ground until final fitting are provided with property fitting plug during the period when boring/construction operations are not actually going on.
- 16. All the pits, dug will be filled-in, in this connection with good earth after the entire rain water harvesting system is complete.
- 17. The water of the rain water harvesting system will be used only at the site and will not be transported outside the premises.
- 18. The responsibility of Maintenance of the rain water harvesting system should also be transferred to new owner society with the intimation to this office in case of transfer of the property.
- 19. The BMC, their officers and servants will be held harmless and indemnified from and against all losses, suits, damages, costs, charges, claims and demands whatsoever including claim under the Workmen's Compensation Act 1923, which the BMC, their officers and servants sustain or incur or become liable to pay be reason or in consequence of any injury to any person or to a third whether resulting directly or indirectly from existence and /or use of the said well water and well or occasioned through any accident or adverse effect.
- 20. A deposit or Rs. 1,000/-(Rs. One thousand only) shall be paid in the office of the Insecticide Officer, towards charges for treatments of the stagnation of sub-soil water during the construction of the rain water harvesting system.
- 21. The permission to use water of the rain water harvesting system shall be revoked at any time on infringement of any of the conditions mentioned hereinabove, thereby giving three days notice.

The above items will be binding on me/us, our administrators and assignees. I/We also comply with any other conditions of the other departments of Municipal Corporation of Greater Mumbai.

Yours faithfully,

#### MUNICIPAL CORPORATION OF GREATER MUMBAI

# Public Health Department Insecticide Branch

#### Permission to allow to retain Masonary tank for Industrial purpose

- 1. The Masonary tank shall be provided with an outlet flushed with the bottom and capable of emptying the tank thoroughly and the same shall be connected to the municipal drain.
- 2. The tank shall be emptied and scrubbed thoroughly once a week positively on every block day and thereafter kept empty four twenty four consecutive hours.
- 3. The water in the tank shall not be allowed to stagnate so as to breed mosquitoes.
- 4. The staff of this department shall be allowed full facilities for inspecting the tank periodically and taking suitable steps to stop mosquito breeding.
- 5. The permission shall be summarily withdrawn for breach of any of the above mentioned conditions or for any other reason considering sufficient by the municipal commissioner or by any other officer empowered by him in this behalf.
- 6. Such measures as may be communicated to you from time to time by this office to prevent mosquito breeding in the tank shall be carried out.

Insecticide officer

#### MUNICIPAL CORPORATION OF GREATER MUMBAI PUBLIC HEALTH DEPARTMENT Insecticide Branch

#### CONDITIONS GOVERNING PERMISSION TO COOLING TOWER

- 1. The cooling tower when installed or constructed with its bottom at a height more than 1.2 meters, it should be Provided with a permanently fixed iron ladder (the lower ends of which are embedded in a cement block and the upper ends curved and fixed to serve as hand grips) to facilitate sampling and inspection.
- 2. The bottom of the trough should be emptied and scrubbed thoroughly once a week.
- 3. The bottom trough should be provided with sufficient number of spouts or sprinklers to agitate the entire surface of water, from a minimum height of 2 meters.

Note:- Failure to observe any of the aforesaid conditions will result in revoking the permission and initiation of legal action.

# APPLICATION FORM FOR ISSUANCE RENEWAL OF PERMISSION FOR EXISTING / PERMITTED / NEW WATER FOUNTAINS / CASCADES ETC.

#### (I) <u>EFFECT</u>:

The Policy in respect of issuance / renewal of permission for existing permitted / new water fountain / cascades etc. will come in to effect from \_\_\_\_\_\_

#### (II) NEED FOR REGULATION:

For Last many years fountains have been one of the main breeding spot for Anopheles mosquito, a vector for malaria in Mumbai. However since fountain / cascades etc. form an integral part of clean Mumbai & beautiful Mumbai, a need to re-consider the policy for granting permission to fountains etc. by implementing strict rules & regulation came forward. Municipal Corporation of Greater Mumbai therefore sincerely appeal to the applicants to follow the rules and regulations in this regard and co-operate the administration.

#### (III) GENERAL NORMS:

The permission for fountains / cascades U/s.381A(1) of M.M.C. Act. will be issued from the office of the Insecticide Officer, Chatrapati Shivaji Market Bldg., 4<sup>th</sup> Floor, Mata Ramabai Ambedkar Road, Mumbai-400 001.

# (IV) PROCEDURE FOR ISSUE OF PERMISSION TO NEW / EXISTING PERMITTED WATER FOUNTAINS

#### (a) Application

An application form will only be issued to the Owner on payment of Rs.50/- in cash at Pest Control Offier's Office - (Appendix 'A')

#### (b) **Scrutiny Charges**

Scrutiny charges of Rs.200/- be paid along with the documents.

#### (C) Document to be enclosed

1) (i) Ownership document in the form of certified / attested copy of latest assessment tax bill & receipt / P.R. Card / copy of Index-II or any other authentic proof of ownership.

- (ii) Certified true copy of the set of blue prints of the plan approved by D.P.
- (iii) Sketch prepared by licensed Architect / Surveyor Showing
  - a. Vertical Section
  - b. Horizontal Section
  - c. Front elevation
  - d. Dimension & CapacityIn liters of the sump.
  - e. Size & Position of the Manhole / Manholes of the balancing tank
  - f. Point of inflow to the sump should be through water seal, preferably one or more nahni traps.
  - g. Point of outlet to the drainage connection / soakpit.

#### (V) PROCEDURE FOR PERMISSION

- a) Initially provisional permission shall be granted to construct the fountain etc. on verification of the documents.
- b) Draft conditions are incorporated as appendix 'C' in this booklet and on physical compliance of the conditions mentioned in the memo, final permission will be issued on remittance and submission of the following.
  - i) Undertaking on Rs.100/- stamp paper of conditions governing the fountain permission, as per format put in this booklet.
  - ii) Indemnity bond as per format Appendix 'B'
  - [iii) Payment of Security deposit of Rs.10,000/- (Rs. Ten Thousand Only) by D.D. only in the Name of M.C.G.M.
  - iv) Payment of fees of Rs.3,000/- (Rs. Three Thousand Only) by D.D.in the name of M.C.G.M.

#### (VI) REFUSAL TO PERMISSION

The application for permission to existing / proposed water fountain etc. shall be considered for process if and only if all the water storages other than the fountain etc., under permission procedure is/are in absolutely mosquito proof and accessible condition as per the norms of Insecticide Branch of Public Health Dept. of M.M.C. and there is no action whatsoever pending against the said premises regarding section 381/381-A of MMC Act.

#### (VII) PROCEDURE FOR RENEWAL

#### (a) TIME OF RENEWAL

Any time before expiry of permission.

#### (b) **RENEWAL FEES**

The renewal fees shall be Rs.3,000/- (Rs. Three Thousand Only).

#### (c) PENALTY FOR DELAY IN RENEWAL

The Schedule of late Renewal fees of permission to fountain, Ornamental Tank, rock garden etc. on Late renewal.

Sr.	Delay in Renewal Period	% of	Penalty
No.	-	Penalty	Fees (Rs.)
01.	First Quarter	25%	750/-
02.	Second Quarter	50%	1,500/-
03.	Third Quarter	75%	2,250/-
04.	Fourth Quarter	100%	3,000/-

Above fees are to be paid in addition to permission fee of Rs.3,000/- p.a.

#### (d) NORMS FOR RENEWAL

Every permission will be renewed except in such cases where it is objectionable to renew under the prevailing maintenance condition of the fountain or due to change in policy guidelines, if any from the Municipal Commissioner.

#### (e) POLICY FOR NON-RENEWAL OF PERMISSION

- (i) On non-renewal of permission for more than one year the permission shall be treated as revoked.
- (ii) The Security deposit shall be forfeited in case of non renewal for more than one year.
- (iii) Legal action u/s. 381/381A shall be initiated as per M.M.C. Act=1888.
- (iv) If required demolition / seizure action of the fountain will be initiated at the risk & cost of the owner.

#### (VIII) PROCEDURE FOR PERMISSION AFTER REVOCATION

The Owner if desire to obtain the permission after revocation shall have to follow the same procedure as described before for new fountain (As described in 'V').

#### (IX) PROCEDURE FOR TRANSFER OF PERMISSION

Transfer of permission arises in following cases

- (1) The death or retirement of the owner & his legal heir becoming the owner.
- (2) Addition, alteration or deletion in the name of the permission holder.

#### (X) CONCLUSION

The permission holder shall abide by every instruction and rule and regulation regarding the physical condition of the fountain etc. and its maintenance as well as disease potential arising due to improper maintenance of the fountains permitted or any default due to nonpayment or delayed payment of security deposit and permission fees and the penalty amount for delay, incorporated in the said permission and also which is not contained in the said permission and laid down later by the corporation; who may add or amend or delete any of the above rules and rules as such amended accordingly but without prejudice to anything done or to be done before any such change, if any dispute arises out of calculation of payment of permission fees, or interpretation of the above rules etc. therein the decision of Corporation/Commissioner shall be final.

#### APPENDIX – A

Form No.

#### **APPLICATION FORM - FORMAT FOR FOUNTAIN**

	Insec				5												
	ecticide mbai –			Palto	n Roa	ad,											
	Applio	cation	n for F				Nev	٧			¬ Ех	isting			٦		
02)	(Tick I				is Ap <sub>l</sub>	plical ⊐	ble)						1		<u></u>		_
0_)	rtamo	01 111	0011														
3) (	Comple	ite ac	ldres	s of tl	he ow	mer .						1					$\blacksquare$
3) (	Jonipie	ic ac	iui 63	3 01 11	ic ov	/IIGI .	•										
						I				1							
04)	Tel. N	0.:															
05)	Cell N	0.:															
06)	Status	of th	ie apį	plicar	nt:	1) Pr	oprie	etary	<b>/</b> :								
					2	2) Pa	rtner	ship	) :						7		
	3) Private Ltd.:																
						4) Pu	ublic	Ltd.	:						Ī		
					5	) Res	sider	ntial	Socie	ty:					_ ]		
					6	) Cor	mme	rcia	l Soci	ety:					_ 		
07)			,			,				•							
07) Exact Location Address : of premises of fountain																	
ĺ				- 3 <b>.3</b> .	<u> </u>					<u> </u>				1	1		
ļ																	

I/We, herby request to issue /renew permission for the Fountain for the Fountain / Cascade etc. as referred above.

Signature of the Applicant

**DECLARATION** 

I/We, hereby declare that the information given in the application is true and I/We undertake to comply with the terms and conditions of the permission and if at any time it is found that the information is false / untrue, the permission is liable for cancellation and for any further action; I/We myself/ourselves / my/our heir/successors and assignees Partners/Directors/Management shall be solely responsible for any action, claim, damages, demand of any nature of whatsoever kind which may be initiated and / or instituted and / or made against the Municipal Corporation of Greater Mumbai or its offices due to issue of the Permission.

Date:.....20

Signature or Thumb Impression of the Owners / Partner/s / Secretary

# APPENDIX - B

# **INDEMNITY BOND ON Rs. 200/-**

# Stamp Paper

	To,
	The Municipal Commissioner, Municipal Corporation of Greater Mumbai, Mumbai – 400 001.
	Sub:
	Ref:
)	This Deed of indemnity is made this day of Month
	Proprietor / Partner / Secretary of M/s residing at
	hereinafter referred to as "the Obligors" (in
	which expression are included unless such inclusion is inconsistent with the context, their heirs, executors, administrators and assigns) of the First Part and The Municipal Corporation of
	Greater Mumbai a Corporation constituted by the Mumbai Municipal Corporation Act. 1888
	hereinafter referred to us 'The Corporation' (in which expression are included unless such
	inclusion is inconsistent with the context, its successor or successors and assigns) of the
	Second Part and Shri the Municipal Commissioner for
	Greater Mumbai hereinafter referred to as 'the Municipal Commissioner' (in which expression are included unless such inclusion is inconsistent with the context, his successor or successors
	for the time being holding the office of the Municipal Commissioner) of the Third Part.
	2) AND WHEREAS this Permission for fountain / cascade etc. is granted on the basis of documents submitted by the Obligor.
	3) And whereas for issue of the permission for fountain / cascade etc. in the prescribed booklet to M.C.G.M. to abide with the contents therein.
	4) And whereas in continuation to the said undertaking, the Obligor hereby execute Indemnity Bond in the manner hereinafter appearing.
	Section 4(1) (b) (XIII) Contd
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

NOW THIS INDENTURE WITNESSES that in pursuance of the facts mentioned by the obligor and in consideration on the terms, and Obligors do hereby bind himself / herself / themselves and their executors, administrators and assignees covenant with the Corporation and with the Commissioner hereinafter save harmless and indemnify the Corporation and the Municipal Commissioner or either of them from and against all actions, claims, damages, demand of any nature kind whatsoever which may be instituted, prepared, claimed or made against the Corporation and Commissioner or, either of them.

The Obligors further undertake to the Corporation to abide by the terms and conditions of the said permission for fountain / cascades etc. as well as to perform and act according to the terms and conditions under section 381A(1) of the Mumbai Municipal Corporation Act, 1888 amended up-to-date and if there is any complaint, dispute in respect of the same, the obligors save and keep harmless and indemnify the Corporation and the Commissioner or either of them from and against all actions, and causes, claims, damages, demand of any nature and kind whatsoever which may, be institute prepared, claimed or be made against the Corporation and the Commissioner of either of them.

**IN WITNESS' WHEREOF** the Obligors have hereunto set their respective hands and sign on the day and year hereinabove written;

SIGNED, SEALED AND DELIVERED	)		
1)		)	
2)		)	
in the presence of		)	
1)		)	
2)		)	OBLIGOR
		)	

GENERAL CONDITIONS

1. The application will not be considered unless the form is completely and correctly filled in.

2. If the information given in their application is found at any time to be incorrect, the

permission if and when granted will be liable to be cancelled without notice and no refund

of fees will be allowed for the unexpired period of such permission and suitable action will

be initiated.

3. The issue of this form does not guarantee the grant of permission. It is illegal to run any

water fountains / cascades etc. in anticipation of permission wherein legal actions as per

MMC Act, will be immediately initiated as soon as such unauthorized water fountains /

cascades etc. are noticed.

4. In case of transfer of ownership it is compulsory to transfer the permission by following due

procedure.

5. The Permission fees are payable annually in advance and are non refundable. They must

be paid within 10 days of the receipt of the demand as otherwise a composition on it at the

prescribed rate will become due in addition to the prescribed fees.

6. The permission if granted will have to be produced in the Insecticide office for renewal

before the expiry of the same every year on payment of necessary fees as otherwise the

composition at the (same / prescribed) rate as above will be recoverable in addition to the

prescribed fees and besides the permission will be treated as without permission and dealt

with (as such / accordingly).

Received application on ...... 20

Receiver's Signature

69

#### APPENDIX - C

# <u>Undertaking-cum-Bond of conditions governing Fountain Permission</u> (To be submitted on Rs.100/- Stamp Paper)

Draft conditions (framed under Section 479 (1) of the M.M.C. Act) governing the permission to be granted under Section 381 A (1) of the M.M.C. Act for Ornamental Tanks, Water Fountains, Rock Garden Fountains, Artificial Water Falls etc.

- 1. I/We am/are aware that the Construction or installation of any structure such as Ornamental tanks, fountains, ponds, garden tank, trough, channel, etc., where water is played or held shall not be permitted or allowed to be put up or constructed on upper floors, or on the terrace indoors.
- 2. I/We shall see to it that the bottom of such Ornamental tanks, fountains, ponds shall be above the ground level and sloping towards the outlet flush with the bottom to facilitate complete draining upto the last drop. The outlet shall be reconnected to the Municipal Drain.
- 3. I/We shall see to it that where the water is circulated and made to fall from a height over the troughs, cups or ledges, they shall be provided with adequate slopes to disallow any collection of water when the fountain stops playing.
- 4. I/We shall see to it that all the vertical and horizontal surfaces over which the water runs or falls shall be perfectly even and smooth to disallow formation of pockets likely to hold or trap water or in any way be a hindrance at the time of emptying.
- 5. I/We shall see to it that there shall be built in automatic arrangement to drain out entire quantity of water into a mosquito proof sump on every occasion the fountain stops playing for the day. The mosquito proof sump shall be provided with standard pattern Municipal approved cast iron cover of round shape and the sump should not have gap opening or crevice exceeding 1.5 mm.

OR

The entire quantity of water shall be drained out directly into the Municipal Drain, the moment the fountain stops playing in a manner stated under condition No. 2.

7. I/We shall see to it that the entire surface of water shall remain sprinkled or agitated when the fountain is being played.

- 8. I/We shall see to it that the whole system shall be kept dry once in a week on the day of inspection as would be communicated.
- 9. I/We shall see to it that no aquatic plants should be introduced or grown which may prevent observance of weekly dry day.
- 10. I/We am/are aware that only the person having legal possession of the premises is eligible for such permission and applications made by other persons such as Builders, Developers, Architects, Contractors, etc. will not be considered. Applications must accompany with proper drawings, plans of the intended structures showing in take and drainage arrangement for water, otherwise same will not be considered.
- 11. I/We am/are aware that the permission holder shall pay the prescribed fees for the issue of permission and renewal of the same for all subsequent financial years as will be chargeable in accordance with the schedule fixed by the Corporation and in force on the day of issue or renewal of the permission. Fees paid may be liable to be revised even after the issue or renewal of permission and in case if the same are revised by the Corporation, the permission holder shall then be liable to make good the difference of fee in accordance with an intimation in that respect which will be communicated to him, failing-which the permission will be treated as cancelled.
- 12. I/We am/are aware that the permission is valid from the date of issue till the end of March of the same year and it shall be renewable for every subsequent financial year.
- 13. I/We am/are aware that the permission, when its fees are received by an instrument will be valid only on realization of the instrument, till then, or, if the instrument is dishonoured on any account, the party concerned will be deemed to be without permission and will be dealt with as such.
- 14. I/We am/are aware that the permission fee is non-refundable.
- 15. I/We am/are aware that the permission holder shall get his permission renewed in the month of March every year for all subsequent financial years, on payment of prescribed fees. No notice will be given to him for renewal of permission. If he

fails to pay such fees within the stipulated time, he can still get his permission renewed if so allowed by the Competent Authority of the Corporation, by paying compensation charges as may be fixed by the Corporation in addition to the usual permission fees. In the absence of such payment the permission stands automatically cancelled and he will be liable for prosecution and his claim for renewal of permission shall not be considered.

- 16. I/We am/are aware that this permission does not absolve the permission holder from the obligations arising out of any other provisions of the Mumbai Municipal Corporation Act or other legislation in vogue and the permission is liable for suspension, revocation or cancellation, if so required in that connection.
- 17. I/We am/are aware that the permission holder shall not exceed or violate or in any way infringe the conditions of this permission. In such cases, the permission holder will be liable for prosecution and/or revocation of permission.
- 18. I/We am/are aware that the permission holder shall produce the permission for inspection purpose whenever demanded by duly authorised officer or offices of the Corporation.
- 19. I/We am/are aware that the permission holder shall inform the Insecticide officer in writing about any intended change in the permission at least one month in advance from the date of such intended change or from the date of expiry of permission whichever is earlier.
- 20. I/We am/are aware that the permitted premises shall be made available for inspection by the permission holder or his agent at any time to any duly authorized officer of the Corporation immediately whenever required.
- 21. I/We am/are aware that the permission holder is liable for prosecution and/or the permission will be liable for suspension or revocation if the permitted activity / activities is/are so carried on as to be or likely to be, in the opinion of the Municipal Commissioner or any duly authorized officer of the Corporation, a source of nuisance or danger to life, health or property.
- 22. I/We am/are aware that the suspension or revocation of this permission for any reason shall not prejudice or effect any claim or demand whatsoever of the Municipal Commissioner or any other Competent Authority of the Corporation, nor shall the permission holder be entitled in the event of the suspension or revocation of this permission to claim any refund of any payment whatsoever made by him hereunder, or to claim any damages against the Municipal Corporation of Greater Mumbai towards construction cost.
  - 23. I/We am/are aware that the permission holder shall pay security deposit as may be prescribed from time to time (by the Corporation) for faithful observance of the conditions of permission and the same will be forfeited to the Municipal Treasury
  - 24. Section 4(1) (b) (XIII) Contd...

at the discretion of the Municipal Commissioner or any other competent authority of the

Corporation in case of any of the conditions of this permission is infringed any time by the permission holder, or his agent or servant. The permission shall be treated as suspended till fresh security deposit is paid to Municipal Corporation. The permission holder shall also be liable for prosecution and/or the permission will be liable for suspension or revocation for such infringement of condition of permission.

- 24. I/We am/are aware that on expiry of permission or in case of its revocation the permission holder shall remove the structure within 15 days thereof, failing which the Municipal Corporation of Greater Mumbai, or officers empowered will be entitled to take necessary action to demolish and remove the same without any notice and to recover the demolition charges from permission holder.
- 25. I/We am/are aware that the permission is not transferable either as regards the persons to whom or the premises for which it is granted, without the written permission of the Competent Officer of the Corporation.
- 26. I/We am/are aware that if the permission holder decides to discontinue the activities for which the permission is granted, he shall forthwith inform the Insecticide Officer that he is about to do so or has done so.
- 27. I/We am/are aware that the Municipal Corporation of Greater Mumbai is entitled to add, alter or amend the conditions at any time at the discretion of the Municipal Commissioner or any other competent authority of the Municipal Corporation of Greater Mumbai. In such event the permission holder shall abide the modified and/or additional conditions.

The above conditions will be binding on me / us, Our administrators and assignees. I/We also comply with any other conditions of the other departments of Municipal Corporation of Greater Mumbai if any.

SIGNATURE AND SEAL

OF THE APPLICANT /OWNER

#### Section 4(1) (b) (XIII) Contd...

#### **MUNICIPAL CORPORATION OF GREATER MUMBAI**

## Sub:- <u>Proposal for ascertaining procedures for permission to water fountains cascades / ornamental tanks / water falls etc</u>

- Ref:- 1) Standing committee resolution no 396 Dt-31/8/05
  - 2) Municipal corporation resolution no 827 Dt-13/10/05

On 31<sup>st</sup> August 2005, SCR was passed for permitting water fountains / cascades, etc. against certain condition. There shall be three types of cases coming forward while implementing policy to permit fountains etc.

- **Type I** The fountains which were permitted prior to 1996 and their permission is not revoked.
- **Type II** The fountains which come into existence after 1996, but were not permitted and undergoing legal action
- **Type III** Proposed fountains yet to be constructed but shown in the building plans approved by DP.

## The procedures for permission is hereby proposed;

- 1) Format of application with all the necessary information is designed and enclosed herewith on page No. C\_\_\_\_
- 2) The application form as a booklet will be available in the I.O office at the cost of Rs.50/-(Rs. Fifty) to be paid in cash
- 3) There will be scrutiny charges of Rs.200/ to be paid in cash at I.O office with the application format completely filled on along with the documents as prescribed below;
  - (i) Attested copy of the latest bill and receipt of the assessment tax paid at the office of A & C of the respective words or extract of the proper registration card or extract of Index –II issued by the revenue department of GOM or any other authentic proof of ownership.
  - (ii) Certified true copies of the set of blue prints of the plan approved by D. P.
  - (iii) Sketch prepared by license architect / surveyor showing;
    - (a) Vertical Section
    - (b) Horizontal section
    - (c) Front elevation
    - (d) Dimension and capacity in Ltrs. of the sump
    - (e) Size and position of manhole / manholes.

Section 4(1) (b) (XIII) Contd..

- (f) Point of inflow to the sump through water seal.
- (g) Point of outlet to the drainage connection/soak pit
- (iv) Authority from the owner to Architect / L.P.
- (v) Certificate from the architect in format enclosed as\_\_\_\_\_ in the booklet.
- (vi) Certificate from the L.P. in the format enclosed as \_\_\_\_\_ in the booklet.
- 4) The Proposal will be scrutinized by the concerned A.I.O. and will be submitted to Dy.I.O. for orders to accept the deposit of Rs.10,000/-(Rupees ten thousand Only) as per SCR. Following which AIO of the zone will sent intimation for payment of deposit to the applicant.
- 5) Provisional permission shall be then issued to the applicant and a demand of revenue shall be created at I.O. office in respective register.
- The memo of condition [Page No. -----] shall be incorporated with the format booklet of application. The applicant has to submit on Rs.100/- stamp paper & comply with the conditions duly signed and with the stamp and round seal (in case of commercial establishment).
- P.C.O. for further observation and process. The provisional permission shall be valid for 90 days within which the applicant has to comply with the conditions of the undertaking and intimate the same to the I.O. office. If the final permission is not obtained with this period the security deposit will be fortified and if there is any excavation or suspended masonry or fabricated work at the site, the applicant shall be liable for action u/s 381or 381-A or both together as the case may be.
- 8) The PCO shall ensure that work of construction/ fabrication of the fountain is completed within 60 days and submit the report accordingly to A.I.O concern. Dy. I.O. / A.I.O. will visit the site and after confirming that the conditions incorporated in the undertaking are totally complied, I.O. will issue orders to accept the permission fees of Rs.3,000/- (Rs. Three Thousand Only).
- 9) On receipt of the above fees I.O. will issue final permission to the applicant. Section 4(1) (b) (XIII) Contd..
- 10) The Permission will be issued for one year only.

- 11) The permission will be renewed one month before the expiry and the renewal fees shall be Rs.3,000/- (Rupees Three Thousand Only) as per the SCR No.396 dt.31/08/05.
- 12) The penalty for delay in renewal is illustrated as per following chart.

Sr.	Period of delay	Percentage of	Penalty charges
No.		Penalty	( Rs.)
1.	First Quarter	25%	750/-
2.	Second Quarter	50%	1500/-
3.	Third Quarter	75%	2,250/-
4.	Fourth Quarter	100%	3,000/-

While obtaining the approval to procedure of permitting fountain, etc. It is pertinent to consider one very important issue that whether any fountain etc. having its status of being un authorized due to any reason, if remains in existence and causing severe damage to community health by repeated vector breeding and consequent transmission of a disease in a community; Then such fountain will certainly deserve immediate demolition by following due process of law. This has to be part and parcel of the permitting procedure and therefore will have to be included in the format of permission as a part of policy.

## Sanction of A.M. C. e/s is therefore requested for;

- (A) To follow the procedure proposed hereinabove
- (B) To accept the charges for application form of Rs.50/- (Rupees Fifty Only)
- (C) To accept the charges of Rs.200/- (Rupees Two Hundred Only) towards scrutiny charges of the application.

### Administrative approval of AMC (e/s) is also requested for the following:

(	1)	Form of appli	ication incor	porated as a	booklet submitted	vide C	to C
---	----	---------------	---------------	--------------	-------------------	--------	------

(2)	To publish notification in	the newspaper	informing revised	policy for the foundation.
-----	----------------------------	---------------	-------------------	----------------------------

Submitted Please,

Insecticide other (s/c)

E.H.O.

Jt. M.C. (M.E. & H)

A.M.C (e/s)

#### **NOTIFICATION**

The Municipal Corporation of Greater Mumbai hereby notify this for Public Information.

The Policy regarding permitting the Fountains/cascades is redefined by standing committee as per resolution No.396 dt. 31<sup>st</sup> August 2005, Accordingly the permission for Fountains / Ornamental tanks/Rock Garden/Fountains artificial water falls/cascades etc. or rather what is defined as the place and the site with or without excavation in the structure built upon / kept / installed, or fabricated, where water of any type any salinity and any quality is being played or is played for the purpose of beautifications will be issued to the applicants from

Application Forms included in a booklet of information are available at the office of Insecticide Officer having its office at 4<sup>th</sup> Floor, Chhatrapati Shivaji Maharaj Market, Mata Ramabai Ambedkar Road, Fort, Mumbai-400 001.

Insecticide Officer

# CONDITIONS GOVERNING PERMISSION TO RETAIN JACUZZI & SWIMMING POOL

I/We	the undersigned owner of residing at, Mumbai, Age :, hereby undertake to observe
	dition, as for as Jacuzzi & Swimming Pool at
2.	The Jacuzzi shall be emptied and scrubbed thoroughly once a week positively on every block day (as prescribed by M.M.C.) and there after the same shall be keep empty and dry for twenty four consecutive hours.
	The water in the Jacuzzi shall not be allowed to stagnate so as to breed mosquitoes. It will binding on the undersigned to allow immediate and uninterrupted access to the bonafide staff members of Municipal Corporation of Greater Mumbai, for the purpose of inspection & treatment or any other action, which the Insecticide Officer find deemed fit in any given situation as per relevant provision of M.M.C. Act.
5.	I shall take all such measures as may be communicated to me/us from time to time by your office to prevent mosquito breeding in the Jacuzzi.
	I shall not demand any additional municipal water for the use of Jacuzzi. I am aware that the permission shall be summarily withdrawn for breach of any of above mentioned conditions or for any other reason considered sufficient by the Municipal Commissioner or by any other Officer empowered by him on his behalf and following which, I am liable for legal action as per relevant provision in the M.M.C. Act and I further state that for which I shall have grievance.
	Authorised Signatory for Owner

Section 4(1) (b) (XIII) Contd..

## MUNICIPAL CORPORATION OF GREATER MUMBAI

	Memo. No of
Owned by :-	Shri
	last inspection Cistern No was found inaccessible. The owne be asked to provide an easy, safe and permanent access as per sketch and detai :-
Pest Control	Officer ward
Details –	<ul> <li>(1) Existing access</li> <li>(2) Defects</li> <li>(3) Space for fixing the iron ladder permanently</li> <li>(4) Situation of the cistern</li> <li>(5) Height of the proposed ladder</li> <li>(6) Height of the cistern</li> <li>(7) The upper ends of the proposed ladder are to be fixed to</li> <li>(8) The lower ends of the ladder are to be fixed in</li> </ul>
[P.T.O.]	
Sketch Plan	
Vertical proje	ection
Notice under 3-1953.	Section 274(1) A of the Mumbai Municipal Corporation Act, 1888 as modified upto 1-

## Section 4(1) (b) (XIII) Contd..

No			ORIGINAL
	o of 2	20 - 20	
To,			
Shri / Smt His / Her Address			
	(	Owner of premises No	
		at	
property is / are not easily access NOW I DO HEREBY GI Section 274 as amended as a from the date of receipt of this tanks by providing a firmly fixed feet above the top sheet of the and fixed in the top sheet / top ends being fixed in cement constants.  I DO HEREBY GIVE YO	essible.  IVE YOU NOTICE pursuar aforesaid that you are here a notice, easy, safe and per diron ladder extending from e cistern / top of the water of the water closet block shorrete block on.  DU FURTHER NOTICE that	rmanent means of access to the floor / ground / terrace closet block with its upper o as to serve as handgrips a	ection (1) A of nin a fortnight to the storage to about two ends curved and the lower
requisition you will render your of the said Act.			er section 4/1
Dated this	day of	20	
Insecticide Officer For Grea	Mu ater Mumbai	nicipal Commissioner —	
	s notice was served s day of	by me on20	
Malaria Inspector/_ Ward No of 20		arty's Signature	
This notice has been		d with this	day of
		D	147
		Pest Control Officer	Ward.

## **MUNICIPAL CORPORATION OF GREATER MUMBAI**

INSECTICIDE OFFICER, Municipal Corporation of Greater Mumbai

		Building,	e Branch, atrapati Shivaji Maharaj Market 4 <sup>th</sup> Floor, Palton Road Bombay 618801 Extn. 125, 126, 127 Mumbai	y <b>–</b> 1
To,	No	of 20	- 20	
	Do : Provisi	ion of googs fo	r cisterns Nos	
Sir,				
accessible and it is provided so as to fa you, therefore, to ca hereof, failing which Municipal Act:  To make the fixed iron ladder ext of the cistern / top of the water clostixed in a block of collaboration.	necessary that easy acilitate the inspection arry out the following in; action will be taken said cistern easily, stending from the floof the water closet black so as to see ment concrete on a request you to kee	y, safe and pern on thereof by the g requisition with n against you as safely and perm or / ground / Ter lock with its upp erve as handgrip	ur abovementioned property is nanent means of access there is staff of this Department. I have in a fortnight from the date of is provided under Section 274( nanently accessible by providing race to about two feet above the er ends curved and fixed in the interest of the ladder to the Terrace / Trap door ope our premises for inspection pure	to should be we to request the receipt 1) of the ng a firmly he topsheet e topsheet / er should be
			Yours faithfully,	
			Insecticide Office	r

## **MUNICIPAL CORPORATION OF GREATER MUMBAI**

	No of 20 - 20
	Mumbai 20
Го,	
	Subject : Periodical inspection of the cisterns Nos
Sir,	
oossil as we to des open some	Pest Control Officer, Ward, reports that at his last attempt to inspect the water as the terrace / traps door leading to them was found closed. No inspection was therefore ble.  This department has to inspect every week a collections of and receptacles for water such ells, tanks, cisterns, etc., to ascertain if they are breeding mosquitoes and to take measures stroy and prevent the same. Your cisterns must accordingly be inspected once a week.  I have, therefore, to request you to make arrangements to keep the said terrace / trap door on every between to keep the key with responsible person on the spot to enable the staff of the department to make the necessary ction.
	Yours faithfully,
	Insecticide Officer

## **Section 4(1) (b) (XIV)**

## DETAILS IN RESPECT OF INFORMATION AVAILABLE ON ELECTRONIC FORM

## **NOT APPLICABLE**

# $\begin{array}{c} Section~4(1)~(b)~(XV)\\ \text{PARTICULARS OF THE FACILITIES AVAILBLE TO CITIZENS FOR OBTAINING}\\ \text{INFORMATION} \end{array}$

- 1. Printed Manual Available e.g. Health profile, Brihnamumbai health Services Guide
- 2. Exhibition
- 3. Through Newspapers
- 4. Information, Education & Communication and Mass Media Publicity by procuring & distributing publicity material like Hoardings, Posters, banners, pamphlets, placards, handbills, cinema slides, VCDs, TV Spot publicity through different press media like Print media, electronic Media, All India Radio, FM bands, Mega Phones propaganda, Walkathons, Rallies, Street Plays, Human Chain Messages, Announcement through public address system of Railways, ST Bus stands, Air Port etc. & giving announcement through Telecommunications like, MTNL, Mobiles, Pagers, Street Plays etc.
- 5. Public Notification through print media.
- 6. Notice requisitions also serve the purpose of information to public for vector control.

#### **NOTICE REQUISITIONS**

OPEN WELL WITH PARAPET WALL	To demolish the parapet well of the said well and to fill in with earth completely upto the level of the Surrounding ground and to consolidate the site so as to leave no depression I to hold or collect water or to cover the well hermetically with cem concrete leaving no opening of any kind and to render the whole arrangement hermetical and perfectly mosquito proof.
WELL WITH A CONCRETE COVER & A TRAP DOOR	To remove the trap door in the cover over the said and to close the opening with cement so as to render the well hermetical and perfectly mosquito proof.
COVERED WELL IF OPENED UP HERMETICALLY	To close the opening made in the cover or gaps in the cover trap door provided in the cover or the gaps, chinks and crevices in the cover over the well with cement concrete, so render the whole arrangement hermitical as to and perfectly mosquito proof as before.
CLEANING OF WELL	To clean the well by removing kutchra etc. therefrom and to maintain it in a clean condition at all times as an anti-mosquito measure.
ENTRANCES WITH STORM GRATINGS. WATER	To close the said open storm water entrances by adjusting with road dust so as to render the whole Arrangement perfectly mosquito proof.
OPEN DRAIN. CHANNEL	To clean the said open channel drain by removing silt, kootchar etc. there from once a week regularly so as to prevent stagnation of water and consequent breeding of mosquitoes therein.
REQUISITION FOR  CELLER OR  BASEMENT WORK	The floor and wall to be made perfectly water tight with a suitable impermeable material so as to prevent collection of water any where through Percolation.
UNAUTHORISED WELL	To fill in the well with earth completely upto the level of the surrounding ground and to consolidate the site so as to leave water and breed mosquito therein.

REQUISITION FOR STORM WATER ENTRANCES	To provide new properly fitting thick wrought from plates beneath the iron grating of the said of the said storm water entrances so as to render the whole arrangement perfectly mosquito proof.
TRENCHES	To pump out the water from the abovementioned trenches daily and to treat the left over unpumped stagnations with a suitable emulsifiable insecticide concentrate at least twice a week on Monday & Thursday so as to prevent breeding of mosquitoes therein. To provide a trap door with wire mesh with perforations not exceeding 1 / 16" in diameter so as to render the whole arrangement perfectly mosquito proof.
SUMP HOLDING WATER ACCUM ULATED BY THE RELEASE OF STEAM	To connect the said sump to the Municipal Drain so as to disallow the stagnation of water and consequent breeding of mosquito therein.
OFFENCE COLLAR RING IS EMBEDED IN THE TOP SLAB AS SUCH GROOVE IS FORMED AROUND M.H.C	Requisition: To raise the collar ring and fix it on the surface of the top slab so as to avoid the groove around the M.H.E. which is Likely to hold water breed mosquitoes.
<u>UNAUTHORISED</u> MASONARY TANK	To demolish the said masonry tank and to Level and consolidate the site so as to leave no depression likely to hold or collect water and breed mosquitoes therein.
SRUMS KEPT FOR DOMESTIC PURPSES LIKELY TO BREED MOSQUITOES Unauthorized cistern Galvanized tanks barrels etc. Kept for building, construction purposes or hotel purposes.	To empty and clean the said drum twice a week positively on and by overturning and to keep it free from mosquito breeding. To remove the said entirely off the premises as an antimosquito measure.
<u>Undersigned in Salvation</u> <u>of systems</u>	To require the said NMP water storage tank entirely off the premises as antimosquito measure.
Tube well being bored	To discontinue unauthorized of tube well & fill in the bored hole with good earth leaving no depressing likely to hold or collect water therein no depression
Unauthorized Tube Well	a) Remove all the fitting of the said unauthorized tube well entirely the premises and to fill the hole with good earth upto the level of the surrounding ground so as to leave no depressing likely to holder collect water and likely to bread mosquitoes therein.
Unauthorized Fountain	To demolish the said unauthorized fountain completely up to the level of surrounding ground and to level and consolidate the site so as demolish the said cooling tank.
R.C.C COOLING TANK & COOLING TOWER	To get it regularized by compliance by the conditions laid down in the respect for prevention of mosquitoes breeding therein.
<u>Low Level</u>	To fill in the said low level with earth completely up to the level of the surround ground and to level and consolidate the site so as to level no depressions likely to collect or hold water and breed mosquitoes therein.

## **Section 4(1) (b) (XVI)**

## THE NAMES, DESIGNATIONS AND OTHER PARTICULARS OF THE PUBLIC INFORMATION OFFICERS

PIO A

Sr. No.	Name of PIO	Designation	Jurisdiction as PIO under RTI	Address Ph. No.	E-mail id for purpose of RTI	Appellate authority
1.	Shri. Prasha nt Kamble	Pest Control Officer	A Ward	Office of the Pest Control Officer,74, Mint Road 1st Floor,  MCGM Bldg, Fort.Mumbai- 400001. phone.2269509	pco.a@mcgm.gov.in	Shri. Chandrash ekhar Chore, First Appellate authority, Assistant Commissio ner A ward, A ward office, 134/E, SBS marg, next to RBI, Fort Mumbai- 400001. Phone ,2260700

APIOs B

Sr.No.	Name of APIO	Designation	Jurisdiction as APIO under RTI	Address/ ph. no.
	N.A.			

## **Appellate authority**

C

Sr. No.	Name of Appellate authority	Designation	Jurisdiction as Appellate authority	PIO reporting	E-mail id for purpose of RTI
1.	Shri. Chandrashekhar Chore	Asst. Comm.	A Ward	PCO A	

## **Section 4(1) (b) (XVII)**

#### OTHER USEFUL INFORMATION

<u>Central Stores</u>-Central Stores are maintained at P.C.O. F/S Ward for City, P.C.O. P/N ward for Western Suburb and P.C.O. M/W ward for Eastern Suburb to store Insecticides for their quick supply to respective wards

**Fogging repair workshop** – Fogging repair work shop is maintained at P.C.O. G/S ward for maintenance and repair of shoulder mounted fogging machines and power operated pumps / sprayers.

<u>Pump repair centre</u> –Manually operated spraying Pumps repair centre is maintained at P.C.O. /L ward

**List of approved Private Pest Control Operators** 

Sr. No	Name	Address
1.	Super Pesticides	Rasadhara Co-op Hsg. Soc. Ltd., Topiwala Apartment, Shop No. C-4,
		Gr. Floor, 385, Sardar Vallabhai Patel Road,
		Mumbai – 400 004. Tel. No. – 3889687, 387430.
2.	Elite Corporation	Vireshwar Chambers,405,4 <sup>th</sup> Floor,
		Next to Shan Cinema, M. G. Road,
		Vile Parle (E), Mumbai – 400 057.
		Tel. No. – 8253809, 5117373.
3.	Pest Control Universal	Saidham, Plot No. L/24, Hira Kumbhar
		Chawl, S.G. Barve Marg, Kurla (W),
		Mumbai – 400 070.
		Tel. No. – 6504731, 6503636.
4.	Executioners Pest Control Pvt.	1, Tripta Sadan, Shantawadi, 31, J. P. Road,
	Ltd.	Andheri (W), Mumbai – 400 058.
		Tel. No. – 6211653.
5.	Pest Control India Pvt. Ltd.	36, Yusuf Bldg., 1 <sup>st</sup> Floor, M. G. Road,
		Fort, Mumbai – 400 001.
		Tel. No. – 4122102, 4134745.
6.	Auto Furze Pest Control	A/202, Om Shiv Darshan, Datar Colony,
	Services	Bhandup (E).Tel. No. – 5646303, 5692687.

7.	Chamafumes Pvt. Ltd.	3 <sup>rd</sup> Floor, Dena Bank Bldg.,
		17, Horiman Circle, Mumbai – 400 001.
		Tel. No. – 2663955, 2662661.
8.	Tomcat Pest Control	10-A, Grace Plaza, S. V. Road,
		Jogeshwari (W), Mumbai.
		Tel. No5116772.
9.	Hindustan Insecticides	2 <sup>nd</sup> Cross Lane Near Raj House, N. M. Joshi Marg,
		Byculla, Mumbai – 400 027.
		Tel. No. – 3092761.
10.	Pestermynate Enterprises	4, Mahesh Bhuvan, Ganesh Lane, Lalbaug,
		Mumbai – 400 012.
		Tel. No. – 4138243, 4138167.

11.	New Kill All Pest Control	157/A, Nancy Chawl, Tanaji Chowk, New Mill Road, Kurla (W), Mumbai – 400 070. Tel. No. – 6525187.
12.	S. P. Industries	109, Old Hanuman Lane, Kalbadevi Road, 1 <sup>st</sup> Floor, Mumbai – 400 002. Tel. No. – 2065354, 2059490.
13.	Paragaon Pesticides  164, Modi Street, 4 <sup>th</sup> Floor, Fort,  Mumbai – 400 001.  Tel. No. – 2611399, 2632663.	
14.	Proprietor, Rajshree Pest Control	A/29-A, Ismail Bldg., 381, Dr. D. N. Road, Mumbai – 400 023. Tel. No. – 2822966, 2853171.
15.	Proprietor, P. Free Pest Control	Bldg. No. 32/1262, D. N. Nagar, Link Road, Andheri (W), Mumbai – 400 053. Tel. No. – 6252323, 6250269.
16.	Proprietor, M & M Pest Control Services	A/4, Bhagyashree Apartments, Eduljee Road, Charai Thane. Tel. No. – 25347981, 25418445.
17.	Proprietor, Pest Relief India	67/1, Khati Janai Bldg., Chamar Baug, Post Office Lane, Dr. B. A. Road, Parel, Mumbai – 400 012.
18.	M/s Ultima Search	9-10, Shree Krishna Commercial Centre, 6, Udyog Nagar, Opp. Raheja Solitare, Off. S. V. Road, Goregaon (W), Mumbai – 400 062. Tel. No. – 28751618, 28722711.
19.	Proprietor, Zed Pest Control	306/C, Kewani Naka, Chiplunkar Chawl, S. V. Road, Jogeshwari (W), Mumbai – 400 102. Tel. No. – 6252670.
20.	Sales Manager, Pest -O-Rid Pest Control	202, Romson Estate, Chincholi Bunder, Off Link Road, Malad (W), Mumbai – 400 064. Tel. No. – 8739163/8746988, 8739318.
21.	Proprietor, Safe Life Enterprises	D-1, Plot No. 112, Rajsagar Co-op Hsg. Soc. Gorai -1, Borivali (W), Mumbai – 400 092. Tel. No. – 28691461, 30959759, 28699242.
22.	Proprietor, Amiket Pest Control	'Manoshree' C.H.S., 19A, 4 <sup>th</sup> Floor, Shri Nagar, Wagale Estate, Thane (W), Mumbai – 400 604. Tel. No. – 5825780.
23.	Proprietor, M/s Raj Associates	Vaibhav Co-op Hsg. Soc. 121/3997, Nehru Nagar, Kurla (E), Mumbai – 400 024. Tel. No. – 25290322.
24.	M/s Padma Enterprises	Anna Bhavan, 1 <sup>st</sup> Floor, Office No. 8 Devji Ratanshi Marg, (Bharuch Street), Masjid Bunder (E), Mumbai – 400 009. Tel. No. – 23778397.