



MUNICIPAL CORPORATION OF GREATER MUMBAI

E-TENDER

(Percentage Rate)

Bid No. 7200006764

Name of work: Proposed Redevelopment of buildings known as 'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No. 11(pt) of Sion Division on plot No. 290-C(pt.) of Sion Koliwada estate Scheme No.6 in 'F/N' Ward, Sion ,Mumbai .

To be displayed by 1100 hours on 16 / 09 /2021 at the MCGM Portal website

<http://portal.mcgm.gov.in>

Draft Tender

Sd/-

S.E.(B.C.)City

Sd/-

S.E. Elect.(B.C.)City

Sd/-

A.E. Elect.(BC)City

Sd/-

A.E.(BC)City

Sd/-

E.E.(B.C.)City

Sd/-`

Dy .C.E.(B.C.)City

Dy .CE. (BC)'s office,
3 rd floor, Engineering Hub Building,
Dr. E.Moses Road, Worli Naka, Worli,
Mumbai 400 018.

INDEX

Sr. No.	Description	Page No.
1	E-TENDER NOTICE	3 – 7
2	ELIGIBILITY CRITERIA	8 – 10
3	DISCLAIMER	11 -13
4	INTRODUCTION	14 -15
5	E-TENDER ONLINE SUBMISSION PROCESS	16 – 19
6	INSTRUCTIONS TO APPLICANTS	20 – 44
7	SCOPE OF WORK	45 – 48
8	BILL OF QUANTITIES	49 – 89
9	GENERAL CONDITIONS OF CONTRACT	90 – 149
10	SPECIFICATIONS & SELECTION OF MATERIAL	150 – 152
11	FRAUD AND CORRUPT PRACTICES	153 – 156
12	PREBID MEETING	157 – 158
13	LIST OF APPROVED BANKS	159 – 162
14	APPENDIX	163 – 182
	Form of tender	164 – 167
	Agreement Form	168 – 170
	Annexure A	171 – 172
	Annexure 'B'	173 – 174
	Annexure 'C'	175 - 176
	Banker's Guarantee Format of contract deposit	177 – 178
	Annexure D	179
	Proformas	180 – 182
15	CIRCULARS	183 - 184

SECTION – 1

E-TENDER NOTICE

MUNICIPAL CORPORATION OF GREATER MUMBAI

Dy.CE /B.C/ 1271 /City. Date: 13 / 09 /20

E-TENDER NOTICE

Subject : Proposed Redevelopment of buildings known as 'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No. 11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion ,Mumbai .

The Municipal Corporation of Greater Mumbai (MCGM) invites e-tender to appoint Contractor for the aforementioned work from contractors of repute, multidisciplinary engineering organizations i.e. eminent firm, Proprietary/Partnership Firms/ Private Limited Companies/ Public Limited Companies/Companies registered under the Indian companies' act 2013 , the contractors registered with the Municipal Corporation of Greater Mumbai, (MCGM) in **Class I-B and above as per new registration** and from the contractors/firms equivalent and superior classes registered in Central or State Government/Semi Govt. Organization/Central or State Public Sector Undertakings, will be allowed subject to condition that, the contractors who are not registered with MCGM will have to apply for registering their firm within three months time period from the award of contract, otherwise their Bid Security i.e. E.M.D (Earnest Money Deposit) will be forfeited/recovered and an amount equal to Registration Fee of respective class will be recovered as penalty..

Bidding Process will comprise of THREE stages.

The application form can be downloaded from MCGM's portal (<http://portal.mcgm.gov.in>) on payment of Rs. Nine Thousand Four Hundred only (Rs 9,400/- + 5% (GST)). The applicants not registered with MCGM are mandated to get registered (Vendor Registration) with MCGM for e-tendering process & obtain login credentials to participate in the online bidding process.

i) To download the application form, for those applicants not having vendor registration, need to apply first for vendor registration at the office of Account Officer (FAR), 3rd floor, Municipal Headquarter.

ii) Followed by SRM login ID and password to be obtained from Central Purchase Department (CPD), Office at Byculla, Bakariadda, Mumbai

BID NO:-7200006764

Redevelopment of Ramgadh Building

iii) For e-Tendering registration, enrollment for digital signature certificates and user manual, please refer to respective links provided in 'Tenders' tab. Vendors can get digital signature from any one of the Certifying Authorities (CA's) licensed by controller of certifying authorities namely, Safes crypt, IDRBT, National informatics center, TCS, CUSTOMS, MTNL, GNFC and e- Mudhra CA.

Name and location of work	Contract period	Estimated Cost of Project
Proposed redevelopment of buildings known as 'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No. 11(pt) of Sion Division on plot no. 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion ,Mumbai .	24 Months (Including Monsoon)	Civil Work= 16,29,67,425.00/- <u>Electrical work= 2,81,71,591.00/-</u> Total= 19,11,39,016.00/-

In terms of the 3 stage system of e-tendering, a Bidder will be required to deposit, along with its Bid, an Earnest Money Deposit of **Rs. 19,11,395.00/- (Rupees Nineteen lakh Eleven Thousand Three Hundred And Ninety Five only)** (the "EMD"), refundable in accordance to the relevant clause of bid document, from the Bid Due Date, except in the case of the selected Bidder whose Bid Security/EMD shall be retained. The Bidders will have to provide Earnest Money Deposit through the payment gateways while submitting the bids. The Bid shall be summarily rejected if it is not accompanied by the Earnest Money Deposit. The e-tender is available on MCGM portal (<http://portal.mcgm.gov.in>) as mentioned in the Header Data of the tender.

As per THREE Packet systems, the document for Packet A & B is to be uploaded by the bidder in vendors' document online in Packet A, B. Packet A,B & C shall be opened on dates as mentioned in header data. All the responsive and eligible bidders if they so wish can be present at the time of opening of bids, in the office of DY. City Engineer (B.C.)City . The Packet C shall be opened if bids submission in

BID NO:-7200006764

Redevelopment of Ramgadh Building

Packet A & B satisfies/includes all the requirements and same are found acceptable to the Authority.

The Municipal Commissioner reserves the right to reject all or any of the e-tender(s) without assigning any reasons at any stage.

The dates and time for submission and opening the bids are as shown in the Header Data. If there are any changes in the dates the same will be displayed on the MCGM Portal. (<http://portal.mcgm.gov.in>)

The Applicants interested for the above referred works may contact the Dy. City Engr. (B.C.)City at the following address on any working day during office hours.

Office of : Dy. City Engineer (B.C.)City, MCGM
3rd Floor, Engineering Hub Building,
Dr.E.Moses Road, Worli Naka,
Worli, Mumbai- 400 018.

The applicants may wish to visit the site under reference located at plot bearing C.S.No. 11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion, Mumbai a part of Mumbai and can collect the information of the present status from the department who has invited the bids.

The MCGM reserves the rights to accept any of the application or reject any or all the application received for above works, without assigning any reasons thereof. The information regarding above subject matter is available on Website of MCGM. (<http://portal.mcgm.gov.in/tenders>)

Sd/-
Dy.C.E.(B.C.)City

Tender Document No.(Bid No.)	Bid No. 7200006764
Name of Organization	Municipal Corporation of Greater Mumbai
Subject	Proposed redevelopment of buildings known as 'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No. 11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion ,Mumbai .
Cost of Tender	Rs.9,400/- (+5% GST (2.5% CGST+2.5 SGST))
Cost of E-Tender (estimated cost)	Rs. 19,11,39,016.00/-
Earnest Money Deposit	Rs. 19,11,395.00/-
Date of issue of tender (Start Date)	16 / 09 / 2021,from 1100 Hrs.
Last date & time for sale of tender	07 / 10 /2021, up to 1600 Hrs.
Submission of Packet A, B & C & Receipt of Bid Security Deposit.	07 / 10 /2021,Up to 1600 Hrs.
Pre-bid meeting	23 / 09 /2021 at 1100 Hrs. in the Office Of City Engineer, 5 th floor, New Annex building, MCGM Head Office
Opening of Packet A	08 / 10 /2021 after 1601 Hrs.
Opening of Packet B	14 / 10 /2021 after 1610 Hrs.
Opening of Packet C	21 / 10 /2021 after 1500 Hrs.
Address for communication	Office of the:- Dy C.E.(B.C.) City's office, MCGM, 3rd floor, Engineering Hub Building, Dr. E. Moses Road, Worli Naka, Worli, Mumbai 400 018
Venue for opening of bid	On line in Dy C.E. (B.C.) City's office.

This tender document is not transferable.

The MCGM reserves the rights to accept any of the application or reject any or all the applications received for subject without any reason thereof.

Sd/-
Dy. C.E. (B.C.) City

SECTION - 2

ELIGIBILITY CRITERIA

1. For Regular, Routine and Maintenance works:

Name of the Deptt.	Details of project works
City Engineer / HIC	<i>New buildings for staff quarters/markets/school/offices etc. All dispensaries, health centers/cemeteries.</i>

1.1 POST QUALIFICATION CRITERIA**1.1 Technical Capacity**

The tenderer(s) in their own name should have satisfactorily executed the work of similar nature MCGM /Semi Govt. /Govt. & Public Sector Organizations during **last seven (7) years** ending last day of month previous to the one in which bids are invited as a prime Contractor (or as a nominated sub-Contractor, where the subcontract had involved similar nature of work as described in the scope of works in this bid document, provided further that all other qualification criteria are satisfied)

a) Three similar completed works each of value not less than the value equal to **20%** of estimated cost put to tender

Or

b) Two similar completed works each of value not less than the value equal to **25%** of estimated cost put to tender

Or

c) One similar completed work of value equal and or not less than the **40%** of estimated cost put to tender

The value of executed works shall be brought to current costing level by enhancing the actual value of work at compound rate of 10 % per annum; calculated from the date of completion to last date of receipt of applications for tenders.

1.2 Financial Capacity

Achieved an average annual financial turnover as certified by 'Chartered Accountant' (in all classes of civil engineering construction works only) equal to **30%** of the estimated cost of work in **last three (3) financial years** immediately preceding the Financial Year in which bids are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at compound rate of 10 % per annum; calculated from the date of completion to last date of receipt of applications for tenders.

1.3 Similar Experience:

For assessing the technical capacity of major structural repairs / maintenance works and reconstruction / new construction works; similar work shall mean, the completed or on-going works in Building Construction or Building Maintenance such as repairs / retrofitting / upgradation / structural repairs.

1.4 Bid Capacity

The bid capacity of the prospective bidders will be calculated as under: **Assessed Available Bid Capacity = (A* N* 2 - B)**

Where,

A = Maximum value of Engineering works executed in any one year (year means Financial year) during **the last five years** (updated to the price level of the Financial year in which bids are received at a rate of 10% per year, compounded annually) taking into account the completed as well as works in progress.

N = Number of years prescribed for completion of the Project/Works, **excluding monsoon period**, for which these bids are being invited. (E.g. 7 months = 7/12 year) For every intervening monsoon, 0.33 shall be added to **N**.

B = Value of existing commitments (only allotted works) on the last date of submission of bids as per bidding document and on-going works to be completed during the period of completion of the Project/Works for which these bids are being invited.

Note: The statement showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be attached along with certificates duly signed by the Engineer-in Charge, not below the rank of an Executive Engineer or equivalent.

Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have:

- made misleading or false representation in the forms, statements and attachments submitted in proof of the qualification requirements; and/or
- Record for poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.

SECTION - 3 DISCLAIMER

DISCLAIMER

The information contained in this e-tender document or provided to Applicant(s), whether verbally or in documentary or any other form, by or on behalf of the Municipal Corporation of Greater Mumbai (MCGM), hereafter also referred as “The Authority “, or any of its employees or advisors, is provided to Applicant(s) on the terms and conditions set out in this e-tender and such other terms and conditions subject to which such information is provided.

This e-tender includes statements, which reflect various assumptions and assessments arrived at by the Municipal Corporation of Greater Mumbai (MCGM) in relation to the Project. Such assumptions, assessments and statements do not purport to contain all the information that each Applicant may require. This e-tender may not be appropriate for all persons, and it is not possible for the Municipal Corporation of Greater Mumbai (MCGM), its employees or advisors to consider the investment objectives, financial situation and particular needs of each party who reads or uses this e-tender. The assumptions, assessments, statements and information contained in this e-tender may not be complete, accurate, adequate or correct. Each Applicant should therefore, conduct its own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this e-tender and obtain independent advice from appropriate sources.

Information provided in this e-tender to the Applicant(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Municipal Corporation of Greater Mumbai (MCGM) accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed here.

The Municipal Corporation of Greater Mumbai(MCGM), its employees and advisors make no representation or warranty and shall have no liability to any person, including any Applicant or Bidder, under any law, statute, rules or

regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this e-tender or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the e-tender and any assessment, assumption, statement or information contained therein or deemed to form part of this e-tender or arising in any way with pre-qualification of Applicants for participation in the Bidding Process. The Municipal Corporation of Greater Mumbai (MCGM) also accepts no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Applicant upon the statements contained in this e-tender.

The Municipal Corporation of Greater Mumbai (MCGM) may, in its absolute discretion but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this e-tender.

The issue of this e-tender does not imply that the Municipal Corporation of Greater Mumbai (MCGM) is bound to select and short-list pre-qualified Applications for Bid Stage or to appoint the selected Bidder or Concessionaire, as the case may be, for the Project and the Municipal Corporation of Greater Mumbai (MCGM) reserves the right to reject all or any of the Applications or Bids without assigning any reasons whatsoever.

The Applicant shall bear all its costs associated with or relating to the preparation and submission of its Application including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by The Municipal Corporation of Greater Mumbai (MCGM) or any other costs incurred in connection with or relating to its Application. All such costs and expenses will remain with the Applicant and the Municipal Corporation of Greater Mumbai(MCGM) shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by an Applicant in preparation or submission of the Application, regardless of the conduct or outcome of the Bidding Process.

SECTION - 4 INTRODUCTION

INTRODUCTION

Background:

The Municipal Corporation of Greater Mumbai covers an area of 437.71sq.kms.with a population of **1.24 Crores as per census of 2011**. The metropolis accounts major portion of India's international trade and government's revenue, from being one of the foremost centers of education, science and technological research and advancement.

The Mumbai Metropolis has historic tradition of strong civic activism dedicated to the cause of a better life for all its citizens. And it's the Municipal Corporation of Greater Mumbai (MCGM), hereafter called the "corporation", the primary agency responsible for urban governance in Greater Mumbai.

MCGM (The Authority) is one of the largest local self-governments in the Asian Continent. In observance of historic traditions of strong civic activism, with the change in time and living conditions to match with the urbanization, MCGM has mainly focused in providing almost all kinds of engineering services viz, Hydraulics, storm water drain, sewerage, water supply projects, roads, bridges, solid waste management, and environmental services. Beside this, the MCGM is also providing dedicated services in various segments such as Health, Primary Education as well as the construction and maintenance of Public Markets and Slaughter Houses.

MCGM is an organization having different departments, right from engineering depts. to health depts. Moreover we have other dept. like education, market, fire brigade dept., Octroi and other such departments where quite a good number of staff members are working.

SECTION - 5

E-TENDERING ONLINE

SUBMISSION PROCESS

The terminology of e-Tendering is solely depending upon policies in existence, guidelines and methodology adopted since decades. The SRM is only change in process of accepting and evaluation of tenders in addition to manual. The SAP module to be used in this E-tendering is known as Supplier Relationship Module (SRM). SRM is designed and introduced by ABM Knowledge ware Ltd. Who will assist MCGM in throughout the tendering process for successful implementation.

NOTE: This tendering process is covered under Information Technology ACT & Cyber Laws as applicable

- (1) In e-tendering process some of the terms and it's definitions are to be read as under wherever it reflects in online tendering process.

Start Date read as "Sale Date"

End Date read as "Submission Date"

Supplier read as "Contractor/bidder"

Vendor read as "Contractor/bidder"

Vendor Quotation read as "Contractors Bid/Offer"

Percentage Variation read as "Percentage Quoted"

Purchaser read as "Department/MCGM"

- (2) Only numeric values **upto two decimal places** are accepted in "Percentage Quoted"(in **Percentage Variation Tab**) by the contractors in online tender Process, therefore the contractors/bidders should take care while quoting their % rates in numeric values upto two decimal places

- I. Before entering in to online tendering process, the contractors should complete the registration process so as to get User ID for E-tendering links. For this the contractors can access through Supplier registration via MCGM Portal.

There are two methods for this registration :(II and III).

II. Transfer from R3 (registered contractors with MCGM) to SRM

- a. Contractors already registered with MCGM will approach to Vendor Transfer cell.

- b. Submit his details such as (name, vendor code, address, registered Email ID, pan card etc.) to Vendor transfer cell.
- c. MCGM authority for Vendor Transfer transfers the Vendor to SRM application from R3 system to SRM system.
- d. Transferred Vendor receives User ID creation link on his supplied mail Id.
- e. Vendor creates his User ID and Password for e-tendering applications by accessing link sent to his mail ID.

III. Online Self Registration (Temporary registration for tenderers not registered with MCGM)

- a. Vendor fills up Self Registration form via accessing MCGM portal.
- b. Vendor Transfer cell (same as mentioned above) accesses Supplier Registration system and accepts the Vendor request.
- c. Accepted Vendor receives User ID creation email with Link on his supplied mail Id.
- d. Vendor creates his User ID and Password for e-tendering application.

IV. CONTRACTORS BIDDING: Contractor will Quote and Upload Tender Documents

1. Access e-tender link of SRM Portal
2. Log in with User ID and Password
3. Selects desired Bid Invitation(he wants to bid)
4. To download tender documents contractors will have to pay online Tender fee. The same can be done by accessing Pay Tender Fees option. By this one will be able to pay Tender fee through Payment Gateway-If transaction successful Contractors can register his interest to participate. Without Registration one cannot quote for the Bid/Tender.
5. Applicants will download Tender Documents from Information from purchaser tab by accessing Purchaser document folder through collaboration 'C' folder link.
6. Applicants will upload packet **A** related and packet **B** related Documents in packet **A** and packet **B** folder respectively by accessing these folders through "My Notes" Tab and collaboration folder link.
7. All the documents uploaded have to be digitally signed and saved. Contractors can procure there digital signature from any certified CA's in India.

8. EMD and ASD should be paid online as mentioned in the tender.
9. For commercial details (in packet **C**) contractors will fill data in Item Data tab in Service Line Item via details and quotes his "Percentage Variation" (i.e.% quoted) figure.(If entered '0' it will be treated as at par. By default the value is zero only)
10. Applicants to check the bid, digitally signs & save and submit his Bid Invitation
11. Applicants can also save his uploaded documents/commercial information without submitting the BID for future editing through 'HOLD' option.
12. Please note that "Hold" action do not submit the Bid.
13. Contractor will receive confirmation once the Bid is submitted.
14. Bid creator (MCGM) starts Bid Opening for Packet A after reaching End Date and Time and Bid Evaluation process starts.

As per Three Packet system, the document for Packet **A & B** are to be uploaded by the tenderer in 'Vendor's document' online in Packet A & B. Before purchasing/ downloading the tender copy, tenderer may refer to post-Qualification criteria mentioned in e-Tender Notice.

The tenderer shall pay the EMD/Bid Security through payment gateways before submission of Bid and shall upload the screenshot of receipt of payment in Packet '**A**' instead of paying the EMD at any of the CFC centers in MCGM Ward Offices.

The e-tender is available on MCGM portal, <http://portal.mcgm.gov.in>, as mentioned in the Header Data of the tender. The tenders duly filled in should be uploaded and submitted online on or before the end date of submission. The Packet '**A**', Packet '**B**' & Packet '**C**' of the tenderer will be opened as per the time-table shown in the Header Data in the office of Dy. C.E.(B.C.) City.

The Municipal Commissioner reserves the right to reject all or any of the e-Tender(s) without assigning any reason at any stage. The dates and time for submission and opening the tenders are as shown in the Header Data. If there are any changes in the dates the same will be displayed on the MCGM Portal (<http://portal.mcgm.gov.in>).

SECTION-6

INSTRUCTIONS TO APPLICANTS

INSTRUCTIONS TO APPLICANTS**Scope of Application**

The Authority wishes to receive Applications for Qualification in order to SELECT experienced and capable Applicants for the Bid Stage.

Eligibility of Applicants

The Municipal Corporation of Greater Mumbai (MCGM) invites e-tender to appoint Contractor for the aforementioned work from contractors of repute, multidisciplinary engineering organizations i.e. eminent firm, Proprietary/Partnership Firms/ Private Limited Companies/ Public Limited Companies/Companies registered under the Indian companies' act 2013, the contractors registered with the Municipal Corporation of Greater Mumbai, (MCGM) in under **Class I-B and above as per new registration** and from the contractors/firms equivalent and superior classes registered in Central or State Government/Semi Govt. Organization/Central or State Public Sector Undertakings, will be allowed subject to condition that, the contractors who are not registered with MCGM will have to apply for registering their firm within three months' time period from the award of contract, otherwise their Bid Security i.e. **E.M.D (Earnest Money Deposit) will be forfeited/recovered and an amount equal to Registration Fee of respective class will be recovered as penalty.**

To be eligible for pre-qualification and short-listing, an Applicant shall fulfill the following conditions of eligibility

1) Eligibility criteria as per mentioned in Section no 02 of the Tender Document .

2) Equipment Capabilities

The successful bidder will make the arrangements of the required equipment on the day of commencement or with respect to the progress of the work in phases, as per the instructions of site in charge. The successful bidder and, to that effect he will ensure commitment on an undertaking on Rs.500 stamp paper to be submitted along with the Bid in Packet B. However, this condition in no way shall dilute the respective condition in Registration Rules of MCGM.

Note: 1. Bidders shall submit the undertaking for equipment capability and other undertakings as such on a single Rs.500/- stamp paper. 2. Insistence of availability of

equipment/plants at a particular distance from site should not be made in the tender document.

New and Original Works: The bidder should, undertake their own studies and **furnish with their bid**, a detailed construction planning and methodology supported with assessment study of requirements of equipment/plants & machineries to allow the employer to review their proposal. The bidder will ensure his commitment to make the arrangements of the required equipment on the day of commencement or with respect to the progress of the work in phases, as per the instructions of site in charge on an undertaking on Rs.500 stamp paper to be submitted along with the Bid in Packet B. However, this condition in no way shall dilute the respective condition in Registration Rules of MCGM.

3) Technical Personnel

The contractor and/or its managerial staff should have qualification/experience appropriate to the function they fulfill. The minimum standard shall be increased by asking that at least one number or more of the contractor or its managerial staff have acquired qualifications or work experience to the needs of the contract. The minimum standard may also state that the person or persons responsible for managing the works must have a minimum of no's of years' experience working on similar nature of projects.

General Guidelines for Fixing Requirement of Technical Staff

Requirement of Technical Staff		Minimum Experience (years)	Designation
Qualification	Number		
i) Project Manager with degree in corresponding discipline of Engineering	1	10	Principal Technical Representative
ii) Graduate Engineer	1	5	Technical Representative
iii) Graduate Engineer OR Diploma Engineer	2 2	2 5	Engineer Project/Site Engineer billing

Notes- 1 "Cost of work", in table above, shall mean the agreement amount of the work.

2. Rate of recovery in case of non-compliance of the clause be stipulated at following rates:-

Sr. No.	Qualification	Experience(years)	Rate of Recovery
1	Project Manager with degree	10	Rs.30000/-p.m.
2	Graduate Engineer	5	Rs.25000/-p.m.
3	Graduate Engineer	2	Rs.15000/-p.m.
4	Diploma Engineer	5	Rs.15000/-p.m.

Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have:

- made misleading or false representation in the forms, statements and attachments submitted in proof of the qualification requirements; and/or
- Record for poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.

F) TIME PERIOD OF THE PROJECT:

Entire project should be completed and delivered within 24 MONTHS of time from the date of award of contract that includes Monsoon.

The time allowed for carrying out the work as entered in the Tender shall be strictly observed by the Contractor and shall be reckoned from the date on which the Letter of Acceptance is given to the Contractor. The work shall throughout the stipulated period of the Contract be proceeded with all due diligence as time being deemed to be the essence of the contract on the part of the Contractor. On failing to do so, the Contractor shall pay as compensation an amount which shall be governed as per Clause - 8(e) of Standard General Conditions of Contract.

The Contractor should complete the physical work as far as possible as per phase given below :

¼ of the work in .. ¼ of the time

½ of the work in .. ½ of the time

¾ of the work in .. ¾ of the time

Full of the work in .. Full of the time

Full work will be completed in 24 months including monsoon.

However, deviations if any from above phasing will be got duly approved by the engineer in charge.

The program for completion of work shall be a part of the Contract Document in the form of Bar Chart / GANTT Chart. The Contractor is supposed to carry out the work and keep the progress as per Bar Chart/GANTT Chart. The Contractor shall complete the work as per the Schedule given in the Contract and the program submitted by the Contractor.

G) Contract Execution

All required documents for execution of the contract shall be submitted within 30 days from the date of issue of letter of acceptance. If the documents are not submitted within the stipulated time a penalty of Rs 5000/- per day will be applicable to the contractor. All contract documents need to be duly affixed with stamp duty properly signed along with evidence/proof of payment of security/contract deposit/ within 30 days from the date of letter of acceptance received by him.

H) If the amount of the Contract Deposit to be paid above is not paid within 30 days from the date of issue of Letter of Acceptance, the Tender / Contractor already accepted shall be considered as cancelled and legal steps be taken against the contractor for recovery of the amounts.

I) The amount of Security Deposit retained by the MCGM shall be released after expiry of period up to which the contractor has agreed to maintain the work in good order is over. In the event of the contractor failing or neglecting to complete the rectification work within the period up to which the contractor has agreed to maintain the work in good order, the amount of security deposit retained by MCGM shall be adjusted towards the excess cost incurred by the Department on rectification work.

J) Action when whole of security deposit is forfeited_

In any case in which under any Clause of this contract, the contractor shall have rendered himself liable to pay compensation amounting to the whole of this security deposit whether paid in one sum or deducted by installments or in the case of abandonment of the work owing to serious illness or death of the contractor or any other cause, the Engineer on behalf of the Municipal Commissioner shall have power to adopt any of the following process, as he may deem best suited to the interest of MCGM -

(a) To rescind the contract (for which recession notice in writing to the contractor under the head of Executive Engineer shall be conclusive evidence) and in that case, the security deposit of the contract shall stand forfeited and be absolutely at the disposal of MCGM.

(b) To carry out the work or any part of the work departmentally debiting the contractor with the cost of the work, expenditure incurred on tools and plant, and charges on additional supervisory staff including the cost of work-charged establishment employed for getting the un-executed part of the work completed and crediting him with the value of the work done departmentally in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract. The certificate of the Executive Engineer as to the costs and other allied expenses so incurred and as to the value of the work so done departmentally shall be final and conclusive against the contractor.

(c) To order that the work of the contractor be measured up and to take such part thereof as shall be un-executed out of his hands, and to give it to another contractor to complete, in which case all expenses incurred on advertisement for fixing a new contracting agency, additional supervisory staff including the cost of work charged establishment and the cost of the work executed by the new contract agency will be debited to the contractor and the value of the work done or executed through the new contractor shall be credited to the contractor in all respects and in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract. The certificate of the Executive Engineer as to all the cost of the work and other expenses incurred as aforesaid for or in getting the un-executed work done by the new contractor and as to the value of the work so done shall be final and conclusive against the contractor.

In case the contract shall be rescinded under Clause (a) above, the contractor shall not be entitled to recover or be paid any sum for any work there for actually performed by him under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the amount payable to him in respect thereof and he shall only be entitled to be paid the amount so certified. In the event of either of the courses referred to in Clause (b) or (c) being adopted and the cost of the work executed departmentally or through a new contractor and other allied expenses exceeding the value of such work credited to

the contractors amount of excess shall be deducted from any money due to the contractor, by MCGM under the contract or otherwise, howsoever, or from his security deposit or the sale proceeds thereof provided, however, the contractor shall have no claim against MCGM even if the certified value of the work done departmentally or through a new contractor exceeds the certified cost of such work and allied expenses, provided always that whichever of the three courses mentioned in clauses (a), (b) or (c) is adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchase or procured any materials or entered in to any engagements or made any advance on account of or with a view to the execution of the work or the performance of the contract.

K) Contract may be rescinded and security deposit forfeited for bribing a public officer or if contractor becomes insolvent

If the contractor assigns or sublets his contracts or attempt so to do, or become insolvent or commence any proceeding to get himself adjudicated and insolvent or make any composition with his creditors, or attempt so to do or if bribe, gratuity, gift, loan, perquisite, reward or advantage, pecuniary or otherwise, shall either directly or indirectly be given promised or offered by the contractor or any of his servants or agents through any public officer, or person in the employ of MCGM/Govt. in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract the Engineer In-charge may thereupon, by notice in writing rescind the contract and the Security Deposit of the Contractor shall thereupon stand forfeited and be absolutely at the disposal of MCGM and the same consequences shall ensure as if the contract had been rescinded under above clause J hereof; and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contract.

Submission of Tenders

PACKET – A

The Packet 'A' shall contain scanned certified copies of the following documents

Scrutiny of this packet will be done strictly with reference to only the scanned copies of Documents uploaded online in packet 'A'

- α .Valid Registration Certificate.
- β .Valid Bank Solvency Certificate of Minimum Rs. 1,50,00,000/- (One Crore Fifty Lakhs only).
- χ .A document in support of Registration under GST. Those not registered under GST shall submit an undertaking to the effect that if they are successful tenderer, they shall submit GST Certificate within 15 days of issue of work order, failing which payment for the work executed will not be released.
- δ .Certified copies of valid 'PAN' documents and photographs of the individuals, owners, Karta of Hindu un-divided Family, firms, private limited companies, registered co-operative societies, partners of partnership firms and at least two Directors, if number of Directors are more than two in case of Private Limited Companies, as the case may be. However, in case of Public Limited companies, Semi Government Undertakings, Government Undertakings, no 'PAN' documents will be insisted.
- ε . Latest Partnership Deed in case of Partnership firm duly registered with Chief Accountant (Treasury) of MCGM.

The bidders shall categorically provide their Email-ID in packet 'A'.

NOTE:

- If the Bidder(s) withdraw tender offer during the tender validity period, his entire E.M.D shall be forfeited.
- If it is found that the tenderer has not submitted required documents in Packet "A" then, the shortfalls will be communicated to the tenderer through e-mail only and compliance required to be made within a time period of **three working days** otherwise they will be treated as non-responsive.

PACKET – B

The Packet ‘B’ shall contain scanned certified copies of the following documents –

- a) The list of similar type of works as stated in para ‘A’ of Post qualification successfully completed during the last five years in prescribed proforma, in the role of prime contractor. Information furnished in the prescribed proforma (Proforma – I) shall be supported by the certificate duly self-attested. Documents stating that it has successfully completed during the last five years at least one contract of similar works as stated in para ‘A’ of Post qualification.
- b) Annual financial turnover for **preceding three financial years as certified by Chartered Accountant** preceding the Financial Year in which bids are invited. **Copies of Applicants duly audited balance sheet and profit and loss account for the preceding three financial years preceding the Financial Year in which bids are invited.** (Proforma – II).
- c) Documents stating that, it has access to or has available liquid assets, unencumbered assets, lines of credit and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements for the subject contract in the event of stoppage, start-up, or other delay in payment, of the minimum 15% of the cost of the work tendered for, net of the Bidder’s commitment of other contracts (Certificate from Bankers / C.A./Financial Institution shall be accepted as an evidence).
- d) The bidder shall give undertaking on Rs 500/-stamp paper that it is his/their sole responsibility to arrange the required machineries either owned/on lease or hire basis, at site before start of the work

I) Regular and Routine works: The successful bidder shall make the arrangements of the required equipment on the day of commencement or with respect to

the progress of the work in phases, as per the instructions of site in charge. The successful bidder and, to that effect he will ensure commitment on an undertaking on Rs.500 stamp paper to be submitted along with the Bid in Packet B. However, this condition in no way shall dilute the respective condition in Registration Rules of MCGM.

II) New and Original Works: The bidder should, undertake their own studies and **furnish with their bid**, a detailed construction planning and methodology supported with assessment study of requirements of equipment/plants & machineries to allow the employer to review their proposal. The bidder will ensure his commitment to make the arrangements of the required equipment on the day of commencement or with respect to the progress of the work in phases, as per the instructions of site in charge on an undertaking on Rs.500 stamp paper to be submitted along with the Bid in Packet B. However, this condition in no way shall dilute the respective condition in Registration Rules of MCGM.

IV) Details of works in hand (Proforma VI-A & VI-B) (original), along with copies of work orders & attested copies of percentage of works completed or part thereof.

V) Statement showing assessed available Bid Capacity.

VI) The undertaking of Rs.500/- stamp paper as per the proforma annexed in 'Annexure B & C'

Note: Bidders shall submit the undertaking for equipment capability and other undertakings as such on a single Rs.500/- stamp paper.

VII) The Bidders shall upload work plan as per the following outline:

1. GANTT chart/ PERT/ CPM chart showing the completion of work within prescribed time period, considering major activities.
2. Organizational set up envisaged by the contractors.
3. Plant & equipment proposed to be deployed for this work.
- 4 .Site Offices and Laboratories proposed to be set up.
5. A note on how the whole work will be carried out (work plan including methodology).
6. Quality management plan.
7. All the activities included in the Scope of Work shall be covered in the work plan.

Note:

- 1) The Electrical / Mechanical work shall be got carried out by the civil contractors through the contractors registered with MCGM. in Electrical Category. Information about the registered contractors shall be obtained from the office of the Ch.E. (M&E)/ E.E. (Monitoring & Registration Cell). Attested scanned copy of the valid registration certificate in Electrical in class A Category shall be uploaded with the tender along with the undertaking from the registered Electrical Contractor stating his willingness to carry out the tender work.
- 2) The successful bidder shall submit valid registration certificate under E.S.I.C., Act 1948, if the Bidder has more than 10 employees /persons on his establishment (in case of production by use of energy) and 20 employees/persons on his establishment (in case of production without use of energy) to MCGM as and when demanded. In case of less employees/persons mentioned above then the successful bidder has to submit an undertaking to that effect on Rs. 200 stamp paper as per circular u/no. CA/FRD/I/65 of 30.03.2013.
- 3) The successful bidder shall submit valid registration certificate under E.P.F. & M.P., Act 1952, if Bidder has more than 20 employees/persons on his establishment, to MCGM as and when demanded. In case if the successful bidder has less employees/persons mentioned above then the successful bidder has to submit an undertaking to that effect on Rs. 200 stamp paper as per circular u/no. CA/FRD/I/44 of 04.01.2013.

Note: If it is found that the tenderer has not submitted required documents in Packet "B" then, the shortfalls will be communicated to the tenderer through e-mail only and compliance required to be made within a time period of three working days otherwise they will be treated as non-responsive.

PACKET – C

Online tender filled in either percentage plus or minus (above or below), or at par. (There is no separate provision to quote % in physical form, this is a part in Header Data of online Tendering). For Packet 'C' Bidder(s) will fill data in 'Item Data Tab' in Service Line Item via Details and quotes his percentage variation figures. **(If entered '0' it will be treated as 'at par'.** By default the value is zero only).

Note: In case of rebate/premium of 15% and above as quoted by the Bidder, the rate analysis of major items shall be submitted by L1 and L2 bidder after demand notification by e-mail to bidders by concerned Dy.Ch.Eng. The format for rate analysis is annexed at Annexure D.

BID SECURITY OR EMD

- The Bidder shall furnish, as part of the Bid, Bid Security/EMD, in the amount specified in the Bid Data Sheet. This bid security shall be in favor of the authority mentioned in the Bid Data Sheet and shall be valid till the validity of the bid.
 - The tenderers shall pay the EMD online instead paying the EMD at any of the CFC centers in MCGM Ward Offices.
 - Any bid not accompanied by an acceptable Bid Security and not secured as indicated in sub-clause mentioned above, shall be rejected by the Employer as non-responsive.
 - The Bid Security of the successful Bidder will be discharged when the Bidder has signed the Agreement and furnished the required Security Deposits.
 - The Bid Security/EMD/ASD of L-3 and downward bidder shall be refunded immediately after opening of financial bid but, the EMD/ASD submitted by the L-2 bidder will be returned after obtaining Standing Committee Resolution.
 - The Bid Security may be forfeited:
 - a) If the Bidder withdraws the Bid after bid opening (opening of technical qualification part of the bid during the period of Bid validity;
 - b) In the case of a successful Bidder, if the Bidder fails within the specified time limit to:
 - i. sign the Agreement; and/or
 - ii. Furnish the required Security Deposits.
1. The cases wherein if the shortfalls are not complied by a contractor, will be informed to Registration and Monitoring Cell. Such non-submission of documents will be considered as 'Intentional Avoidance' and if three or more cases in 12 months are reported, shall be viewed seriously and disciplinary

action against the defaulters such as banning/de-registration, etc. shall be taken by the registration cell with due approval of the concerned AMC.

2. No rejections and forfeiture shall be done in case of curable defects. For non-curable defects the 10% of EMD shall be forfeited and bid will be liable for rejection.

Note:

I. Curable Defect shall mean shortfalls in submission such as:

a) Non-submission of following documents,

- (i) Valid Registration Certificate
- (ii) Valid Bank Solvency
- (iii) Sales Tax Registration Certificate (VAT)/Goods and Service Tax Registration certificate.
- (iv) Certified copies of PAN documents and photographs of individuals, owners etc.
- (v) Partnership Deed and any other documents.
- (vi) Undertaking as mentioned in the tender document

ii. Non-curable Defect shall mean

- a) In-adequate submission of EMD/ASD amount,
- b) In-adequacy of technical and financial capacity with respect to Eligibility criteria as stipulated in the tender.
- c) Wrong calculation of Bid Capacity,
- d) No proper submission of experience certificates and other documents, etc.

BID VALIDITY

Ñ Bids shall remain valid for a period of not less than one eighty (180) days after the deadline date for bid submission specified in Bid Data Sheet. A bid valid for a shorter period shall be rejected by the Employer as non-responsive.

Ñ In exceptional circumstances, prior to expiry of the original time limit, the Employer may request that the bidders may extend the period of validity for a specified additional period. The request and the bidders' responses shall be made in writing or by cable. A bidder may refuse the request without forfeiting his Bid Security. A bidder agreeing to the request will not be required or

permitted to modify his bid, but will be required to extend the validity of his bid security for a period of the extension.

DEFECT LIABILITY PERIOD

Ñ The Contractor is expected to carry out the construction work in Workmen like manner so as to meet the requirement and specification for the project. It is expected that the Workmanship and materials will be reasonably fit for the purpose for which they are required.

Ñ Defects or defective work is where standard and quality of workmanship and materials as specified in the contract is deficient. Defect is defined as a failure of the completed project to satisfy the express or implied quality or quantity obligations of the construction contract. Defective construction works are as the works which fail short of complying with the express descriptions or requirements of the contract, especially any drawings or specifications with any implied terms and conditions as to its quality, workmanship, durability, aesthetic, performance or design. Defects in construction projects are attributable to various reasons.

Ñ Some of the defects are structural defects results in cracks or collapse of faulty defective plumbing, inadequate or faulty drainage system, inadequate or faulty ventilation, cooling or heating systems, inadequate fire systems etc. The defects could be various on accounts of different reasons for variety of the projects.

Ñ The Engineering In charge/Project Officer shall issue the practical completion certificate for the project. During the Defect Liability Period which commences on completion of the work, the Engineering In charge shall inform or the contractor is expected to be informed of any defective works by the Employer's representative of the defects and make good at contractor's cost with an intention of giving opportunity to the contractor of making good the defects appeared during that period. It is the contractor's obligation under the contract to rectify the defects that appear during Defect Liability Period and the contractor shall within a reasonable time after receipt of such instructions comply with the same at his own cost. The Engineering In charge/Project Officer shall issue a certificate to that effect and completion of making good

defects shall be deemed for all the purpose of this contract to have taken place on the day named in such defect liability certificate.

Ñ If defective work or workmanship or design have been knowingly covered-up or conceived so as to constitute fraud, commencement of the Defect Liability Period may be delayed. The decided period may be delayed until **discover** actually occurs on at least the defect could have been discovered with reasonable diligence, whichever is earlier.

Ñ The General DLP shall be as below:

Dept	Type of works	DLP
Roads / Bridge	For cement concrete road/ Mastic works	5 years
	Asphalt work	3 years
	Paver Block	3 years
	Structural work	5 years
	General works	5 years
BM/SIC/HIC/City Engineer	General works	3 years
	Structural works	5 years
	Waterproofing works	5 years
Ward Works	All ward level works	2 years
Other Works	Pot holes and pre-monsoon bad patch repair work	1 year
For other departments	HE, WSP, SP, SWD, Garden	3 years

Ch.Eng.(M&E)	As per sanction u/no AMC/P/3224/ Dtd. 15/12/2016, DLP/Warranty for all the M&E works. (Electrical Works)	1 year
Ch.Eng.(M&E)	In case of non-conventional /renewable energy system. i.e. Solar Energy	5 year

- Also, in case of defect, the Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at. The Defects Liability Period shall be extended for as long as Defects remain to be

corrected. Every time notice of Defect/Defects is given, the Contractor shall correct the notified Defect/Defects within the duration of time specified by the Engineer's notice. The Engineer may issue notice to the Contractor to carry out removal of defects or deficiencies, if any, noticed in his inspection, or brought to his notice. The Contractor shall remove the defects and deficiencies within the period specified in the notice and submit to the Engineer a compliance report.

- It is the Completion Stage when the contractor has completed all of the works and fixed all of the defects that were on the list of issue by Engineer-in-charge. When this happens, the engineer must issue a 'Certificate of Completion'. On the issue of 'Certificate of Completion', the 'Defect Liability Period' starts. The contractor also must issue a 'Certificate statement' as an acknowledgment to the engineer not later than 14 days after the 'Certificate of Completion' has been issued. During the 'Defect Liability Period', the contractor has to obey all written instructions from the engineer to carryout repairs and fix any defects which appear in the Permanent Works. If the contractor does not, due to his own faults finish the repair works or fix the defects by the end of 'Defect Liability Period', the 'Defect Liability Period' will continue until all works instructed by engineer is done.

SECURITY DEPOSIT AND PERFORMANCE GUARANTEE

A. Security Deposit

The security deposit shall mean and comprise of Contract Deposit and Retention Money.

- I. Contract Deposit** – The successful tender, here after referred to as the contractor shall pay an amount equal to **two (2)** percent of the contract sum shall be paid within thirty days from the date of issue of letter of acceptance.
- II. Retention Money** – The contractor shall pay the retention money an amount equal to **five (5)** percent of the Contract Sum which will be recovered from the contractors every bill i.e. interim / running / final bill. The clause of retention money will not be applicable M. & E. Department.

B. Additional Security Deposit

The **additional security deposit** will be applicable when a rebate of more than of 12 % at the rate of with no maximum limit. The ASD is calculated as follows:

BID NO:-7200006764

Redevelopment of Ramgadh Building

Additional security deposit = $(X/100) \times$ office estimated cost,

Where X=percentage rebate quoted above 12%

The ASD shall be paid online in the ASD tab for bidders in e-tendering system before submission of the bid.

C. Performance Guarantee

The successful tender, here after referred to as the contractor shall pay in the form of “Performance Guarantee” at different rates for different slabs as stated below:

Offer	PG applicable %
For premium, at par and rebate 0 to 12%	PG= 0.92% x contract sum applicable for rebate of 12%
For rebate of 12.01% and above	P.G. = {0.92% x contract sum applicable for rebate of 12%} +(X) x contract sum where, X= percentage rebate quoted more than 12%

Note: Contract sum shall mean amount after application of rebate/premium as quoted by the contractor with contingencies only and excluding price variation.

The PG shall be paid in one the following forms.

- I . Cash (In case guarantee amount is less than Rs. 10,000/-
- II . Demand Draft (In case guarantee amount is less than Rs.1,00,000/-)
- III . Government securities
- IV . Fixed Deposit Receipts (FDR) of a Schedule Bank.
- V . An electronically issued irrevocable bank guarantee bond of any Schedule bank or f in the prescribed form given in Annexure.

Performance Guarantee is applicable over and above the clause of Security Deposit. Performance Guarantee will have to be paid & shall be valid till the defect liability period or finalization of final bill whichever is later.

This deposit will be allowed in the form of I to V as mentioned above and shall be paid within 15 days after receipt of Letter of Acceptance.

Note: Following exceptions shall be adopted for 'Demolition Tenders':

- Irrespective of the offer (Rebate/ at par/ premium), ASD shall be differed and only PG of 10% of contract sum be taken from the successful bidder on award of contract only.
- MCGM departments shall ensure to incorporate specific condition regarding above in bid document and e-tender notice.

D. Refund of Security Deposit

I. Refund of Contract Deposit

The Contract Deposit shall be released within 30 days after completion of 3rd year of DLP (in case of 5 years DLP) and after issue of 'Defect Liability Certificate' (in case of 1 or 2 or 3 years DLP) subject to no recoveries are pending against the said work, provided that the Engineer is satisfied that there is no demand outstanding against the Contractor. No claim shall be made against the Balance Contract Deposit after the issue of Defects Liability Certificate.

II. Refund of Retention Money

One-half (50%) of the Retention Money shall be released within 30 days of issue of 'Certificate of Completion' with respect to the whole of the Works. In the event the Engineer issues a Taking-over Certificate for a section or part of the Permanent Works, only such proportion thereof as the Engineer determines (having regard to the relative value of such section or part of the Works) shall be considered by the Engineer for payment to the Contractor.

The balance Retention Money shall be released within 30 days after completion of 3rd year of DLP (in case of 5 years DLP) and after issue of 'Defect Liability Certificate' (in case of 1 or 2 or 3 years DLP) provided that the Engineer is satisfied that there is no demand outstanding against the Contractor. In the event of different Defects Liability Periods have been specified or become applicable to different sections or parts of the Permanent Works, the said moneys will be released within 30 days on expiration of the latest of such Defects Liability Periods.

Payment of the above mentioned 50% is exclusive of the amounts to be withheld as stated in and that amount shall be paid as per condition stated therein.

III. Refund of Additional Security Deposit

The additional security deposit shall be released within 30 days of issue of 'Certificate of Completion' with respect to the whole of the Works. In the event the Engineer issues a Taking-over Certificate for a section or part of the Permanent Works, only such proportion thereof as the Engineer determines (having regard to the relative value of such section or part of the Works) shall be considered by the Engineer for payment to the Contractor.

As per Circular No. MDD/7878 Dt. 27/09/2016, EMD/ASD of bidder from L3 & downwards will be released immediately in next three days without asking any application from applicant, at the level of AE/Executive Engineer through SRM system, and without any insistence of the sanction of the competent authority as the ASD is to be refunded immediately of unsuccessful bidder and should not be kept on hold for any reason. Once the system is IT enabled, the same shall be done automatically.

As per Circular No. MDD/7878 Dt. 27/09/2016, EMD/ASD submitted by the L-2 bidder will be returned after obtaining Standing Committee Resolution for awarding the work to L-1.

IV. Refund of Performance Guarantee

The Deposit on account of performance guarantee shall be released within 30 days of completion of Defects Liability Certificate subject finalization of final bill whichever is later and no recoveries are pending against the said work, provided that the Engineer is satisfied that there is no demand outstanding against the Contractor.

❖ Summary of time of Refund of deposit is tabulated as follows:

a) **Time of Refund for works having 5 years DLP**

Deposits refunded after completion	After 3 yrs of DLP	After Completion of DLP
ASD + 50% of RM	CD+50% of RM	PG

b) Time of Refund for works having 1 or 2 or 3 years DLP

Deposits refunded after completion	After Completion of DLP
ASD + 50% of RM	CD+50% of RM+PG

*Note:

a) It shall be clearly mentioned that the BG shall be applicable for individual work/contract and clubbing of various contracts of the said contractor will not be allowed. In case of obtaining Bank Guarantee, it is necessary to mention that the same shall be valid further 6 months from the completion of defect liability period/ warranty period.

b) It shall be the responsibility of the bidder to keep the submitted B.G. "VALID" for the stipulated time period in the tender & in case of its expiry it will attract penalization.

c) Bank Guarantee should be issued by way of General Undertaking and Guarantee issued on behalf of the Contractor by any of the Nationalized or Scheduled banks or branches of foreign banks operating under Reserve Bank of India regulations located in Mumbai upto Virar & Kalyan. List of approved Banks is appended at the end of Instructions to Bidders (ITB). The Bank Guarantee issued by branches of approved Banks beyond Kalyan and Virar can be accepted only if the said Bank Guarantee is countersigned by the Manager of a Regional Branch of the same bank within the Mumbai City Limit categorically endorsing thereon that the said Bank Guarantee is binding on the endorsing Branch of the Bank or the Bank itself within Mumbai Limits and is liable to be enforced against the said Branch of the Bank or the bank itself in case of default by the Contractors furnishing the Bank Guarantee. The Bank Guarantee shall be renewed as and when required and/or directed from

BID NO:-7200006764

Redevelopment of Ramgadh Building
time to time until the Contractor has executed and completed the works and remedied any defects therein.

E. Legal + Stationary Charges: (As per applicable circular)

Successful tender shall pay the Legal Charges +Stationary charges as per Circular no 03 Dtd. 22.06.2021 (Ref. CA/FRG/280 dtd 21.06.2021)

Sr. No. (as per Circular)	Contract Value						Legal+ Stationery Charges
	from	Rs.	10,00,00,00 1	To	Rs.	20,00,00,000/-	Rs. 25650/-

The Bidders are requested to note that stationary charges as given in the table above will be recovered from the successful Bidder for supply of requisite prescribed forms for preparing certificate bills in respect of the work.

F. Stamp Duty: (As per applicable circular)

It shall be incumbent on the successful Bidder to pay stamp duty on the contract.

As per the provision made in Article 63, Schedule I of Maharashtra Stamp Act 2015, stamp duty is payable for "works contract" that is to say, a contract for works and labour or services involving transfer of property in goods (whether as goods or in some other form) in its execution and includes a sub-contract, as under :

(a)	Where the amount or value set forth in such contract does not exceed rupees ten lakh.	Five Hundred rupees stamp duty.
(b)	Where it exceeds rupees ten lakhs	Five hundred rupees plus 0.1% for every Rs.1,00,000/- or part thereof, above rupees ten lakh subject to the maximum of rupees twenty five lakh stamp duty.
(c)	For BG as per circular read with 40(b) stamp duty	0.5% of BG amount

ii. The successful bidder shall enter into a contract agreement with M.C.G.M. within 30 days from the date of issue of Work Order and the same should be adjudicated for payment of Stamp Duty by the successful bidder.

iii. Further shortfall if any, in amount of stamp duty paid as against prescribed amount for the documents executed in Mumbai City & Mumbai Suburban District be recovered from the concerned work contractors and to deposit the deficit or unpaid Stamp Duty and penalty by two separate Demand Draft or Pay Order in favour of "Superintendent of Stamp, Mumbai" within 15 days from intimation thereof.

iv. All legal charges and incidental expenses in this respect shall be borne and paid by the successful Bidder.

IMPORTANT DIRECTIONS

1 .All the information uploaded shall be supported by the corroborative documents in absence of which the information uploaded will be considered as baseless and not accepted for qualification criteria. All the documents shall be uploaded with proper pagination. The page No. shall be properly mentioned in the relevant places.

The information shall be uploaded in the sequence as asked for with proper indexing etc. The Bidder shall be fully responsible for the correctness of the information uploaded by him.

2 . Applicants/Bidders shall refer portal.mcgm.gov.in\tenders for "The Manual of Bid-Submission for Percentage Rate/Item Rate Tender Document." The detail guidelines for creation and submission of bid are available in the referred document. Any queries or request for additional information concerning this TENDER shall be submitted by e-mail to dycebccity.ce@mcgm.gov.in The subject shall clearly bear the following identification/ title: "**Queries/ Request for Additional Information: TENDER for "Proposed Redevelopment of buildings known as 'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No. 11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion ,Mumbai".** Any changes in mail ID will be intimated on the portal.

3 . In case of **Equal Percentage** of lowest bidders (L1), the allotment of work shall be done by giving 48 hrs (**2 working days**) from the day of opening of packet C on same **BID-Document number for re-quoting** and such development needs to done by IT department in MCGM's SRM system. **Till such development is made; 'Sealed Bids' shall be called from the bidders quoting the same rates i.e. L1.**

In case of equal percentage of lowest bidders is obtained even after re-quoting, then the successful bidder will be decided by lottery system by concerned Ch.Eng.

The bidder shall need to submit the additional ASD if applicable within 7 days after receipt of notification issued by concerned Chief Engineer.

Also, the Performance Guarantee shall be paid in 15 days after receipt of Letter of Acceptance.

SECTION - 7

SCOPE OF WORK

PROJECT BRIEF

The proposal includes construction of staff quarters building consisting 10 shops on ground floor and 63 flats on 1st to 9 upper floors along with U/g. Water Tank &. Pump Room etc. The said building will be complete RCC structure.

Project Brief and Scope of Work

Project brief:

Location : 'Ramgadh', on plot bearing C.S.No. 11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate Scheme no 6 in F/N Ward, Sion, Mumbai .

Type of structure : R.C.C. Structure
No. of storey : G + 9

In case of Municipal open plots whether wall or fencing exists on all sides of plot. : Yes

Whether there is any encroachment by the hutments on the plots: No

Remarks : Construction of New Building

Scope of work:

The scope of work for this tender is briefly as follows:

(A) PART A – CIVIL WORK

- i) Demolition of plinth beams and footings (R.C.C. works).
- ii) Pile foundation works
- iii) Earth works
- iv) PCC/RCC Works
- v) Masonry works
- vi) Plastering works
- vii) Waterproofing works
- viii) Structural Steel works

- ix) Flooring/Tiling/Dado works
- x) Wood/Aluminum works
- xi) Painting works
- xii) Sanitation & Plumbing works
- xiii) Demolishing of existing structure on plot .
- xiv) Public health works

(B) PART B – MECHANICAL AND ELECTRICAL WORKS

- i) Main Circuit Wiring & Distribution panels
- ii) Cabling /wiring work
- iii) Providing fixtures
- iv) Providing pump set & starter.
- v) Liaison with electricity supply company, electrical inspector's office and other statutory bodies.
- vi) Fire fighting works
- vii) Solar panel works
- viii) Lift Work

C) General scope of Electrical work :-

- Contractor has to provide own separate meter for electrical supply from power supply company for day to day civil and electrical work.
- Contractor shall provide the supervisory license of electrical supervisor /Electrical Engineer as well as the certificates /PWD license of Electrician /Wireman.
- Contractor shall adopt all the safety measures, provide the first aid kits during execution of work. Necessary PPE shall be provide to working staff.
- Safety of working staff is sole responsibility of the contractor.
- Necessary fire extinguishers and sand buckets keep ready at site to avoid in fire hazards.
- Anything not included in the specification but require for satisfactory completion of the work shall have to be complied by successful contractor without extra cost to MCGM.
- Contractor shall use the material as per MCGM approved list. In case of non-availability of particular brand, contractor shall be take necessary approval of consultant / and MCGM authority before procurement of material.

- All electrical works shall be carried out as per specification in consultation with consultant /MGCM Engineer.
- Contractor shall adopt all prevailing government norms and regulation of electrical rules.
- Electrical contractor is responsible to carry out the work in all respect till client's satisfaction.
- To carry out necessary follow-up with all related agencies as per scope of work i.e. BEST/MTNL/WARD etc.
- To obtain the Final NOC /approval of BEST for power supply, CFO, DG Set, PWD certificate for Lifts etc. from concern department.
- Valid certificate of the licensed Agency regarding the compliance of the fire prevention and life safety measures shall be submitting.
- Contractor shall submit necessary documents, technical data sheets, SLD, Layouts, execution drawings ,bar chart etc. timely to avoid delay in work completion.
- Contractor shall keep /maintain the all the records as per vigilance guideline.
- While submitting the bid Electrical contractor shall submit MCGM's A class registration certificate in M& E category as well as MOU documents.
- Contractor shall submit final drawing /electrical layouts set of Electrical system for maintenance purpose.
- Nomenclature to all the panels, DB's & use the safety signage's etc as per fire norms.
- No separate payment will be given for above subject work& Contractor shall take the cognizance & quote accordingly to complete project in all respect in satisfactions of MCGM.

SECTION - 8

BILL OF QUANTITIES

I) Civil

II) Electrical

1.

BILL OF QUANTITY (CIVIL)

(Prepared on the basis of Unified Schedule of Rates and specifications 2018).

SR. NO.	ITEM NO.	DESCRIPTION	QTY	RATE	UNIT	AMOUNT
		SECTION - A -DEMOLISHING WORK				
1	R2-CS-DD-2	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge.	80.00	1,837.00	CUM	146960.00
		SECTION - B-EXCAVATION WORK				
2	R2-CS-EW-1	Excavation for foundations, substructures, basements, tanks, sumps, walls, chambers, manholes, trenches, poles, pits & general building works in all types of soils, vegetable earth, soft murum, running sand, shingle, turf clay, loam, peat, ash, shale, slag, chalk, garbage, muddy/ marshy/ slushy soil, marine clay, reclaimed land etc. for depths/lifts upto 1.5M measured from the ground level, including dressing/ trimming the sides, leveling and ramming of bottoms, manual dewatering, removing rank vegetation, backfilling in layers not more than 200mm thickness, watering, consolidating, compacting to achieve not less than 97% Modified Proctor density conforming to relevant IS, stacking the selected material in measurable heaps for future use within owners space or disposing within an initial lead of 150m as directed, loading, unloading, leveling excluding shoring, strutting etc. complete as directed by Engineer-in-Charge. Note: 1) The rate includes the handling/supporting the existing utilities such as cables, drains, pipes, water mains etc. 2) It also includes the royalty and other taxes applicable if any. For more details refer General Notes.	2500.00	307.00	CUM	767500.00
3	R2-CS-EW-2-a	Extra over above item CS-EW-1 for lift from 1.5m to 3.0m.	1125.00	71.00	CUM	79875.00
4	R2-CS-EW-2-b	Extra over above item CS-EW-1 for lift from 3.0m to 4.5m	225.00	106.00	CUM	23850.00

5	R2-CS-EW-2-c	Extra over above item CS-EW-1 for lift from 4.5m to 6.0m	225.00	171.00	CUM	38475.00
		SECTION - C -anti-termite treatment				
6	R2-CS-AT-1	Providing Pre-constructional anti-termite treatment conforming to IS- 6313 (part II) using chloropyrifos EC 20 Emulsion or equivalent of 1% concentration by weight for creating barrier under and all around foundation pits, wall trenches, basement excavation, backfill in immediate contact with foundation and treating the top surface of plinth filling, junction of wall & floor, along the external perimeter of building, expansion joints, surrounding of pipes, water conduits and at places suggested and as directed by Engineer-In-Charge covering 10 years guaranty. (plinth area should be considered for measurement and payment.)	800.00	159.00	Sqm	127200.00
		SECTION - D -RCC BORED PILING WORK				
	R2-CS-PLG-1-1	Providing and Casting RCC bored cast in-situ Vertical as per IS 2911 (Part 1, Section 2) by boring through all kinds of soils/ Sand /Rock by rotary hydraulic rigs using temporary casing up to stable strata / bentonite mud circulation as specified, from tip to cut-off elevation of piles. Reinforced Cement Concrete work of filling the bore (after placement of reinforcement cage as per drawing) with M25 grade Ready Mix Concrete using 43 Grade Ordinary Portland Cement confirming to IS : 8112, of approved make and brand with minimum cement content of 400 kg/m3 and with water -cement ratio, including the water contained in aggregates (10mm to max 20mm size), not exceeding 0.45, with approved plasticizer as specified, including placing of concrete from tip to minimum of 600mm above the specified cutoff level, breaking pile head to cutoff level and exposing pile reinforcement for embedment in pile cap, Disposing & levelling of bored/excavated material suitably at locations approved by the local authorities including all lead and lifts, all complete for piles having diameter of (Pile will be measured for payment for length between pile tip to cut-off level along the pile axis. Reinforcement shall be Note : Cost of temporary casing s phaaiddl bsee pinacruarterelyd) by the Contractor.				
7	R2-CS-PLG-1-1-b	600mm dia	3500.00	5125.00	Rmt	17937500.00
8	R2-CS-PLG-5.1	Specified diameter and fabricated from 6.0mm to 8.0mm thick plates as per detailed drawings and designs including cutting, bending to required shape, welding, painting with Red Oxide paint etc. complete as specified and directed.	125.00	79777.00	MT	9972125.00

9	R2-CS-PLG-3.0	Empty boring through over burden including road crust upto the bottom of pile cap for all diameters of piles	250.00	1990.00	Rmt	497500.00
10	R2-CS-PLG-2-4-d	Extra over rate for items CS-PLG-1 & 2 for using M40 instead of M 25 (600 mm)	3500.00	226.00	Rmt	791000.00
11	R2-CS-EW-26	Providing & Laying dry stone Rubble Soling with average 230 mm size hard stone set in regular lines, handpacked and interstices thoroughly filled with small chips including filling in with good quality murum brought from outside, compacting with iron rammers, watering, sand spreading 12mm thk. layer of grit on top etc complete as directed by Engineer In Charge. (Note: The rate includes the royalty and other taxes if any)	408.00	2231.00	Cum	910248.00
12	R2-CS-CW-1-b	Nominal Mix of 1:2:4 (1 cement OPC: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	54.00	6821.00	Cum	368334.00
13	R2-CS-PLG-5.0	Supply and placing in position high strength deformed steel bars reinforcement of grade Fe-500 conforming to IS:1786 (latest version) for RCC Cast-in-situ piles for full length of pile including transporting the same from source to site of work, straightening, cleaning, decoiling, cutting, bending to required shape and lengths as per details, binding with 16 SWG black soft annealed binding wire, supplying and placing with proper cover blocks, supports, chairs, spacers, welding, if required, to form a grid cage etc., complete as per instruction of the Engineer-in-Charge (steel supplied by contractor at his own cost and duly approved by Engineer in charge)	160.00	64518.00	MT	10322880.00
	R2-CS-PLG-21	Capacity by means of High Strain Dynamic Load Test including provision and erection of crane- hammer-drop mechanism, acceleration and displacement velocity transducers to record both force and velocity including excavation, dewatering, preparation of pile head including building up of pile, additional reinforcement if any etc. all complete as per approved method (ASTM D4945-89), submission of test report, specifications and instructions of the Engineer for piles of following diameter :				
14	R2-CS-PLG-21.5	600MM DIA	1.00	188000.00	Nos	188000.00
		SECTION - E-PLAIN CEMENT CONCRETE WORK				

	R2-CS-CW-2	Providing and laying in position ready mixed plain cement concrete, using fly ash and cement content as per approved design mix from Engineer-in-charge and fly ash conforming to grade I of IS 3812 (Part-1) only be used as part replacement of OPC as per IS 456 and uniform blending with cement is to be ensured in accordance with clauses 5.2 and 5.2.1 of IS: 456-2000 in the items of ready mixed concrete and manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for plain cement concrete work, including pumping of R.M.C. from transit mixer to site of laying and curing, including the cost of centering, shuttering and finishing, including cost of curing, admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer - in - charge.				
15	R2-CS-CW-2-a-2	M-15 grade plain cement concrete (cement content considered @ 240 kg/cum).	200.00	6764.00	Cum	1352800.00
		SECTION -F-RCC WORK				
	R2-CS-CW-7	Providing and laying in position ready mixed design mix M-20 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying and the cost of centering, shuttering, finishing and excluding reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. The Mix design as per particular specifications shall be got approved by Engineer-in-Charge before execution of the item. The rate shall include cost of all specified materials and operations at all levels and heights, including the cost of centering, shuttering and and excluding reinforcement which shall be paid under relevant item. (Note :- Cement content considered in this item is @ 300 kg/cum as per IS 456 table showing minimum cement content. No extra will be paid nor any amount will recovered on account of variation of cement in mix design as per specifications for controlled concrete).				
16	R2-CS-CW-7-a	Foundations, footings, bases of columns, rafts, pilecap	435.00	7515.00	Cum	3269025.00

BID NO:-7200006764

Redevelopment of Ramgadh Building

17	R2-CS-CW-7-b	Walls (any thickness) including attached but-teresses, retaining wall, shear wall, diaphragm wall , trench,pit walls, etc	245.00	10518.00	Cum	2576910.00
18	R2-CS-CW-7-c	Slabs, Suspended floors, roofs, landings, bal- conies, canopy and access platform	732.00	11790.00	Cum	8630280.00
19	R2-CS-CW-7-d	Lintels, beams, plinth beams, girders, floor beam, coping.	700.00	9556.00	Cum	6689200.00
20	R2-CS-CW-7-e	Columns, Pillars, Piers, Posts and Struts.	500.00	11184.00	Cum	5592000.00
21	R2-CS-CW-7-f	Stairs (waist slab), folded slab, inclined slab	25.00	11059.00	Cum	276475.00
22	R2-CS-CW-7-i	Weather shade, Chajjas, corbels, cantilever beam, etc.,including edges.	35.00	12329.00	Cum	431515.00
23	R2-CS-CW-18	Extra and over for providing richer RMC of M-35 grade cement concrete instead of M20 (Note :- Cement content considered in this item is @ 350 kg/cum as per IS 456 table showingmini- mum cement content.)	1386.00	798.00	Cum	1106028.00
24	R2-CS-CW-19	Extra and over for providing richer RMC of M-40 grade cement concrete instead of M20 (Note :- Cement content considered in this item is @ 360 kg/cum as per IS 456 table showing mini- mum cement content	1286.00	1064.00	Cum	1368304.00
	R2-CS-CW-35	Providing and fixing in position steel bars rein- forcement of various diameters for R.C.C. pile, pile caps, footings,raft,retaining wall,shear wall, lift wall, foundations, slabs, beams, columns, canopies, staircases, newels, chajjas, lintels, pardies, coping, fins, arches, etc. as per de- tailed designs, drawings and bar bending schedules,including straightening, cutting, bending, hooking the bars, binding with wires or tack welding, supporting as required etc. all complete at all levels.				
25	R2-CS-CW-35-c	Thermo-Mechanically Treated steel bars. (Fe 500 D)	460.00	76770.00	M.T	35314200.00

	R2-CS-SS-07	Hilti Make or equivalent confirming to IS 1367 (Part 3) at required locations and level including drilling the hole, cleaning with blow pump and anchoring the bolt with chemical as per manufacturers specifications etc. complete as directed by Engineer In Charge.				
26	R2-CS-SS-07-a	M10 x 90 foil capsule (HVU) & M10 x 130 Rod	100.00	207.00	Nos	20700.00
27	R2-CS-SS-07-b	M12 x 110 foil capsule (HVU) & M12 x 160 Rod	100.00	320.00	Nos	32000.00
28	R2-CS-SS-07-c	M16 x 125 foil capsule (HVU) & M16 x 190 Rod	80.00	425.00	Nos	34000.00
29	R2-CS-SS-07-d	M20 x 170 foil capsule (HVU) & M20 x 240 Rod	50.00	578.00	Nos	28900.00
30	R2-CS-SS-07-e	M24 x 210 foil capsule (HVU) & M24 x 290 Rod	30.00	684.00	Nos	20520.00
		SECTION -G-BRICK WORK				
	R2-CS-MW-16	Brick work with clay flyash F.P.S. (non modular) brick of class designation 3.5 in superstructure above plinth level up to floor five level in :				
31	R2-CS-MW-16-a	Cement mortar 1:4 (1 cement : 4 coarse sand)	2100.00	6511.00	Cum	13,673,100.00
		SECTION -H-PLASTERING WORK				
32	R2-CS-PL-08-C	Providing and applying 20 mm thick internal sand faced cement plaster at all heights and locations in cement mortar specified below in two coats for masonry (except stone masonry) and concrete surfaces including racking out joints, hacking of concrete surface, watering, finishing, curing, scaffolding etc complete as directed By Engineer In Charge. In cement mortar 1:4	5873.38	437.00	SQ M	2,566,665.09
33	R2-CS-PL-22	Providing and applying 25 mm thick (average) external sand faced cement rough cast plaster upto 10m from ground level and at all locations in cement mortar 1:4 in two coats for masonry (except stone masonry) and concrete surfaces including, providing water proofing compound to the first coat of plaster as per manufacturers specification, racking out joints, hacking of concrete surface, providing bands, drip moulds, grooves etc. finishing, curing, scaffolding etc complete as directed By Engineer In Charge	1600.00	723.00	sq m	1,156,800.00
34	R2-CS-PL-25	Extra for every additional height of 3 m or part thereof above 10m from ground level for all types of external plastering.	16632.00	55.00	sq m	914,760.00

35	R2-CS-PL-34	Providing & Fixing bird wired mesh/wired fabric (12.5mm x 24SWG) in strips of 200 mm width as required over junctions of concrete & brick / block masonry or any other specified location at all heights including minimum 200mm overlap at all joints / junction prior to plastering, drilling, nailing etc. complete as directed By Engineer In Charge.	550.00	248.00	sq m	136,400.00
36	R2-CS-PL-35	Extra for providing and mixing polypropylene fibers in mortar of internal and external plaster. The dose of 6mm long fibers shall be 125gms per 50 kg of cement bag or as per The manufactures specifications etc complete as directed By Engineer In Charge	125.00	65.00	KG	8,125.00
		SECTION -I-PAINTING				
37	R2-CS-PN-05	Providing and applying first single coat of approved primer and two coats of acrylic plastic emulsion paint of an approved make and colour as per manufacturers specifications to any surface, at all height and locations as directed including scaffolding, cleaning and preparing surfaces for painting By any approved means etc. complete as directed by Engineer-in-charge.	5873.38	126.00	sq m	740,045.31
38	R2-CS-PN-14	Extra over item no. CS-PN-3 to CS-PN-6 for preparing and finishing plastered wall surfaces / concrete surfaces, steel or wood surfaces in line and level for acrylic (oil bound) distemper/ synthetic enamel paint or plastic emulsion paint by scrapping/removing the old paint if any with wire brush or blades and rubbing, with sand papers as required, filling in cracks in cement mortar 1:3, applying the whole surface with mixture of whiting powder or plaster of paris and double boiled inseed oil of premium quality or second quality synthetic enamel paint, filling the cracks with premium quality putty or hard glue in case of woodwork, rubbing down and even up the surface by any Approved means etc. complete as directed by Engineer-in-charge.	5873.38	15.00	sq m	88,100.63
39	R2-CS-PN-08	Providing and applying first single coat of approved primer and two coats of waterproof cement paint of an approved make and colour as per manufacturers specifications to any surface, upto 10m height from ground level and at all locations as directed including preparing surfaces for painting by any approved means, scaffolding, cleaning and curing etc. complete as directed by Engineer-in-charge.	1600.00	180.00	sq m	288,000.00
40	R2-CS-PN-15	Extra over item no. CS-PN-7 to CS-PN-12 on exterior painting work of height more than 10 m from ground level for additional height of 3m or part thereof.	16632.00	19.00	sq m	316,008.00

		SECTION -J-FLOORING				
	R2-CS-FL-8	Providing and laying 600 x 600 x 8 mm thk. vitrified tiles as specified below conforming to I.S.15622-2006 with water absorption less than 0.08% for flooring of an approved, quality, make and pattern /design for flooring including cement mortar bedding of 25 mm thick in 1:4 proportion, cutting, leveling, jointing, filling the joints by neat cement slurry or approved colour grout, curing, finishing etc complete as directed by Engineer In Charge.				
41	R2-CS-FL-8-a	Light coloured glazed vitrified tiles	2300.00	1608.00	sq m	3,698,400.00
	R2-CS-FL-25	Providing and fixing 8mm thk. vitrified tiles as specified below conforming to I.S. 15622-2006 of approved quality, pattern and colour for flush/projected skirting / riser including preparing the surface and levelling in the desired line, backing of 20 thk.cement mortar in proportion 1:3, square cut top edge or chamfered top edge in cement mortar 1:3, cement float, machine cutting, leveling, jointing, filling the joints with neat cement slurry or pigments mixed with cement, finishing, Curing etc complete as directed by Engineer In Charge.				
42	R2-CS-FL-25-a	Light coloured glazed vitrified tiles for height upto 150mm	3000.00	251.00	RMT	753,000.00
	R2-CS-FL-01	Providing and laying polished natural stone as specified below (Machine cut) of an approved quality and size for paving /flooring in plain and/or diamond /approved pattern including cement mortar bedding of 25 mm thick in 1:4 proportion, cement float, machine cutting, dressing, leveling, jointing, filling the joints with neat cement slurry or with required pigment, machine polishing at site, curing, finishing, etc complete as directed by Engineer In Charge				
43	R2-CS-FL-01-C	25 to 30 mm thk. Kota stone of size 0.430m x0.56m (17"x22")	500.00	1179.00	sq m	589,500.00
	R2-CS-FL-38	Providing and fixing polished natural stone slab as specified below of approved quality, pattern and colour for treads including preparing the surface and levelling in the desired line, in cement mortar 1:4, cement float, machine cutting, leveling, jointing, smooth cement plastering along the sides to match the existing surface in cement mortar 1:3, filling the joints with neat cement or pigment mixed with cement, polishing, finishing, curing etc complete as directed by Engineer In Charge.				
44	R2-CS-FL-38-d	15 to 20mm thk. Kota stone for width upto 300 mm	326.45	664.00	RMT	216,762.80

	R2-CS-FL-21	Providing and fixing polished natural stone tiles /slab as specified below of approved quality, pattern and colour for flush/projected skirting and risers including preparing the surface and levelling in the desired line, backing of 20 thk. cement mortar in porportion 1:3, square cut top edge or chamfered top edge in cement mortar 1:3, cement float, machine cutting, leveling, jointing, filling the joints with neat cement or pigment mixed with cement, polishing, finishing, curing etc complete as directed by Engineer In Charge				
45	R2-CS-FL-21-d	15 to 20mm thk. Kota stone for height upto 150 mm	1000.00	234.00	RMT	234,000.00
	R2-CS-FL-32	Providing and fixing 8mm thk. ceramic tiles as specified below conforming to I.S. 15622-2006 of approved quality, pattern and colour for dado in the wet area including preparing the surface and levelling in the desired line, backing of 20 thk. cement mortar in porportion 1:3 with approved waterproofing compound, square cut top edge or chamfered top edge in cement mortar 1:3, cement float, machine cutting, leveling, jointing, filling the joints with neat cement slurry or approved colour grout, finishing, curing etc complete as directed by Engineer In Charge.				
46	R2-CS-FL-32-a	Light coloured glazed ceramic tiles	2300.00	1770.00	sq m	4,071,000.00
	R2-CS-FL-07	Providing and laying 8mm thk. ceramic tiles as specified below conforming to I.S.15622-2006 for flooring of an approved, quality, make, size and pattern /design, for flooring including cement mortar bedding of 25 mm thick in 1:4 proportion, neat cement float, cutting, leveling, jointing, filling the joints by neat cement slurry or approved colour grout, curing, finishing etc complete as directed by Engineer In Charge.				
47	R2-CS-FL-07-c	Light coloured antiskid / matt ceramic tiles	250.00	1701.00	sq m	425,250.00
	R2-CS-FL-46	Providing and constructing raised platform of 750 mm wide and 600 to 750mm high using minimum 40mm thick polished kadappa stone slab base with minimum 15mm thk. polished stone top as specified below of approved quality, colour and texture, supported by both side polished, 40mm thk. and minimum 700mm wide kadappa spaced at not more than 1200mm clear, including polished facia of min. 100mm height as specified below with champhered/ rounded at the top edges, jointing in approved adhesives, machine cutting, making opening for sink and fixing the same in position, leveling, smooth cement plastering along the sides to match the existing surface in cement mortar, filling the joints with pigment mixed with cement, cleaning, finishing, curing etc complete as directed by Engineer In Charge. (The cost of providing the sink shall be paid extra as per plumbing items)				

48	R2-CS-FL-46-c	Ruby red / jet black / Hasan green Granite slab at top and facia	135.45	3949.00	RMT	534,892.05
49	R2-CS-FL-57	Rounding the edge in half round shape of the stonework specified below including high Gloss machine polishing as directed by Engineer In Charge. Any type of marble	135.45	204.00	RMT	27,631.80
50	R2-CS-FL-58	Champhering the edge of the stone work specified below including high gloss machine Polishing as directed by Engineer In Charge.Kota stone	326.45	76.00	RMT	24,810.20
		SECTION -K-SILLS AND JAMBS				
	R2-CS-FL-40	Providing and fixing polished natural stone tiles as specified below of approved quality, pattern and colour for sill and jambs including preparing the surface and levelling in the desired line, cement mortar 1:3 bedding or backing, cement float, machine cutting, leveling, jointing, smooth cement plastering along the sides to match the existing surface in cement mortar 1:3, filling the joints with neat cement or pigment mixed with cement, finishing, curing etc complete as directed by Engineer In Charge.				
51	R2-CS-FL-40-e	18mm thk. green marble for width upto 150 mm	350.00	304.00	RMT	106,400.00
52	R2-CS-FL-40-J	18mm thk. Ruby red, jet black, Hasan green Granite for width upto 150 mm	60.00	377.00	RMT	22,620.00
		SECTION -L-C.P TEAK WOOD -DOORS AND WINDOWS				
53	CE5-09-002-FA-229	Providing and fixing of Fire Resistant door with minimum 1/2 hour fireresistance of any size with single shutter of size as shown in drawing.Shutter to be made of 45 mm thick marine grade solid block board core constructed with Kiln seasoned hardwood battens andfinished with approved laminate of 1 mm thick on both faces. Doors tobe fitted on T.W. frame of size 60 mm x 150 mm. All exposed surfaces of T.W. to be painted with 2 coats of approved colour and shade fire retardent paint over primer coat including surface preparation andas per manufacturers specification. All fittings & fastenings to be of chrome finish bras.All works to be carried out as per detailed drawing no. WD - 23 and as directed by The Engineer	100.00	7430.00	SQM	743,000.00
54	R2-CS-WW-39	Frame Type F2Providing and fixing 1st quality Burma T.W. door frame of size 75 x 150mm with required groove and chamfer including M.S.hold-fast of size and make. Door Type D5-ED as per architect's detailed drg. And design and as instructed by the Engineer-in-charge	355.00	4711.00	MTR	1,672,405.00

	R2-CS-WW-05	Providing and fixing superior quality factory made single or double leaf Phenol Bonded solid core flush door shutters commercial type hot pressed conforming to IS:2202 (Part I,II) 1991 including 12 mm thk teak wood lipping all around with one coat of primer, putty and 2 coats of synthetic enamel paint on both faces etc. complete as directed. (Hinges, aldrops & standard door hardware to be paid separately)				
55	R2-CS-WW-05-b	30mm thick shutter-	125.00	1533.00	SQM	191,625.00
56	R2-CS-PV-01	Frame Providing and fixing Fiber Glass Reinforced plastic (FRP) Door of cross-section 90mm x 45mm having rebates of 32mm x 15mm size to receive shutter of 30mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in the frame. The frame shall be covered with fiberglass from all sides. M.S. stay shall be provided at the bottom to steady the frame etc. complete as directed.	675.00	587.00	Rmt	396,225.00
57	R2-CS-PV-03	Providing and Fixing to frames 30mm thick Fiber glass Reinforced Plastic (F.R.P.) flush door shutter in different plain and wood finish made with fire retardant grade unsaturated polyester resin, moulded to 3mm thick FRP laminate all around, with suitable wooden blocks inside at required places for fixing of fittings and polyurethane foam (PUF) / Polystyrene foam to be used as filler material throughout the hollow panel, casted monolithically with testing parameters of F.R.P. laminate conforming to table - 3 of IS: 14856 : 2000 etc complete as directed	110.00	3169.00	SQM	348,590.00
	R2-CS-HW-01	Manufactured as per IS:2209 and 6607 and as described below for doors with necessary fixtures and materials and labour etc. complete.				
58	R2-CS-HW-01-c	Chromium plated Brass mortice latch and lock with round knob	65.00	1359.00	Nos	88,335.00
	R2-CS-HW-02	Providing and fixing peep hole as described below manufactured as per IS wherever applicable for doors with necessary fixtures and materials and labour etc. complete				
59	R2-CS-HW-02-c	Brass peep hole	65.00	145.00	Nos	9,425.00
	R2-CS-HW-03	approved make manufactured as described below and as per IS:1823- 1992 for doors with necessary materials and labour cost etc. complete.				
60	R2-CS-HW-03-d	Brass (First Quality) door stopper	150.00	134.00	Nos	20,100.00

	R2-CS-HW-04	manufactured as per relevant IS for door & windows with necessary materials and labour costs etc. complete.				
61	R2-CS-HW-04-d-2	100 mm Long	870.00	72.00	Nos	62,640.00
	R2-CS-HW-06	Providing and fixing aldrops of 16 mm diameter bars manufactured as per IS:2681-1991, wherever they apply for doors and windows with necessary materials and labour etc. complete.				
62	R2-CS-HW-06-d-2	300 mm long	290.00	381.00	Nos	110,490.00
	R2-CS-HW-08	Providing and fixing tower bolts as described below conforming to IS:204-1992 (Part I,II) for doors & windows with necessary materials and labour etc. complete.				
63	R2-CS-HW-08-d-2	150 mm long.	290.00	193.00	Nos	55,970.00
64	R2-CS-HW-08-d-1	100 mm long.	260.00	136.00	Nos	35,360.00
	R2-CS-HW-09	Providing and fixing handles as described below, manufactured as per IS:208-1992 for doors and windows and with necessary materials and fixtures like screws etc. and all labour etc. complete.				
65	R2-CS-HW-09-d-3	200 mm long.	550.00	113.00	Nos	62,150.00
		SECTION -M-ALUMINUM WINDOWS				
66	CS-AW-01	Providing and fixing in position two track aluminum window of extruded Providing and fixing in position two track aluminum window of extruded modular and anodized aluminum sections of approved make and of size 61.85 mm x 45.5 mm x 1.3 mm thk (wt 1.055 kg/Rm) for bottom, 61.85 mm x 31.75 mm x 1.3 mm thk. (wt 0.659 kg/Rm) for top & sides, mounted on anodized aluminum rectangular frame of size 63mm x 38mm x 2.0mm(1.054). The shutter comprising of bearing bottom and top of size 40mm x 18 mm x 1.25 mm thk (wt. 0.417 Kg/Rm) Interlocking section of size 40mm x 26,7 mm x 1.10 mm thk. (Wt. 0.469 kg./Rm) and hand sides of 40mm x 18mm x 1.25 mm thk (wt. 0.417kg/Rm) with 5 mm thick plain / frosted / tinted glass fixed in shutter including approved quality neoprene gasket, fixtures, fastenings and accessories like PVC rollers, PVC weep holes, locks, handles etc. complete as directed by Engineer In Charge. (Note: anodic film must not be less than 15 microns i.e. AC-15 as per IS, the anodizing must be scaleted by keeping the anodized section in boiling deanodized water for a period of one hour).	240.00	5266.00	SQM	1,263,840.00

67	CS-AW-02	Providing and fixing in position three track aluminum window of extruded modular and anodized aluminum sections of approved make and of size 92 mm x 45.5 mm x 1.5 mm thk (wt 1.659 kg/Rm) for bottom and 92 mm x 31.75 mm x 1.3 mm thk. (wt 0.933 kg/Rm) for top and sides mounted on anodized aluminum rectangular frame of size 100mm x 40mm x 1.3mm.(Wt 0.976 kg/m) The shutter comprising of bearing bottom and top of size 40mm x 18 mm x 1.25 mm thk (wt. 0.417 Kg/Rm) Interlocking section of size 40mm x 26.7 mm x 1.10 mm thk. (Wt. 0.469 kg./Rm) and hand sides of 40mm x 18mm x 1.25 mm thk (wt. 0.417kg/Rm) with 5 mm thick plain / frosted / tinted glass fixed in shutter including approved quality neoprene gasket, fixtures, fastenings and accessories like PVC rollers, PVC weep holes, locks, handles etc. complete as directed by Engineer In Charge. (Note: anodic film must not be less than 15 microns i.e. AC-15 as per IS, the anodizing must be scaled by keeping the anodized section in boiling deaerated water for a period of one hour).	280.00	5227.00	SQM	1,463,560.00
68	CS-AW-04	Providing and fixing in position aluminum louvered window with anodized aluminum frame of approved make and of size 40mm x 20mm x 2.0mm (wt. 0.605 kg/Rm) including adjustable aluminum frame, 4 to 6mm thk. Frosted glass, fixtures and fastenings etc. complete as directed by by Engineer In Charge.	100.00	4246.00	SQM	424,600.00
		SECTION -N- WATER PROOFING				
69	R2-CS-WP-5	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations: a) Applying a slurry coat of neat cement using 2.75 kg/sqm of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls upto 300 mm height including cleaning the surface before treatment.b) Laying brick bats with mortar using brokenbricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs c) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge. d) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing com-	425.00	1051.00	sq m	446,675.00

		pound conforming to IS : 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge :With average thickness of 120 mm and minimum,Thickness at khurra				
70	CE4-09-044.FA103	Providing and applying Plaster of Paris punning to walls, beams, ceilings, columns in perfect line and level over the base of single coat cement plaster including roughening of existing surface making 6 mm groove at skirting and door, window jamb, sill,lintel,etc.complete.The rate is exclusive of base coat cement plaster.	6737.50	140.00	SQM	943,250.00
71	R2-CS-WP-24	Do with broken China mosaic flooring instead of IPS set in cement mortar (1:4) 40 mm thick	425.00	1187.00	SQM	504,475.00
72	CE5-12-012FA18	Providing and making waterproofing tretment to the chajja by finishing the top surface with till 20mm thick 12 C.M.plaster with addition of approved waterproofing compounds as per manufacturers spifications and neat cement finish including drip moulding at edge at bottom of chajja and vatta above chajja along the junction with wall etc.comp.	300.00	253.00	SQM	75,900.00
		SECTION -O- STEEL WORK				
73	R2-CS-SL-05	Providing and fixing rolling shutters made out of 18 gauge steel sheetsfor curtains, including bottom rail, 100 mm wide guide channels for opening width up to 4.0m and 150mm wide guide channel for opening width more than 4.0m, lock plates, locking arrangement on both sides, fixing bolts, pulling handles, MS hood of appropriate size,rolling arrangement, standard make springs in brackets etc. includingfixing of frames with rag bolts, grouting of parts in position etc. andalso including two coats of red oxide zinc chromate primer and twocoats of synthetic enamel paint of approved colour, shade and brand etc. complete as per IS:6248 / specifications and as directed by Engineer In Charge. The shutter should withstand wind pressure Of 47meters per second.	125.00	3534.00	SQM	441,750.00
74	R2-CS-SL-06	Extra over item R2-CS-SL-05, for providing ball bearing wherever required and Directed etc complete.	20.00	266.00	NOS	5,320.00
75	R2-CS-SL-07	Extra for providing mechanical device for operating rolling shutters.	10.00	792.00	NOS	7,920.00

	R2-CS-SL-12	Providing and Fixing MS Safety grill of weight specified below for windows as per design including fabricating the grill using M.S. square / round bar, flats and angles including painting with one coat of red oxide zinc chromate primer and two coats of synthetic enamel paint of approved colour and brand etc complete as directed.				
76	R2-CS-SL-12-C	Grill weighing 20 to 25 kg / sqm	1200.00	2828.00	SQM	3,393,600.00
77	R2-CS-SS-22	Providing, detailing, and fabricating as per specifications, transporting to site and erecting M.S. ladder using hot rolled sections, hollow pipes (Hollow pipes conforming to IS 1239 part 1 and 2) including, fixtures and fastenings, cleats, stiffeners, gussets, etc. and all necessary operations like straightening, bending, cutting, drilling, grinding, machining if specified, welding, removing the welding burr, cleaning etc., fixing in cement concrete block of grade M15, and preparing surface, applying one coat of red oxide zinc chromate primer and one coat of Synthetic Enamel paint after fabrication and second coat of synthetic enamel paint after erection, with approved colour, shade and brand etc. complete as directed by Engineer In Charge.	250.00	120.00	KG	30,000.00
	R2-CS-SS-07	Providing and fixing the Chemical Anchor Fasteners as specified below of Hilti Make or equivalent confirming to IS 1367 (Part 3) at required locations and level including drilling the hole, cleaning with blow pump and anchoring the bolt with chemical as per manufacturers specifications etc. Complete as directed by Engineer In Charge.				
78	R2-CS-SS-07-a	M10 x 90 foil capsule (HVU) & M10 x 130 Rod	100.00	207.00	NOS	20,700.00
79	R2-CS-SS-07-b	M12 x 110 foil capsule (HVU) & M12 x 160 Rod	120.00	320.00	NOS	38,400.00
80	R2-CS-SS-07-c	M16 x 125 foil capsule (HVU) & M16 x 190 Rod	150.00	425.00	NOS	63,750.00
81	R2-CS-SS-07-d	M20 x 170 foil capsule (HVU) & M20 x 240 Rod	150.00	578.00	NOS	86,700.00
82	R2-CS-SS-07-e	M24 x 210 foil capsule (HVU) & M24 x 290 Rod	200.00	684.00	NOS	136,800.00
83	CE4-09 044.FA003	Providing temporary staging platform with supports, either independent supporting system of structural steel sections or supported on suitably reinforced and stiffened tubular scaffold, for providing protection as a facilitation measure for protection to occupants/visitors of the premises to act as pathway/driveway to avoid any injury and/or damage to human beings or parts of structure, using at least 50 mm thick Timber planks covered with G.I. Sheets or Tarpaulin on top, and G.I. Sheet side screen all as per instructions.	600.00	625.00	RMT	375,000.00

		SECTION -P-PLUMBING WORKS				
84	R2-CS-PS-1-A	Providing and fixing water closet squatting pan (Indian type W.C. pan)with 100mm sand cast Iron P or S trap, 10 litre low level white P.V.C.flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with allfittings and fixtures complete including cutting and making good thewalls and floors wherever required :White Vitreous china Orissa pattern W.C. pan of size 580x440mm with integral type foot rests.	42.00	6,314.00	EA	265,188.00
85	R2-CS-PS-3-A	Providing and fixing white vitreous china pedestal type water closet(European type) with seat and lid, 10 litre low level white vitreouschina flushing cistern & C.P. flush bend with fittings & C.I.brackets, 40mm flush bend, overflow arrangement with specials ofstandard make and mosquito proof coupling of approved municipal designcomplete including painting of fittings and brackets, cutting and making good the walls and floors wherever required :W.C. pan with ISImarked white solid plastic seat and lid.	22.00	6,306.00	EA	138,732.00
86	R2-CS-PS-7-C	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brasspillar taps,32 mm C.P. brass waste of standard pattern, including-painting of fittings and brackets, cutting and making good the walls wherever require :White Vitreous China Wash basin size 550x400 mmwith a pair of 15 mm C.P. brass pillar taps.	65.00	3,218.00	EA	209,170.00
87	R2-CS-PS-10-B-3	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink asper IS 13983 with C.I. brackets and stainless steel plug 40 mmincluding painting of fittings and brackets, cutting and making good the walls wherever required :Kitchen sink without drain board 470x420mm bowl depth 178 mm	65.00	5,003.00	EA	325,195.00
88	R2-CS-PS-21	Providing and fixing G.I. inlet connection for flush pipe connecting with W.C. pan.	66.00	131.00	EA	8,646.00
89	R2-CS-PS-27-A-2	Providing and fixing P.V.C. waste pipe for sink or wash basin includingP.V.C. waste fittings complete.Semi rigid pipe 40 mm dia	130.00	68.00	EA	8,840.00
90	R2-CS-PS-34-A-1	Providing and fixing soil, waste and vent pipes : 100 mm dia Sand castiron S&S pipe as per IS: 1729.	230.00	1,130.00	MTR	259,900.00
91	R2-CS-PS-71-A	Providing and fixing PTMT towel rail complete with brackets fixed towooden cleats with CP brass screws with concealed fitting arrangementof approved quality and colour.450MM long towel rail with total length of 495mm, 78mm wide and effective height of 88mm, weighingnot less than 170gms.	65.00	1,281.00	EA	83,265.00

92	R2-CS-PS-86-A	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 15 mm nominal outer dia Pipes	350.00	346.00	MTR	121,100.00
93	R2-CS-PS-86-B	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal outer dia Pipes	200.00	405.00	MTR	81,000.00
94	R2-CS-PS-86-C	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal outer dia Pipes	200.00	429.00	MTR	85,800.00
95	R2-CS-PS-86-D	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 32 mm nominal outer dia Pipes	200.00	531.00	MTR	106,200.00
	R2-CS-PS-87	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one Step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.				
96	R2-CS-PS-87-a	15 mm nominal outer dia Pipes	300.00	176.00	RMT	52,800.00

BID NO:-7200006764

Redevelopment of Ramgadh Building

97	R2-CS-PS-87-b	20 mm nominal outer dia Pipes	300.00	219.00	RMT	65,700.00
98	R2-CS-PS-87-c	25 mm nominal outer dia Pipes	300.00	245.00	RMT	73,500.00
99	R2-CS-PS-87-d	30 mm nominal outer dia Pipes	300.00	321.00	RMT	96,300.00
100	R2-CS-PS-87-e	35 mm nominal outer dia Pipes	300.00	479.00	RMT	143,700.00
101	R2-CS-PS-87-f	40 mm nominal outer dia Pipes	300.00	722.00	RMT	216,600.00
102	R2-CS-PS-87-g	45 mm nominal outer dia Pipes	300.00	1698.00	RMT	509,400.00
103	R2-CS-PS-87-h	50 mm nominal outer dia Pipes	150.00	2313.00	RMT	346,950.00
104	R2-CS-PS-126	Providing and placing on terrace (at all floor levels) polyethylenewater storage tank, ISI : 12701 marked, with cover and suitable lockingarrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	10000.00	4.00	LTR	40,000.00
105	R2-CS-PS-127-A	Providing and fixing C.P. brass bib cock of approved quality conformingto IS:8931 :15 mm nominal bore	130.00	618.00	EA	80,340.00
106	R2-CS-PS-130-A	Providing and fixing C.P. brass stop cock (concealed) of standarddesign and of approved make conforming to IS:8931.15 mm nominal bore	130.00	950.00	EA	123,500.00
107	R2-CS-PS-138-A	Providing and fixing enclosed type water meter (bulk type) conformingto IS : 2373 and tested by Municipal Board complete with bolts, nuts,rubber insertions etc. (The tail pieces if required will bepaid separately) :80 mm dia nominal bore	5.00	20876.00	EA	104,380.00
108	R2-CS-PS-143	Providing and fixing PTMT soap Dish Holder having length of138mm,breadth 102mm, height of 75mm with concealed fittingarrangements,weighing not less than 106 gms.	65.00	390.00	EA	25,350.00
109	R2-CS-PS-163-B	Providing, laying and jointing glazed stoneware pipes class SP1 withstiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1fine sand) including testing of joints etc. complete : 150 mmdiameter	300.00	460.00	MTR	138,000.00
110	R2-CS-PS-163-C	Providing, laying and jointing glazed stoneware pipes class SP1 withstiff mixtureof cement mortar in the proportion of 1:1 (1 cement : 1fine sand) including testing of joints etc. complete : 200 mmdiamete	300.00	658.00	MTR	197,400.00

111	R2-CS-PS-163-D	Providing, laying and jointing glazed stoneware pipes class SP1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 250 mm diameter	200.00	836.00	MTR	167,200.00
112	R2-CS-PS-164-B	Providing and laying cement concrete 1:4:8 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all round S.W. pipes including bed concrete as per standard design : 150 mm diameter S.W. pipe	300.00	960.00	MTR	288,000.00
113	R2-CS-PS-164-C	Providing and laying cement concrete 1:4:8 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all round S.W. pipes including bed concrete as per standard design : 200 mm diameter S.W. pipe	300.00	1,119.00	MTR	335,700.00
114	R2-CS-PS-164-D	Providing and laying cement concrete 1:4:8 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all round S.W. pipes including bed concrete as per standard design : 250 mm diameter S.W. pipe	200.00	1,294.00	MTR	258,800.00
115	R2-CS-PS-166-C-1	Providing and fixing square mouth S.W. gully trap class SP1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x 300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design : 180x150 mm size P type With common burnt clay F.P.S. (non modular) bricks of class designation 3.	10.00	3,026.00	EA	30,260.00
116	R2-CS-PS-168-D	Providing and laying non pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : 300 mm dia. R.C.C. pipe	200.00	866.00	MTR	173,200.00
117	R2-CS-PS-169-B-1	Constructing brick masonry inspection chamber in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg) : With common burnt	10.00	14866.00	EA	148,660.00

		clay F.P.S. (non modular) bricks of class designation 3.				
118	R2-CS-PS-169-A-1	Constructing brick masonry inspection chamber in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) :With common burnt clay F.P.S. (non modular) bricks of class designation 3.	10.00	8,905.00	EA	89,050.00
119	R2-CS-PS-191	Providing and fixing in position uPVC/SWR (Soil/Waste/Rain) pipe of type B 75 mm dia. in any position including all fittings and accessories, making joints / connections water tight with solvent cement, scaffolding if necessary and making good the damages if any (excluding excavation and refilling the trenches) etc. complete as specified and directed. (All fittings and accessories like clamps, etc. should be of same brand. No separate payment shall be made for fittings and accessories).	100.00	314.00	MTR	31,400.00
120	R2-CS-PS-192	Providing and fixing in position uPVC/SWR (Soil/Waste/Rain) pipe of type B 110 mm dia. in any position including all fittings and accessories, making joints / connections water tight with solvent cement, scaffolding if necessary and making good the damages if any (excluding excavation and refilling the trenches) etc. complete as specified and directed. (All fittings and accessories like clamps, etc. should be of same brand. No separate payment shall be made for fittings and accessories).	250.00	478.00	MTR	119,500.00
121	R2-CS-PS-194-B	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :150 mm dia	10.00	585.00	EA	5,850.00
122	R2-CS-PS-195	Extra on item C-SPS194 for additional depth above 30 cm of 230 mm brick walls	10.00	3,857.00	MTR	38,570.00

123	R2-CS-RW-16-D	Providing and fixing UV resistant selffit UPVC pipes of approved makefor Rainwater down-takes confirming to IS 13592:1992 Type A suitable for4kg/sqcm pressure for following pipe diameters including rain water receiving recess with pvc plug bend necessary fittings suchas offsets shoes, fixing the pipes on wall with clips filling thejoints with solvent/cement and necessary scaffolding etc. complete as directed by Engineer In Charge. 200mm dia	50.00	373.00	MTR	18,650.00
124	R2-CS-RW-17	Supplying and Fixing 75 mm internal dia. 3.5 mm thk. (weight approx.6.66 Kg./Rm.) centrifugally cast C. I. pipes Confirming to IS 3989,sockets spigots type pipe for rain water/soil waste and ventilation with all fittings including scffolding, 1 : 1 CM jointing properembedding and fixing on wall & column etc complete as directed.	50.00	1,367.00	MTR	68,350.00
125	R2-CS-RW-18	Supplying and Fixing 100 mm internal dia. 4.0 mm thk. (weight approx.10.0 Kg./Rm.) centrifugally cast C. I. pipes Confirming to IS 3989,sockets spigots type pipe for rain water/soil waste and ventilation with all fittings including scffolding, 1 : 1 CM jointing properembedding and fixing on wall & column etc complete as directed.	50.00	1,671.00	MTR	83,550.00
126	R2-SWD-133	Constructing row of gratings connected to the water entrance includingM-15 C.C. foundation channel, brick masonry 230 mm thick in Cementmortar 1:4, coping in M-20, fixing Ms gratings with frame, R.C.C. runner beams, including finishing theinside with 12 mm thickplaster 1:2. etc. complete as directed by Engineer-in-Charge excludingexcavation and as per the drawing available in Dy.Ch.E.(S.W.D.) Citysof-fice (size of gratings 0.60m x 0.50m)	15.00	22585.00	MTR	338,775.00
127	R2-SWD-143	Constructing single water entrance of internal size 0.45m x 0.45m withcast-in-situ coping in M-20 grade, fixing of grating in M -20 as perstandard drawings (Dwg No. MCGM/SWD/2013-11), etc complete as specified and as directed by Engineer in Charge. (excludingexcavation, providing and fixing of gratings and frame)	10.00	10575.00	EA	105,750.00
128	R2-SWD-168	Providing & Fixing 0.45m X 0.45m clear internal size of M.S. Galvanisedhinged type grating and frame (weighing minimum 53 kg) with minimum 75microns zinc coating by hot dipped galvanising the MS grating and frame as per IS 2629. (The contractor shall furnish thecertificate of galvanising from the Galvaniser.) incuding testing,inspection of material sample and finished product in presence of M.C.G.M. Engineers (3 nos.) at Manufacturers works, as per Standard-Specification no SP-SWD-2 and as per drawing (Dwg No.MCGM/SWD/2013-08), etc complete as specified & as directed by Engineerin Charge.	10.00	7,363.00	EA	73,630.00
129	R2-ME-6-9-F	GUN METAL NON - RETURN VALVE: (FLANGED):- 50 mm dia.	8.00	12649.00	NOS	101,192.00

130	R2-ME-6-9-G	GUN METAL NON - RETURN VALVE: (FLANGED):- 65 mm dia.	10.00	22006.00	NOS	220,060.00
131	R2-ME-6-9-H	GUN METAL NON - RETURN VALVE: (FLANGED):- 80 mm dia.	10.00	27206.00	NOS	272,060.00
132	ME-17-1-H	Providing and fixing 50mm dia ball drain valve.	10.00	4,505.00	NOS	45,050.00
133	R2-ME-6-8-H	SUPPLYING & FIXING VALVES: GUN METAL FOOT VALVE (SPRING LOADED): 80 mmdia.	10.00	5,137.00	NOS	51,370.00
134	R2-SE-6-1	Constructing on sewer brick masonry conical manholes 1.2M dia. atbottom 0.56 M. dia. at top, built in brick masonry in cement mortar1:3, plastered both inside and outside with 20 mm thick cement mortar 1:2 and neat cement rendering so as to give a smooth surface,including 300 mm thick M.15 cement concrete in foundation and inhaunches and channels finished smooth with 20mm thick cement plasterin cement mortar 1:1 and providing C.I. steps (weighing 5.4 kg each)staggered at 300 mm. c/c including 75mm wide vata all round theexternal portion of the manhole and the foundation concrete in cement mortar 1:1 and supporting the incoming pipes with brick masonrywherever necessary including C.I. extra heavy duty (EHD)air-tightcircular frame & cover (minimum 230 Kg.) with hinge/chain restingon 30 cm high cement concrete M.20 cap with necessary centering etc.all complete as per standard specifications and directions includingfinishing the cap with cement plaster on both sides 1:2 and neat cement rendering so as to give a smooth surface in line and level with the brick masonry surface and as per drawing inDyCh.E.(Sewerage)P&D's office without excavation depth upto 1.5 M. (Depth ofManhole measured from top ofmanhole cover to Invert level of manhole)	1.00	62019.00	NOS	62,019.00
135	CE4-12-13-EA-F028	Providing and fixing 100 x 80mm CI deep seal nahani traps upto 450mmlong arm CPheavy grating with or without vent connection as required	130.00	900.00	NOS	117,000.00
136	CE2-7.D.32	Providing and fixing brass CP angle cock for mini geyser of Metro,Seiko or other equivalent approved make.	64.00	500.00	NOS	32,000.00
137	R2-CS-PS-249	Providing and fixing heavy ISI marked single lever concealed diverter for bath & shower system Rain shower & its accessories. (Mixer Cat. No. CON- 421 Jaquar make OR consider equivalent make)	64.00	11203.00	NOS	716,992.00
138	R2-CS-PS-250	P/F Jaquar make shower, necessary accessories shower arm with flange continental series	64.00	1437.00	NOS	91,968.00

		sr. no. 483				
139	CE4-09-044.FA247	Providing and fixing JAQUAR MAKE,CONTINENTAL Model No. 1121 Towel ringincluding cutting and making good the wall wherever required etccomplete	64.00	975.00	NOS	62,400.00
	R2-CS-PS-127	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :				
140	R2-CS-PS-127-a	15 mm nominal bore	130.00	618.00	each	80,340.00
	R2-CS-PS-130	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved-make Conforming to IS:8931.				
141	R2-CS-PS-130-a	15 mm nominal bore	130.00	950.00	each	123,500.00
142	R2-CS-PS-260	Providing & fixing in position 'Jacquar Continental' make CP Jet Spray with flexible CP supply pipe, and all other accessories, complete	22.00	2113.00	NOS	46,486.00
	R2-CS-PS-129	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				
143	R2-CS-PS-129-a	15 mm nominal bore	63.00	742.00	NOS	46,746.00
144	CE2-2.2.3.B.B1	White Vitreous China of 'Hindustan & Parryware' make or equivalentunder counter type Oval wash basin of size 550 x 480mm with CI bracketssuitable for mounting below granite counter including waste fitting with CP brass bottle trap, angle valve with CP connection etc aspecified.	1.00	2,700.00	NOS	2,700.00
145	CE4-07-010-C526	Providing and fixing vitreous white / colour chinaware urinalcomprising- a) Large flat back wall hung urinal size 610 x 400 x 380mm.b) flushing tank of 10ltrs supplying to 3 urinals with all fittings c) CP brass chromium plated flush piping from flush valve to urinalterminated with a 15 mm screwed spreader. d) 32mm dome CP cast brasswaste. e) 32mm n.b CP cast running trap with extension pipe to wall, wall flange, rubber adopter for waste connection.	1.00	5,000.00	NOS	5,000.00
146	WS2-09-06-001.60	P & F UPVC cowl cap of size 75 mm.	8.00	40.00	NOS	320.00
147	CE3-06-2-3.2.12A	Providing and fixing rigid PVC cowl cap supreme or equivalent makesuitable for vent pipes above terrace level. a) 100 mm dia. (4)	10.00	70.00	MTR	700.00

148	FMB-19.01	Making holes in 110 mm to 150 mm brick/concrete/rubble walls for drainage pipes, fittings, etc. and making good the same in cement mortar 1:3 or cement concrete 1:2:4 & finishing on both sides with cement plaster and 3 coats of white or colour wash as directed.	75.00	92.00	EA	6,900.00
149	CE4-07-010-C127	Providing & fixing standard MS hooks for fans or any other fixtures inclusive of fixing the same to walls / ceiling with necessary anchor fasteners (2 nos.) inclusive of redoing any damaged plaster & scaffolding for fixing etc. complete.	250.00	150.00	NOS	37,500.00
150	SM4-09-006.001FA74	STORM WATER DRAINSS storm water drain-Providing and laying half round RCC hume pipe 450mm dia for plant storm water drains including jointing with cement mortar with all labour and materials.	70.00	130.00	MTR	9,100.00
151	R2-RW-3-18	Providing & fixing in the carriageway 80 mm thick grey cement concrete Lacquer coated (Reflective) interlocking pavers in Red (Terra Cotta), Lemon Yellow, Bright Yellow or any colour with vermeticular or any anti-skid texture on top surface of approved pattern/ shape and colour having average crushing strength not less than 50N/mm ² manufactured in double layer precast concrete blocks as per technical specifications and IS CODE 15658:2006. The top layer of paver block should be 12 to 15 mm thick and consist cubical shape stone aggregate 8mm sieve 100% passing and retained on 4.75 mm size sieve, silica sand and with pure iron oxide ultra violet stabilized pigment @5% by weight of white cement and should be coated with lacquer having hard, high abrasive resistance and water repellent. The bottom layer should be 65 to 68 mm thick having 12 mm sieve 100% passing aggregate as per technical specification, placed on average compacted thickness 25 mm well graded sand cushioning uniformly compacted with proper capacity mechanical compactor with required level, grade and camber etc. complete as specified and as directed by the Engineer.	500.00	1,042.00	SQM	521,000.00
152	HE-7-24-F	Removing and Replacing of existing old/damaged Brass / Gun Metal Ferrule (diameter 50mm), Conforming to IS 2692 except for jumper valve, which will be of either brass / gun metal or Polypropylene coated light weight brass jumper valve, inclusive of required excavation and backfilling etc complete in all respect and as directed by Engineer in-Charge. Note : (1) Rebate for salvation cost of old ferrule has been considered and old ferrules may be removed by the contractors as directed.	2.00	3642.00	EA	7,284.00
	R2-CS-PS-88	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc.				
153	R2-CS-PS-88-e	40 mm dia nominal bore Rmt 499	100.00	499.00	RMT	49,900.00
154	R2-CS-PS-88-f	50 mm dia nominal bore	200.00	649.00	RMT	129,800.00

	R2-HE-7-5	Providing and fixing C class (heavy) GI union couplings with embossed ISI mark including cutting and threading of pipe of following diameters etc complete in all respect as directed by Engineer in Charge .Note : Only MCGM approved GI pipe brands shall be used.				
155	R2-HE-7-5-a-1	15mm.	65.00	193.00		12,545.00
156	R2-HE-7-5-f-1	50mm.	15.00	394.00		5,910.00
157	R2-HE-7-5-g	65mm.	15.00	692.00		10,380.00
		SECTION -Q- RAIN WATER HARVESTING				
158	R2-CS-PS-271	Providing and fixing online filter of 200 mm dia three layer PPR pipe, PN 10 (SDR11) class, including filter media, thatic/noncorrosive metallic mesh with necessary bracketing with 160 mm dia pvc ball valve, 2 nos of 100 dia pvc to facilitate separation of filter assembly for maintenance with all necessary fitting such as reducer, tees, fitting n	1.00	338,322.50	each	338,322.50
159	CE4-07-083-FA-263	Providing & fixing C.I. Manhole covers with frames / rings for R.C.C. underground water storage tanks, sizes o locking arrangement	4.00	3000.00	each	12,000.00
		RING WELL				
160	CS-RM-118	Providing and constructing recharge ring well of 1.2m dia and depth upto 6m made of RCC pipe collar including excavation and stacking the soil and disposing as per the instructions of engineer-in-charge, pumping of water, lowering the collars by means of lifting tackles and filling with gravels and boulders from outside of the circumference of the collar so as to allow infiltration of ground water inside the well through the gap between the collars.	1.00	123733.00	NOS	123,733.00
		Sediment chamber.				

BID NO:-7200006764

Redevelopment of Ramgadh Building

161	R2-CS-PS-304	Providing and constructing Sediment chamber size of 2 m X 0.9x 2 mt. Depth including excavation of all type soil with 230mm thick rubble soling at chamber bottom and 100 mm thick PCC. Chamber shall be complete 350 mm brick wall thick.and arrange two brick baffle wall of 230mm thick for filtration purpose.Providing 450 x 900 mm 3 nos RCC heavy duty cover with frame at chamber top with arrange 150mm dia PVC pipe for over flow and connection to recharge pit. complete with as per drawing detail.	4.00	72513.00	NOS	290,052.00
		TRANSFER PUMP				
162	MSR 13-14 12-1-5	Supplying and erecting Centrifugal water pump (Monoblock), 415V, three phase 50 cycles A.C.- supply of 2 HP with discharge 2.2 /4.1 Liters per second (LPS) for head of 8 /26 m and 50 mm suction/ 40 mm delivery pipe, on provided C.C.foundation as per specification No. WPCGP	2.00	13076.00	NOS	26,152.00
163	MSR 13-14 12-5-2	Supplying and erecting D.O.L. Starter 400V. 3 phase, 50 cycles with no volt coil and overload element with necessary materials and connected to supply upto 7.5 H.P. .(Similar to L & T make MK-1 DOL Model)	1.00	1962.00	NOS	1,962.00
		Total Amount Rs.				162,967,424.39
		Say Total Amount Rs.				162,967,425.00

Sd/-

S.E.(B.C)CITY.

Sd/-

S.E.(B.C)CITY.

Sd/-

A.E.(B.C)CITY.

Sd/-

E.E.(B.C)CITY

Mechanical & Electrical Works						
Sr.No.	Item Code	Item Description	Unit	Quantity	Rate Rs.	Amount Rs.
		At Service				

BID NO:-7200006764
Redevelopment of Ramgadh Building

1	R2-ME-1-10-c	1.1 kV grade 2 Noss. (P+N) copper conductor flexible cable of area 4.0 sq mm and 1Nos. (E) 2.5 sq. mm copper cable for 30 /32 Amp. single phase switch.(residential meter and shops)	Mtr.	340	458.00	155,720.00
2	R2-ME-1-10-d	1.1 kV grade 4 Noss. (3P+N) copper conductor flexible cable of area 6.0 sq mm and 1Nos. (E) 2.5 sq. mm copper cable for 30 /32 Amp. three phase switch. (for shops and common meter)	Mtr.	35	848.00	29,680.00
3	R2-ME-1-19-f	40A to 63A DP MCB (shops , lift room , pump room, fire panel and)	Nos.	83	3,581.00	297,223.00
4	R2-ME-1-6-d	300/315/320 Amp. 415V TPN Switchfuse unit with CRCA sheet steel powder coated enclosure with HRC fuses & switch links. (Main) --	Nos.	2	9,390.00	18,780.00
5	R2-ME-1-9-e	300 / 315 / 320A TPN with tinned copper bars of size 40 x 10 mm.	Mtr.	1.2	24,995.00	29,994.00
6	R2-ME-1-27-b	415V Pump panel with 100A MCCB as incomer with phase indicator and ammeter & voltmeter with selector switches, 2Noss. Of 32A MCB with Star delta Starter, local push button station & contactor of required rating as outgoing.	Nos.	1	113,712.00	113,712.00
7	R2-ME-1-30-b	Supply and fixing 20 mm thick Marine Ply Plank	Sq.Mtr.	75	1807.00	135,525.00
8	R2-ME-1-30-c	Supply and fixing T. W.batten 25 mm x 40 mm.	Mtr.	40	78.00	3,120.00
9	R2-ME-1-19-c	63 Amp. TPN MCB for lift (02 nos)	Nos.	2	5,143.00	10,286.00
10	R2-ME-1-6-c	200/250 Amp. 415V TPN Switchfuse unit with CRCA sheet steel powder coated enclosure with HRC fuses & switch links and padlockable arrangement. (for fire fighting 1 +1)	Nos.	2	5,144.00	10,288.00
11	R2-ME-1-10-h	3 Noss. single core Cu PVC insulated flexible cable of 150 Sq.mm. for phases & 1 single core Cu PVC insulated flexible cable for neutral of 70 Sq.mm for 250 Amp TPNSS switch. (for dedicated supply -fire)	Mtr.	7	9,100.00	63,700.00
12	R2-ME-1-4-k	250 Amp. 415V FP ON Load Changeover Switch with CRCA sheet steel powder coated enclosure.	Nos.	1	21,208.00	21,208.00
13	R2-ME-1-19-b	16/32 Amp. TPN MCB (For Lift)	No.	2	4,174.00	8,348.00
14	R2-ME-1-25-f	40A 4 Pole ELCB (with 30 mA sensitivity)	No.	16	5,917.00	94,672.00
15	R2-ME-1-25-i	40Amp. 2Pole	No.	139	4,843.00	673,177.00
		At Distribution				
16	R2-ME-1-13-e	IP 42 Wall/column Mounted distribution board with one Nos of DP 16/32A MCB as incomer and 8 Noss 6A/10A SP MCB as outgoing (12 way SPN DB)(residential , shops ..etc)	Nos.	83	6,155.00	510,865.00
17	R2-ME-1-13-h	IP 42 Wall/column Mounted distribution board with one Nos of 32A DP MCB as incomer and 4 Noss 10A DP MCB as outgoing (12 way SPN DB)... (lift room , meter room , common area)	Nos.	4	4,910.00	19,640.00
18	R2-ME-1-13-c	IP 42 Wall/column Mounted distribution board with one Nos of DP 16/32A MCB as incomer and 4 Noss 6A/10A SP MCB as outgoing (8 way SPN DB)..per floor passage ..	Nos.	12	4,911.00	58,932.00

		Cable:- 1.1 kV grade stranded <u>Cu conductor</u>, XLPE insulated, extruded PVC inner and outer sheathed FRLSHZ, galvanised steel round or strip armoured cables (SP-ME-TS- 6)				
19	R2-ME-2-3-v	4C x 25 Sq.mm (lift 2 nos.)	Rmt	150	1,450.00	217,500.00
20	R2-ME-2-3a-u	4C x 16 Sq.mm	Rmt	50	863.00	43,150.00
21	R2-ME-2-3a-s	4 C x 10 sq.mm (COMMERCIAL , and common)	Rmt	650	597.00	388,050.00
22	R2-ME-2-3a-j	3 C X 4 sq.mm. (RESIDENTIAL)	Rmt	2500	203.00	507,500.00
23	R2-ME-2-3a-f	3 C X 2.5 sq.mm. (COMMON , STAIRCASE, FLOOR PASSAGE , TERRACE , COM- POUND)	Rmt	850	142.00	120,700.00
24	R2-ME-2-3a-p	6C x 6 Sq.mm (PUMP)	Rmt	50	516.00	25,800.00
25	R2-ME-2-5-l	6C x 6 Sq.mm 1.1 KV grade standard copper conductor PVC insulated, extruded PVC inner and outer sheathed with flexible Sub- mersible flat cable	Rmt	25	497.00	12,425.00
26	R2-ME-2-1-w	3.5C x 70 Sq.mm AL.for mains	Rmt	50	505.00	25,250.00
27	R2-ME-2-1-x	3.5C x 95 Sq.mm AL.for fire main (ulternate supply)	Rmt	70	611.00	42,770.00
		Cable End Termination For Copper Cables :				
28	R2-ME-2-12-u	4C x 25 Sq.mm	Set	10	360.00	3,600.00
29	R2-ME-2-12-t	4 C x 16 sq.mm	Set	10	349.00	3,490.00
30	R2-ME-2-12-s	4 C x 10 sq.mm	Set	26	199.00	5,174.00
31	R2-ME-2-12-h	3 C X 4 sq.mm.	Set	166	172.00	28,552.00
32	R2-ME-2-12-g	3 C X 2.5 sq.mm.	Set	54	113.00	6,102.00
33	R2-ME-2-12- ai	6C x 6 Sq.mm	Set	8	337.00	2,696.00
34	R2-ME-2-11-v	3.5C x 70 Sq.mm AL	Set	6	330.00	1,980.00
35	R2-ME-2-11- w	3.5C x 95 Sq.mm	Set	4	775.00	3,100.00
		WIRING FOR MAINS				
		Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLSZH insulated copper conductor wire in surface/ recessed medium class PVC conduit as re- quired				
36	R2-ME-3-21-c	2 X 4 sq. mm + 1 X 4 sq. mm earth wire in 25mm Conduit..(in lift room , meter room.shops.)	Rmt	150	231.00	34,650.00
		WIRING FOR SUB MAINS/ CIRCUIT WIRING				
		Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLSZH insulated copper conductor wire in surface in casing and capping as required from Flat DBs/ switchboard to switchboard.				
37	R2-ME-3-23-b	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire in 20 x 12 mm (1/2")	Mtr	4200	174.00	730,800.00

		Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLSZH insulated copper conductor wire in surface in casing and capping as required				
38	R2-ME-3-23-c	2 X 4 sq. mm + 1 X 4 sq. mm earth wire in 25 x 12 mm (3/4")	Mtr	1590	238.00	378,420.00
		POINT WIRING				
		Point wiring by using FRLSZH insulated copper conductors (alongwith same size of FRLSZH insulated copper conductor for earthing & 3 plate ceiling rose) : PVC conduit concealed with modular switches & FRLSZH wires.				
39	R2-ME-3-26-a	Light /Fan / Ex. fan Points Concealed Manner with Modular switches & FRLSZH wires (First category material) Light point	No.	1500	897.00	1,345,500.00
40	R2-ME-3-26-c	5A/6A - 3/5 Half Plug Concealed Manner with Modular switches & FRLSZH wires (First category material)	No.	262	278.00	72,836.00
41	R2-ME-3-26-b	3/5 Pin Independent Plug (IP) Concealed Manner with Modular switches & FRLSZH wires	No.	540	992.00	535,680.00
42	R2-ME-3-26-d	Bell Point with Bell / Buzzer & 1 Bell Push Concealed Manner with Modular switches & FRLSZH wires	No.	75	1,341.00	100,575.00
43	R2-ME-4-15-c	S' type M.S. fan hook fabricated from suitable dia. M.S. rod & suitable size M.S. brackets, nut bolts, washers for fixing ceiling fan on trusses. The 'S' type hook & bracket shall be painted in approved manner.	No.	280	271.00	75,880.00
		Point wiring by using FRLSZH insulated copper conductors (alongwith same size of FRLSZH insulated copper conductor for earthing & 3 plate ceiling rose) using PVC CONDUIT				
44	R2-ME-3-42-i	15 / 5 A / 6 A Combined Power Plug Socket Point with Fuse and Indicating Lamp, One 15 Amp SP Switch	No.	500	1,346.00	673,000.00
		Point wiring by using FRLSZH insulated copper conductors (alongwith same size of FRLSZH insulated copper conductor for earthing & 3 plate ceiling rose) using CASING-N CAPPING				
45	R2-ME-3-42-k	Group Control Point Wiring 4-8 Points Controlled by One 15 A SP Switch..floor passage lights.	No.	25	419.00	10,475.00
		Supply, Install, Testing & Commissioning of switchboards in following configurations: (16SWG GI Junction Box Complete with Earthing terminal,Interconnection & wiring)				

		16 SWG G I Junction Box of various sizes For loop in loop out cables. Junction box shall have suitable no. of knock out for incoming & outgoing cables. Cables shall be terminated in 10A heavy duty connector. Cost of the connector shall be included in the cost of Junction box. Colour shade shall be RAL 7032 Siemens gray as per IS 5. (IP55)				
46	R2-ME-1-20-b	100 x 100 x 50mm G.I. junction box with knock out & 10 Amp Connector block/strip (For External Lighting)	No.	125	131.00	16,375.00
47	R2-ME-1-20-e	100mm x 100mm x 50mm size GI Junction box with knock out & 1 No. 5Amp. SP switch & 5 Amp. Three Pin Socket for local isolation (For Lift)	No.	50	131.00	6,550.00
48	R2-ME-1-20-d	100mm x 100mm x 50mm size GI Junction box with knock out & 1 No. 5Amp. SP switch for local ON, OFF operation. (for lift and passage lighting)	No.	50	131.00	6,550.00
		LIGHTING FIXTURES & CEILING FANS				
49	R2-ME-4-34-b	SITC of Tubelight fixtures 2X 18W....LED (shops , residence)	No.	572	1,076.00	615,472.00
50	R2-ME-4-34-d	Spot Light ...LED	No.	90	1,077.00	96,930.00
51	R2-ME-4-34-e	LED Bulkhead fitting.	No.	35	1,162.00	40,670.00
52	R2-ME-4-32-b	9-10 W.Downlighter/Wall mounted LED:-.	No.	126	585.00	73,710.00
53	R2-ME-4-12-e	Ceiling fan of 1400 mm sweep with all accessories including Electronic Regulator for completing installation as per specification.	No.	217	2,699.00	585,683.00
54	R2-ME-4-12-b	Ceiling fan of 900 mm sweep with all accessories including Electronic Regulator for completing installation as per specification.	No.	63	2,508.00	158,004.00
55	R2-ME-4-12-h	Exhaust fan of 230mm sweep, 1400RPM, with 450 CFM free air delivery, AC 230V/415V , 50 Hz, single phase / three phase complete with all necessary accessories for completing installation as per specification.	No.	215	2,014.00	433,010.00
56	R2-ME-5-15-b	EMERGENCY LIGHT FITTINGS: Fluorescent emergency light fitting with 2 Nos. 2 feet 20 W (60cms.) double tubes with M.F.SLA rechargeable battery with 3 hrs of back up..	No.	15	1,332.00	19,980.00
57	R2-ME-4-27-b	24-36 W.....SITC of LED Street Light fittings. (Outdoor LED Fixtures)	No.	15	2,223.00	33,345.00
58	R2-ME-10-3-e	<u>Swan neck type bracket for fixing</u> fixtures mounting on wall / shed etc. 0.5 to 1.2 Mtrs.	No.	15	798.00	11,970.00
59	R2-ME-3-14	Providing single phase electric energy meter's board wiring by using 2 wires of 3/20 SWG PVC insulated copper conductor wires complete with fixing on board by using H.G. brass clips, terminations, etc.	Mtr.	600	96.00	57,600.00

		Telephone & Television:				
60	CE5-12-012FAE265	TV Socket	No.	136	164.00	22,304.00
61	R2-ME-12-4-d	RG 6 copper-clad steel (CCS)	Mtr.	1380	28.00	38,640.00
62	R2-ME-12-4-e	RG 11	Mtr.	200	30.00	6,000.00
63	R2-ME-12-5-d	PVC box & cover plate with RJ-11 for Telephone access only	No.	136	244.00	33,184.00
64	R2-ME-12-2	Telephone Cables.				
65	R2-ME-12-3-a	Armoured Telephone Cable - 10 pair	Mtr.	150	115.00	17,250.00
66	R2-ME-12-2-a	PVC Telephone Cable - 2 pair	Mtr.	1380	25.00	34,500.00
67	R2-ME-12-6	M. S. Junction Box for TELEPHONE/ EPABX:				
68	R2-ME-12-6-e	200 pair M. S. Junction Box for EPABX:	No.	1	3,907.00	3,907.00
69	R2-ME-12-6-d	100 pair M. S. Junction Box for EPABX:	No.	2	2,442.00	4,884.00
70	R2-ME-12-6-a	10 pair M. S. Junction Box for EPABX:	No.	16	977.00	15,632.00
71	R2-ME-12-8-a	25mm. - Only PVC Conduits laying	Rmt.	2500	35.00	87,500.00
72	R2-ME-12-9-u	SITC of 9 inch Rack..(For cable TV network) per floor	Nos.	15	7,326.00	109,890.00
73	R2-ME-12-9-v	SITC of 19 inch Rack..(For cable TV network) at ground floor and at terrace for main receiver installation	Nos.	2	32,558.00	65,116.00
		APP TYPE Capacitor Bank for APFC Panel - suitable for 415/440V, 3 Ph. 50Hz AC supply. Power capacitor shall be conforming to IS 2834-1981. The capacitor shall be installed in separate compartment & shall be provided with isolator & HRC fuse of required rating.				
74	R2-ME-1-23-n	10 KVAR	No.	6	4,741.00	28,446.00
75	R2-ME-1-23-i	5 KVAR	No.	4	2,460.00	9,840.00
76	R2-ME-1-23-b	1.5 KVAR	No.	2	1,072.00	2,144.00
		Lightning Protection				
76	R2-ME-7-2	Lightning Protection of 5 promged air terminal as per of technical specification. Earth continuity conductor and earthing pits for the same as per requirement & rate. Earth station as per above specification & rate.	No.	2	1,736.00	3,472.00
77	R2-ME-7-3-a	25 x 3 mm GI (length : 300 mm)	Mtr	750	23.00	17,250.00

78	R2-ME-7-1-b	Earthing station with 100mm Dia., 13mm thick, 3000mm long GI pipe (Class B or better) earth pit as per IS3043. The earth pit shall be provided with watering pipe(Class B) with wire messed funnel, 25x3 GI strip / 8SWG GI wire up to chamber (wire or strip size as per fault level), disconnecting links with 600 x 600 mm(clear) RCC chamber & heavy duty 3mm thick Clchequered plate cover with hinge & stainless steel bolts.Bentonite/ Charcol & Salt shall be provided for earthpits. Excavation, backfilling, removal of excess soil isincluded in the scope	No.	4	18,793.00	75,172.00
		Earthing Continuity Conductors				
79	R2-ME_7-4	Supply & installation of Earth conductor of the following sizes to be cleat-ed on wall/columns with nuts & bolts or laid in cable tray /buried in ground including cutting, drilling, tapping, jointing by welding, connecting to equipments, painting to welded portion by black bitumen paint and with all necessary GI hardware & accessories to complete the work				
80	R2-ME-7-4-m	Bare G.I. Conductor size 8 SWG	Rmt	1800	9.00	16,200.00
81	R2-ME-7-4-f	25 x 6mm GI	Rmt	150	97.00	14,550.00
82	R2-ME-7-4-e	25 x 3mm G.I.	Rmt	150	49.00	7,350.00
		Earthing (SP-ME-TS-37)				
83	R2-ME-7-1-c	Earthing station with 600 mm x 600 mm x 6 mm galvanized iron plate and 50 mm dia G.I pipe 300 mm long G.I pipe (Class B or better) earth pith as per IS 3043, The earth pit shall be provided with watering pipe (Class B) with wire messed funnel , 25 x 3 G.I strip / 8 SWG GI wire upto chamber (wire or strip size as per fault level) , disconnecting links with 600 x 600 mm (clear) RCC chamber and heavy duty 3mm thick CI Exchequer plate cover with hinge & stainless steel bolts. Bentonine / Charcoal & Salt be provided for earth pits. Excavation, back filing , removal of excess soil is included in the scope.	No.	14	17,789.00	249,046.00
		Supply and laying of Heavy duty RCC Hume pipe for road crossing, below plinth beam of following size as diameter.				
84	R2-ME-2-19-b	150mm Dia.	Mtr.	200	611.00	122,200.00
85	R2-ME-2-8	Excavating the trenches and refilling,rein-statement of the same after the cable is laid in approved manner (750 mm deep, 600 mm wide),in all types of soils 1 Cu. Mtr. = 2.2 RMT.	Cu. Mtr.	20	307.00	6,140.00
86	R2-ME-2-9	Excavating the trenches and refilling the same after the cable is laid in approved manner (Size of trench: 750 mm deep, 600 mm wide) in concrete/ masonry / asphalt. 1 Cu. Mtr. = 2.2 RMT. And reinstatement.	Cu. Mtr.	10	500.00	5,000.00
		Pumps				

87	R2-ME-6-2-ac	Submersible Pump set of 7.5 H.P. three phase electric motor Discharge: 510 lpm at 20 m head to 240 lpm at 62 m head Pump body: Cast Iron, Impeller: Noryl, Shaft SS410 Pump delivery diameter 50 mm.	No.	2	61,331.00	122,662.00
88	CE4-09-036-FAE008	BEST LIASONING WORK: A) Approval for supply company for load, load sanction, necessary follow up for making available electrical supply in meter room of client from BEST. Liason with best or any other statutory body, organisation from sub station, transformer, HT/LT panels. feeder pillars, cables, meter sanction, getting meter and cut outs in meter room, main switches in meter room termination, connections etc. filling various forms, submission, approved sub station plan required from BMC approval, follow up, getting in time etc. B) Liason with electrical inspector for load sanction submission approval, meter sanction, getting wiring passed etc. C) Approval from electrical inspector, supply company and applicable statutory bodies for DG	No.	1	375000.00	375,000.00
		(A) TOTAL For Electrical Works				11,299,653.00
		-				
		SITC OF PASSENGER CUM STRETCHER GEARLESS LIFT FOR 15 PASS. G+ 9 FLOORS ALONG WITH CSMC				
89	R2-ME-19-4-a	<u>S.I.T & C of Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors with ARD, audio -visual , Overload indicator, Infra red curtain, 3VF regenerative drive, Emergency alarm. Fire alarm switch, overload warning indicator, suitable door safety as specified, suitable for physically challenged persons, complete in all respect as specified in technical specifications. The lift shall be of Otis or Kone or Schindler or Mitsubishi or Johnson make. Obtaining the lift license from concerned authority of electrical lift inspector, PWD to operate the lift, payment of PWD deptt Fees and minor civil work necessary for successful installation of lift etc. are in the scope of lift contractor. The lift shall be provided with 1 year free defect liability period.</u>	No.	1	2,867,144.00	2,867,144.00
90	R2-ME-19-4-b	CSMC charges for Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors for 2 nd Year	No.	1	155,000.00	155,000.00
91	R2-ME-19-4-c	CSMC charges for Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors for 3rd Year	No.	1	162,750.00	162,750.00
92	R2-ME-19-4-d	CSMC charges for Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors for 4th Year	No.	1	170,888.00	170,888.00
93	R2-ME-19-4-e	CSMC charges for Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors for 5th Year	No.	1	179,432.00	179,432.00

94	R2-ME-19-4-f	CSMC charges for Passenger cum stretcher gearless lift for 15 Pass. G+ 9 floors for 6th Year	No.	1	188,403.00	188,403.00
		SITC OF PASSENGER GEARLESS LIFT FOR G+ 9 FLOORS, ALONG WITH CSMC				
95	R2-ME-19-3-a	<u>S.I.T & C of Passenger gearless lift for G+ 9 floors with ARD, audio -visual , Overload indicator, Infra red curtain, 3VF regenerative drive, Emergency alarm. Fire alarm switch, overload warning indicator, suitable door safety as specified, suitable for physically challenged persons, complete in all respect as specified in technical specifications. The lift shall be of Otis or Kone or Schindler or Mitsubishi or Johnson make. Obtaining the lift license from concerned authority of electrical lift inspector, PWD to operate the lift, payment of PWD deptt Fees and minor civil work necessary for successful installation of lift etc. are in the scope of lift contractor. The lift shall be provided with 1 year free defect liability period.</u>	No.	1	2,450,000.00	2,450,000.00
96	R2-ME-19-3-b	CSMC charges for Passenger gearless lift for G+ 9 floors for 2nd Year	No.	1	138,750.00	138,750.00
97	R2-ME-19-3-c	CSMC charges for Passenger gearless lift for G+ 9 floors for 3rd Year	No.	1	145,688.00	145,688.00
98	R2-ME-19-3-d	CSMC charges for Passenger gearless lift for G+ 9 floors for 4th Year	No.	1	152,972.00	152,972.00
99	R2-ME-19-3-e	CSMC charges for Passenger gearless lift for G+ 9 floors for 5th Year	No.	1	160,620.00	160,620.00
100	R2-ME-19-3-f	CSMC charges for Passenger gearless lift for G+ 9 floors for 6th Year	No.	1	168,651.00	168,651.00
		Total for S.I.T.C. of Lift work----- (B)				6,940,298.00
101	SOL-25Kwp-FAIR	Design,Supply,Installation,Testing and Commissioning of 25 Kwp OnGrid Solar Panel (ROOF TOP) ----- ---(C)	No.	2	2,314,522.08	4,629,044.16
		-				
		<u>Fire detection and Fire fighting system</u>				
		-				
		FIRE EXTINGUISHERS				
102	R2-ME-15-30-c	Supply and installation of ABC type fire extinguisher (6 kg).	Nos	25	2,035.00	50,875.00
103	R2-ME-15-31-a	Providing Round bottom FIRE Bucket of 9 Litres capacity as per IS : 2546 made out of 24 gauge G.I. sheet with extra handle at bottom duly painted white inside and red outside with FIRE Mark, on provided stand/ wall hook.	Nos	4	814.00	3,256.00
		PUMP ROOM				

104	KH-FF-RF-01	Horizontal End Suction Back Pull Out Pumpset Casing:Cast Iron Impeller:Bronze Impeller Motor: 75kW -50HP 2900 RPM electric motor of Crompton greaves/ Kirloskar Make. Suction X Discharge Pipe Size(mm) : 100 X 80 Pumpset mounted on MS fabricated base frame supplied with coupling, coupling guard & foundation bolts. Application: Main Hydrant Pump Duty: 1800 LPM @ 76m	Nos	1	207,777.00	207,777.00
105	R2-ME-6-4-AK	Centrifugal Monobloc Pumpset Power: Suction X Discharge Pipe Size(mm): 80x65 Phase: Three Phase, 440 Volts, 50Hz Application: Terrace Booster Pump Head 6-36 Mtr)				
		Q(54m3h) x H(35m)	Nos	1	71,926.00	71,926.00
106	KH-FF-RF-01	Horizontal End Suction Back Pull Out Pumpset Casing:Cast Iron Impeller:Bronze Impeller Motor: 75kW -50HP 2900 RPM electric motor of Crompton greaves/ Kirloskar Make. Suction X Discharge Pipe Size(mm) : 100 X 80 Pumpset mounted on MS fabricated base frame supplied with coupling, coupling guard & foundation bolts. Application: Main Hydrant Pump Duty: 1800 LPM @ 76m	Nos	1	207,777.00	207,777.00
107	R2.ME-15-2-B	Supplying installing, testing, commissioning of Jockey Pump of 240 LPM at 70m head (Hydrant and Sprinkler Jockey Pumps	Nos	2	100,178.00	200,356.00
108	R2-ME-15-15	Providing and fixing in position G.I. Heavy grade 'C' class pipes (I.S. 1239 part I) with screwed on couplings/ fittings (I.S. 1239 Part II) including disconnecting arrangement (unions / Flanges) as necessary clamping to wall beams and ceilings with hangers and clamps anchor fasteners wherever required to firmly support piping, testing to 1.5 times to working pressure for minimum 2 hours after installation and painting as required by Fire Authority after primer cost.				
109	R2-ME-15-15-a	150 mm	Rmt	12	2,701.00	32,412.00
110	R2-ME-15-15-b	100 mm	Rmt	10	1,836.00	18,360.00
111	R2-ME-15-15-c	80 mm	Rmt	12	1,322.00	15,864.00
112	R2-ME-15-15-e	50 mm	Rmt	6	863.00	5,178.00
113	R2-ME-15-15-h	25 mm	Rmt	6	479.00	2,874.00

BID NO:-7200006764

Redevelopment of Ramgadh Building

115	R2-ME-15-6	Wafer type butterfly valves: (sp-me-ts-72)				
116	R2-ME-15-6-a	80 mm dia.	Nos	4	3,644.00	14,576.00
117	R2-ME-15-6-b	100 mm dia.	Nos	2	5,019.00	10,038.00
118	R2-ME-15-6-c	150 mm dia.	Nos	10	7,933.00	79,330.00
119	R2-ME-15-9	Sluice Valve				
120	R2-ME-15-9-a	Supplying and installing cast iron double flange sluice valve 75/80 mm dia.as per Specification	Nos	2	8,547.00	17,094.00
121	R2-ME-15-9-c	Supplying and installing cast iron double flange sluice valve 150 mm dia.as per Specification	Nos	4	14,719.00	58,876.00
122	R2-ME-15-7-c	Non Return Valves (NRV) supplying and installing double flange NRV 150 mm dia.	Nos.	5	20,349.00	101,745.00
123	R2-ME-15-7-a	Non Return Valves (NRV) supplying and installing double flange NRV 80 mm	Nos	3	9,076.00	27,228.00
124	R2-ME-15-5-c	End line strainer Supplying and installing end line strainer for +ve suction150 mm	Nos	2	16,077.00	32,154.00
125	R2-ME-15-5-a	End line strainer Supplying and installing end line strainer for +ve suction80 mm	Nos	2	7,679.00	15,358.00
126	R2-ME-15-13-a	Supplying and installing pressure gauge of 100 mm Ø., 0-300 PSI or 0- 14 kg per cm square fitted with 12/15 mm Ø. Pad cock valve, and G.I. pipe, elbow etc	Nos.	12	3,483.00	41,796.00
127	R2-ME-9-52-d	SITC of 25 mm diameter ball valve for Drain	Nos.	12	4,644	55,728.00
129	R2-ME-15-23	Supplying and installing Danfoss make pressure switch with 12/15 mm dia isolation Valve, GI nipple, elbow etc. in an approved manner as per specification.	Nos	4	7,936.00	31,744.00
130	R2-ME-15-21	Supplying and fixing wrought steel or MS fabricated air vessel in pump room 300 mm dia. and 1200 high on M.S stand with necessary arrangement and including the cut off, drain and air release and drain pipes to the channel in pump room.(for automation of fire pumps)	Nos	2	19,671.00	39,342.00
		SPRINKLER & SPRAYER SYSTEM				
		Providing and fixing in position G.I. Heavy grade 'C' class pipes (I.S. 1239 part I) with screwed on couplings/ fittings (I.S. 1239 Part II) including disconnecting arrangement (unions / Flanges) as necessary clamping to wall beams and ceilings with hangers and clamps anchor fasteners wherever required to firmly support piping, testing to 1.5 times to working pressure for minimum 2 hours after installation and painting as required by Fire Authority after primer cost.				
131	R2-ME-15-15-a	150 mm	Rmt	90	2,701.00	243,090.00

BID NO:-7200006764

Redevelopment of Ramgadh Building

132	R2-ME-15-15-c	80mm	Rmt	24	1,322.00	31,728.00
133	R2-ME-15-15-d	65 mm	Rmt	46	1,077.00	49,542.00
134	R2-ME-15-15-e	50 mm	Rmt	60	863.00	51,780.00
135	R2-ME-15-15-f	40 mm	Rmt	90	640.00	57,600.00
136	R2-ME-15-15-g	32 mm	Rmt	150	545.00	81,750.00
137	R2-ME-15-15-h	25 mm	Rmt	300	479.00	143,700.00
138	R2-ME-15-26-a	Providing, fixing, testing and commissioning of Quartzoid Bulb Sprinkler Head With Temperature Rating 68 Deg. C., Universal Deflector, UL / FM Approved in Brass or C.P. finish, pendent type, 15 mm dia ., as per TS.	Nos.	110	372.00	40,920.00
141	ME-17-1-s	Providing 100 x 100 welded and fabricated tee to the wet riser at each floor with 100 dia standard flange welded to the branch tee and drilled for fixing the twin hydrant valve with nuts and bolts.	Nos	8	1000	8,000.00
142	ME-17-6	Providing and fixing in position 150 mm size sprinkler installation control valve with all trims, Alarm motor and going, pressure gauge (2 Nos) Water flow switch (1 No.) pressure switch (1 No.) drain and test valve with associated piping 1 No. 150 NB sluice valve on the underside of control valve approved and listed by TAC.	Nos	1	99,999.00	99,999.00
143	R2-ME-15-22	Providing and fixing in position 40mm dia air valve with air vessel on top of wet risers.	Nos	2	1,424.00	2,848.00
146	R2-ME-15-6	Wafer type butterfly valves: (sp-me-ts-72)				
147	R2-ME-15-6-a	80mm dia.	Nos	10	3,644.00	36,440.00
148	R2-ME-2-3-a	Sprinkler and Jockey Pump Pressure Switch Cable 1.1 kV grade stranded Cu conductor, XLPE insulated, extruded PVC inner and FRLS outer sheathed, galvanised steel round or strip armoured cables (SP-ME-TS- 6) 2C x 1.5 sq.mm. Cu.Armoured Cable	Rmt	20	80.00	1,600.00
149	R2-ME-2-2-w	3.5C x 70 Sq.mm for Main Pump	Rm	60	368.00	22,080.00
150	R2-ME-2-2-m	3 c x 35 mm sq.Aluminium Armoured cable for Jockey Pump	Rm	60	184.00	11,040.00
151	R2-ME-2-3-h	6C x 2.5 Sq.mm for Booster Pump	Rm	120	223.00	26,760.00
		HYDRANT SYSTEM				

		Providing and fixing in position G.I. Heavy grade 'C' class pipes (I.S. 1239 part I) with screwed on couplings/ fittings (I.S. 1239 Part II) including disconnecting arrangement (unions / Flanges) as necessary clamping to wall bems and ceilings with hangers and clamps anchor fasteners wherever required to firmly support piping, testing to 1.5 times to working pressure for minimum 2 hours after instalation and painting as required by Fire Authority after primer cost.				
149	R2-ME-15-15-a	150 mm	Rmt.	275	2,701.00	742,775.00
150	R2-ME-15-15-c	80mm	Rmt	100	1,322.00	132,200.00
151	R2-ME-15-8-b	Providing and fixing in position heavy gun metal 63 dia twin hydrant valves to the wet riser flanged tee at each floor with all necessary nuts bolts and gaskets etc. complete.	Nos.	10	19,457.00	194,570.00
152	R2-ME-15-8-a	Providing and fixing in position gun metal oblique single hydrant valve to at the wet riser tee & stand posts including all nuts bolts gas-kets etc. complete including welding 20 dia G.I. Coupling to the wet riser tee and supply-ing and fixing necessary length of 20 dia G.I. pipe upto first aid hose reel and I 20 dia ball valve including painting etc. complete 150mm Dia (FOR EXTERNAL YARD HYDRANT)	Nos	4	9,527.00	38,108.00
153	R2-ME-15-9-c	Supplying and installing cast iron double flange sluice valve 150 mm dia.as per Spec-ification	Nos	2	14,719.00	29,438.00
154	R2-ME-15-18	Supplying and installing wall mounting swing-ing Hose reel drum fitted with 19 mm dia. 30m high pressure polypropylene (Polyhose) long fitted with necessary accessories com-plete as per specification	Nos	8	11531	92,248.00
155	R2-ME-15-12-c	Supplying & erecting Gun Metal Chrome plated Nozzle, 19 mm Ø complete as per specification	Nos.	30	2,035.00	61,050.00
156	R2-ME-15-11-a	Providing and fixing in position 2 lengths of 15 M long flexible canvas rubber lined hose reels 63 dia with adapter, branch pipe and nozzle and stroking them in metal cabinets with lockable glass shutters and fixing the metal cabinet at ground level in a location where it can be easily spotted including paint-ing tec. complete.	Nos.	40	12,061.00	482,440.00
157	R2-ME-15-19	Providing and fixing in position 65 dia breaching inlet for connecting to fire fighting tank.	Nos.	1	9,496.00	9,496.00

158	R2-ME-15-24-a	Supplying and erecting M.S./CRCA cabinet for housing single hydrant valve (size 400 x 400 x 400mm.) made from 16 SWG sheet and angle iron 25 mm. x 25 mm. x 4 mm. having front doors with viewing glass (8"x6") and locking arrangement with necessary fixing material such as rubber bidding etc. duly painted in post box red colour	Nos	10	18992	189920
159	R2-ME-15-14-a	Supplying and erecting one no. Brass orifice plate having 6 mm. thickness, 140 mm outer dia of 140 mm at every single outlet hydrant valve 100 mm	Nos.	13	1,536.00	19,968.00
160	R2-ME-15-22	Supplying and erecting 20/25mm Ø G.M.air release cock, with necessary G.I. coupling to be fitted on top of Air vessel or on wet riser as per specification	Nos.	2	1,424.00	2,848.00
161	R2-ME-15-20	Supplying and installing fire brigade Header (Siamese Connection) of 150 mm Ø for supplying water to wet riser system as per specification	Nos	1	10175	10175
Fire Alarm System Public Address System						
162	R2-ME-15-32-a	Supply, Installation, testing & commissioning of addressable 2 loop main fire alarm electronic control panel, expendable up to 4 loop & having maximum 250 devices (any combination detectors plus devices) per loop & Audio/ Visual alarm complete as per IS: 2189 specification - modular type front operated with interlocking door arrangement totally enclosed dust and vermin proof for indoor type applications.	Nos	1	178,313.00	178,313.00
164	R2-ME-15-33-c	Supply, Installation, testing & commissioning of optical type smoke detector complete on box as per Specification	Nos	50	3240	162000
165	R2-ME-15-33-f	Supply, Installation, testing & commissioning of Manual Call Point (Pill box) with break glass push button in metal enclosure complete with back mounting box.	Nos	9	8259	74331
166	R2-ME-15-33-g	Supply, Installation, testing & commissioning of Hooters with CRCA enclosure complete with external power supply & junction boxes.	Nos	9	6903	62127
167	R2-ME-15-32-c	Providing, laying, testing and commissioning of 2Cx1.5 sq.mm armoured RED colour copper FRLS cable with necessary saddles, screws, junction boxes, sleeves, elbows couplings etc. for Fire alarm System	Nos	850	98.00	83,300.00
168	R2-ME-15-32-e	S/I/T/C OF INTELLIGENT ADDRESSABLE HEAT DETECTOR	Nos	5	3,256.00	16,280.00
169	R2-ME-15-29-a	SITC of Auto glow signage for Emergency Fire Exit	Nos	22	814.00	17,908.00
170	R2-ME-15-29-b	SITC of Auto glow signage for Staircase direction	Nos	65	814.00	52,910.00

BID NO:-7200006764

Redevelopment of Ramgadh Building

171	R2-ME-15-29-c	SITC of Auto glow signage for Do not use lift in case of Fire etc.	Nos	15	1,085.00	16,275.00
172	FA-18-SIC-AV-02	Providing, laying, testing and commissioning of Main fire pumps control panel having audio/ visual alarm complete as per latest IS specification - modular type	Nos	1	383375.00	383,375.00
		Total Fire Fighting (D)				5,302,596.00
		Total Estimated cost .. (A+B+C+D)				28,171,591.16
				Say	28,171,591.00	

Sd/-

S.E.(Electrical) B.C.City

Sd/-

A.E.(Electrical) B.C.City

Sd/-

E.E.B.C.City

SECTION - 9

GENERAL CONDITIONS OF CONTRACT

General Conditions of Contract

(Standard General Condition of Contract for Building Construction Works – 2016 are applicable)

A. General

1. Definitions

1.1 Terms which are defined in the Contract Data are not also defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

The “Contract” shall mean the tender and acceptance thereof and the formal agreement if any, executed between the Contractor, Commissioner and the Corporation together with the documents referred to therein including these conditions and appendices and any special conditions, the specifications, designs, drawings, price schedules, bills of quantities and schedule of rates. All these documents taken together shall be deemed to form one Contract and shall be complementary to one another.

The Contract Data defines the documents and other information which comprise the Contract.

The “Contractor” shall mean the individual or firm or company whether incorporated or not, whose tender has been accepted by the employer and the legal successor of the individual or firm or company, but not (except with the consent of the Employer) any assignee of such person.

The Bidder is a person or corporate body who has desired to submit Bid to carry out the Works, including routine maintenance till the tender process is concluded.

The Contractor’s Bid is the completed bidding document submitted by the Contractor to the Employer.

The “Contract Sum” means the sum named in the letter of acceptance including Physical contingencies subject to such addition thereto or deduction there-from as may be made under the provisions hereinafter contained.

Note : The contract sum shall include the following –

- In the case of percentage rate contracts the estimated value of works as mentioned in the tender adjusted by the Contractor’s percentage.
- In the case of item rate contracts, the cost of the work arrived at after finalization of the quantities shown in schedule of items / quantities by the item rates quoted by the Bidders for various items and summation of the extended cost of each item.
- In case of lump sum contract, the sum for which tender is accepted.
- Special discount / rebate / trade discount offered by the Bidder if any and accepted by the Corporation.
- Additions or deletions that are accepted after opening of the tenders.

The “Contract Cost” means the Contract Sum plus Price Variation. This cost shall be included in the letter of acceptance.

A Defect is any part of the Works not completed in accordance with the Contract.

The Defects Liability Certificate is the certificate issued by the Engineer, after the Defect Liability Period has ended and upon correction of Defects by the Contractor.

Drawings means all the drawings, calculations and technical information of a like nature provided by the Engineer to the Contractor under the Contract and all drawings, calculations, samples, patterns, models, operation & maintenance manual and other technical information of like nature submitted by the Contractor and approved by the Engineer.

The Authority shall mean Municipal Corporation of Greater Mumbai (MCGM)

The “Employer” shall mean the Municipal Corporation for Greater Mumbai / Municipal Commissioner for Greater Mumbai, for the time being holding the said office and also his successors and shall also include all “Additional Municipal Commissioners, Director (Engineering Services & Projects)” and the Deputy Municipal Commissioner, to whom the powers of Municipal Commissioner, have been deputed under Section 56 and 56B of the Mumbai Municipal Corporation Act.

The Engineer in-charge shall mean the Executive Engineer in executive charge of the works and shall include the superior officers of the Engineering department i.e. Dy.Ch.Eng/Ch.Eng. and shall mean and include all the successors in MCGM

The Engineer’s Representative shall mean the Assistant Engineer, Sub. Engineer/Jr. Engineer in direct charge of the works and shall include Sub Eng./ Jr. Eng of Civil section/ Mechanical section/ Electrical section appointed by MCGM.

The “Engineer” shall mean the City Engineer / the Hydraulic Engineer / the Chief Engineer / the Special Engineer, appointed for the time being or any other officer or officers of the Municipal Corporation who may be authorized by the commissioner to carry out the functions of the City Engineer / the Hydraulic Engineer / the Chief Engineer / the Special Engineer or any other competent person appointed by the employer and notified in writing to the Contractor to act in replacement of the Engineer from time to time.

Contractor’s Equipment means all appliances and things of whatsoever nature required for the execution and completions of the Works and the remedying of any defects therein, but does not include plant material or other things intended to form or forming part of the Permanent Works.

The Initial Contract Price is the Contract Price listed in the Employer's Letter of Acceptance.

The Intended Completion Date is the date on which it is intended that the Contractor shall complete the construction works. The Intended Completion Date is specified in the Contract Data. The Intended Completion Date may be revised only by the Engineer by issuing an extension of time.

Materials are all supplies, including consumables, used by the Contractor for incorporation in the Works and works of routine maintenance.

Plant is any integral part of the Works that shall have a mechanical, electrical, electronic, chemical, or biological function.

Routine Maintenance is the maintenance of activities of the completed structure for five years as specified in the Contract Data.

The "Site" shall mean the land and other places including water bodies more specifically mentioned in the special conditions of the tender, on, under in or through which the permanent works or temporary works are to be executed and any other lands and places provided by the Municipal Corporation for working space or any other purpose as may be specifically designated in the contract as forming part of the site.

Site Investigation Reports are those that were included in the bidding documents and are reports about the surface and subsurface conditions at the Site.

"Specification" shall mean the specification referred to in the tender and any modification thereof or addition or deduction thereto as may from time to time be furnished or approved in writing by the Engineer.

The Start Date/Commencement Date is given in the Contract Data. It is the date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.

A Nominated Sub-Contractor is a person or corporate body who has a Contract with the Contractor to carry out a part of the construction work and/or routine maintenance in the Contract, which includes work on the Site.

Temporary Works are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.

Variation means a change to the:-

i) Specification and /or Drawings (if any) which is instructed by the Employer.

ii) Scope in the Contract which is instructed by the Employer.

iii) Price in the Contract which is instructed by the Employer.

The Works, as defined in the Contract Data, are what the Contract requires the Contractor to construct, install, maintain, and turn over to the Employer. Routine maintenance is defined separately.

Jurisdiction: In case of any claim, dispute or difference arising in respect of a contract, the cause of action thereof shall be deemed to have arisen in Mumbai and all legal proceedings in respect of any claim, dispute or difference shall be instituted in a competent court in the City of Mumbai only.

2. Interpretation

2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Engineer will provide instructions clarifying queries about these Conditions of Contract.

2.2 If sectional completion is specified in the Contract Data, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

The documents forming the Contract shall be interpreted in the following documents: (1) Agreement, (2) Letter of Acceptance, (3) Notice to Proceed with the Work , (4) Contractor's Bid, (5) Contract Data, (6) Special Conditions of Contract Part (7) General Conditions of Contract Part I, (8) Specifications, (9) Drawings, (10) Bill of Quantities, and (11) Any other document listed in the Contract Data.

3 . Engineer's Decisions

3.1 Except where otherwise specifically stated, the Engineer will decide contractual matters between the Employer and the Contractor in the role representing the Employer. However, if the Engineer is required under the rules and regulations and orders of the Employer to obtain prior approval of some other authorities for specific actions, he will so obtain the approval, before communicating his decision to the Contractor.

3.2 Except as expressly stated in the Contract, the Engineer shall not have any authority to relieve the Contractor of any of his obligations under the contract.

4. Delegation

4.1 The Engineer, with the approval of the Employer, may delegate any of his duties and responsibilities to other person(s), except to the Adjudicator, after notifying the Contractor, and may cancel any delegation after notifying the Contractor.

5. Communications

All certificates, notices or instructions to be given to the Contractor by Employer/ Engineer shall be sent on the address or contact details given by the Contractor of Bid. The address and contact details for communication with the Employer/ Engineer shall be as per the details given in Contract Data. Communications between parties that are referred to in the conditions shall be in writing. The Notice sent by facsimile (fax) or other electronic means shall be effective on confirmation of the transmission. The Notice sent by Registered post or Speed post shall be effective on delivery or at the expiry of the normal delivery period as undertaken by the postal service.

6. Subcontracting

6.1 Unless specifically mentioned in the contract subletting will not be allowed. Subletting, where otherwise provided by the contract shall not be more than 25% of the contract price.

6.2 The Contractor shall not be required to obtain any consent from the Employer for:

- a. the sub-contracting of any part of the Works for which the Subcontractor is named in the Contract;
- b. the provision for labour, or labour component.
- c. the purchase of Materials which are in accordance with the standards specified in the Contract.

6.3 Beyond what has been stated in clauses 6.1 and 6.2, if the Contractor proposes sub contracting any part of the work during execution of the Works, because of some unforeseen circumstances to enable him to complete the Works as per terms of the Contract, the Employer will consider the following before according approval:

a. The Contractor shall not sub-contract the whole of the Works.

b. The permitted subletting of work by the Contractor shall not establish any contractual relationship between the sub-contractor and the MCGM and shall not relieve the Contractor of any responsibility under the Contract.

6.4 The Engineer should satisfy himself before recommending to the Employer whether

a. the circumstances warrant such sub-contracting; and

b. the sub-Contractor so proposed for the Work possesses the experience, qualifications and equipment necessary for the job proposed to be entrusted to him.

7. Other Contractors

7.1 The Contractor shall cooperate and share the Site with other Contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the Contract Data. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

7.2 The Contractor should take up the works in convenient reaches as decided by the Engineer to ensure there is least hindrance to the smooth flow and safety of traffic including movement of vehicles and equipment of other Contractors till the completion of the Works.

8. Personnel

8.1 The Contractor shall employ for the construction work and routine maintenance the key personnel including technical personnel named in the Contract Data or other personnel approved by the Engineer. The Engineer will approve any proposed replacement of technical personnel only if their relevant qualifications and abilities are substantially equal to those of the personnel stated in the Contract Data.

8.2 The Contractor's personnel shall appropriately be qualified, skilled and experienced in their respective trades or occupations. The Engineer shall have authority to remove, or cause to be removed, any person employed on the site or works, who carries out duties incompetently or negligently and persists in any conduct which is prejudicial to safety, health or the protection of the environment.

8.3 If the Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the Works in the Contract.

The Contractor shall not employ any retired Gazetted officer who has worked in the Engineering Department of the MCGM /State Government and has either not completed two years after the date of retirement or has not obtained MCGM/State Government's permission to employment with the Contractor.

9. Employer's and Contractor's Risks

9.1 The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

10. Employer's Risks

10.1 The Employer is responsible for the excepted risks which are (a) in so far as they directly affect the execution of the Works in the Employer's country, the risks of war, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot, commotion or disorder (unless restricted to the Contractor's employees) and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive, or (b) a cause due solely to the design of the Works, other than the Contractor's design.

11. Contractor's Risks

11.1 All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks, referred to in clause 11.1, are the responsibility of the Contractor.

12. Insurance

12.1 The Contractor at his cost shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of Defects Liability Period, in the amounts and deductibles stated in the Contract Data for the following events which are due to the Contractor's risks:

a) Loss of or damage to the Works, Plant and Materials;

b) Loss of or damage to Equipment;

c) Loss of or damage to property (other than the Works, Plant, Materials, and Equipment) in connection with the Contract; and

d) Personal injury or death.

12.2 Insurance policies and certificates for insurance shall be delivered by the Contractor to the Engineer for the Engineer's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.

12.3 Alterations to the terms of insurance shall not be made without the approval of the Engineer.

12.4 Both parties shall comply with any conditions of the insurance policies.

12.5 If the Contractor does not provide any of the policies and certificates required, the Employer may affect the insurance which the Contractor should have provided and recover the premiums the Employer has paid, from payments otherwise due to the Contractor or if no payment is due, the payment of premiums shall be debt due.

13. Site Investigation Reports

13.1 The Contractor, in preparing the Bid, may rely, at his own risk, on any Site Investigation Reports referred to in the Contract Data, supplemented by any other information available to him, before submitting the bid.

14. Queries about the Contract Data

14.1 The Engineer will clarify queries on the Contract Data.

15. Contractor to Construct the Works and Undertake Maintenance (if specified in the tender)

15.1 The Contractor shall construct, and install and maintain the Works in accordance with the Specifications and Drawings and as per instructions of the Engineer.

15.2 The Contractor shall construct the works with intermediate technology, i.e., by manual means with medium input of machinery required to ensure the quality of works as per specifications. The Contractor shall deploy the equipment and machinery as required in the contract.

15.3 The Contractor shall take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation.

During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing enactments on environmental protection and rules made there under, regulations, notifications and byelaws of the State or Central Government, or local authorities and any other law, bye-law, regulations that may be passed or notification that may be issued in future by the State or Central Government or the local authority. Salient features of some of the major laws that are applicable are given below:

- The Water (Prevention and Control of Pollution) Act, 1974, this provides for the prevention and control of water pollution and the maintaining and restoring of wholesomeness of water. 'Pollution' means such contamination of water or such alteration of the physical, chemical or biological properties of water or such discharge of any sewage or trade effluent or of any other liquid, gaseous or solid substance into water (whether directly or indirectly) as may, or is likely to, create a nuisance or render such water harmful or injurious to public health or safety, or to domestic, commercial, industrial, agricultural or other legitimate uses, or to the life and health of animals or plants or of aquatic organisms.
- The Air (Prevention and Control of Pollution) Act, 1981, this provides for prevention, control and abatement of air pollution. 'Air Pollution' means the presence in the atmosphere of any 'air pollutant', which means any solid, liquid or gaseous substance (including noise) present in the atmosphere in such concentration as may be or tend to be injurious to human beings or other living creatures or plants or property or environment.
- The Environment (Protection) Act, 1986, this provides for the protection and improvement of environment and for matters connected therewith, and the prevention of hazards to human beings, other living creatures, plants and property. 'Environment' includes water, air and land and the inter-relationship

- The Public Liability Insurance Act, 1991, This provides for public liability insurance for the purpose of providing immediate relief to the persons affected by accident occurring while handling hazardous substances and for matters connected herewith or incidental thereto. Hazardous substance means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act 1986, and exceeding such quantity as may be specified by notification by the Central Government.

16. The Works and Routine Maintenance to be completed by the Intended Completion Date

The Contractor may commence execution of the Works on the Start Date and shall carry out the Works and Routine Maintenance, if specified in the tender, in accordance with the Programme submitted by the Contractor, as updated with the approval of the Engineer, and complete them by the Intended Completion Date.

17. Approval by the Engineer

17.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Engineer, who is to approve them if they comply with the Specifications and Drawings.

17.2 The Contractor shall be responsible for design and safety of Temporary Works.

17.3 The Engineer's approval shall not alter the Contractor's responsibility for design and safety of the Temporary Works.

17.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.

All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Engineer before their use.

18. Safety

18.1 The Contractor shall be responsible for the safety of all activities on the Site. He shall comply with all applicable safety requirements and take care of safety of all

persons entitled to be on the site and the works. He shall use reasonable efforts to keep the site and the works, both during construction and maintenance, clear of unnecessary obstruction so as to avoid danger to the persons and the users.

- Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
- Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- The area should be barricaded or cordoned off by suitable means to avoid mishaps of any kind. Power warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- The workers engaged for cleaning the manholes/sewers should be properly trained before allowing working in the manhole.

18.2 Safety Programs:-

- I. Have adequate safety supervision in place to ensure that safety programs set up by the firms/agencies are in compliance with prevalent laws and regulations.
- II. Review safety programs developed by each of the trade firms, prepare and submit a comprehensive safety program.
- III. Monitor day to day implementation of safety procedures.

18.3 First Aid Facilities: -

1. At every work place there shall be provided and maintained, so as to be easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarily employed.
- 1.1. The first-aid box shall be distinctly marked with a red cross on white back ground.
- 1.1.1. Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
- 1.1.2. Nothing except the prescribed contents shall be kept in the First-aid box.

7. The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
8. A person in charge of the First-aid box shall be a person trained in First-aid treatment, in the work places where the number of contract labour employed is 150 or more.

19. Discoveries

Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Engineer of such discoveries and carry out the Engineer's instructions for dealing with them.

20. Possession of the Site

The Employer shall handover complete or part possession of the site to the Contractor 7 days in advance of construction programme. At the start of the work, the Employer shall handover the possession of at-least 75% of the site free of all encumbrances, the remaining 25 % of the possession as per contractor's construction programme.

21. Access to the Site

The Contractor shall allow access to the Site and to any place where work in connection with the Contract is being carried out, or is intended to be carried out to the Engineer and any person/persons/agency authorized by: a. The Engineer b. The Employer or authorized by the Employer.

22. Instructions

22.1 The Contractor shall carry out all instructions of the Engineer, which comply with the applicable laws where the Site is located.

22.2 The Contractor shall permit the appointed and/or authorized persons to inspect the Site and/or accounts and records of the Contractor and its subcontractors relating to the performance of the Contract, and to have such accounts and records audited by auditors appointed, if so required. The Contractor's attention is invited to Clause of 'Fraud and Corruption', which provides, inter alia, that acts intended to materially impede the exercise of the inspection and audit rights provided for under the Clause & constitute a obstructive practice subject to contract termination.

22.3 Engineer to have power to issue further drawings or instructions:

The Engineer shall have the power and authority from time to time and at all times to make and issue such further drawings and to give such further instructions and directions as may appear to him necessary or proper for the guidance of the contractor and the good and sufficient execution of the works according to terms of the specifications and Contractor shall receive, execute, obey and be bound by the same, according to the true intent and meaning thereof, as fully and effectually as though the same had accompanied or had been mentioned or referred to in the specification, and the Engineer may also alter or vary the levels or position of nature of works contemplated by the specifications, or may order any of the works contemplated thereby to be omitted, with or without the substitution of any other works in lieu thereof, or may order any work or any portion of work executed or partially executed, to be removed, changed or altered, added if needful, may order that other works shall be substituted instead thereof and difference of expense occasioned by any such diminution or alteration so ordered and directed shall be added to or deducted from the amount of this Contract, as provided under condition no.10(a) hereinafter.

No work which radically changes the original nature of the Contract shall be ordered by the Engineer and in the event of any deviation being ordered which in the opinion of the Contractor changes the original nature of Contract he shall nevertheless carry it out and disagreement as to the nature of the work and the rate to be paid therefore shall be resolved in accordance with condition no.13d.

The time for completion of the Works, shall be in even of any deviations resulting in additional cost over the contract price being ordered, be extended or reduced reasonably by the Engineer. The Engineer's decision in this case shall be final.

B. Time Control

23. Programme

23.1 Within the time stated in the Contract Data, the Contractor shall submit to the Engineer for approval a Programme, including Environment Management Plan showing the general methods, arrangements, order, and timing for all the activities in the Works, along with monthly cash flow forecasts for the construction of works.

After the completion of the construction works, the programme for the Routine Maintenance Work, showing the general methods, arrangements, order and timing

for all the activities involved in the Routine Maintenance will also be submitted by the Contractor to the Engineer for approval if specified in the tender. The programme for Routine Maintenance will be submitted in each year for the period of Maintenance.

23.2 The Contractor shall submit the list of equipment and machinery being brought to site, the list of key personnel being deployed, the list of machinery/equipments being placed in field laboratory and the location of field laboratory along with the Programme. The Engineer shall cause these details to be verified at each appropriate stage of the programme.

23.3 An update of the Programme shall be a programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Works, including any changes to the sequence of the activities.

23.4 The Contractor shall submit to the Engineer for approval an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.

The Engineer's approval of the Programme shall not alter the Contractor's obligations. The Contractor may revise the Programme and submit it to the Engineer again at any time. A revised Programme shall show the effect of Variations and Compensation Events.

24. Extension Of Time In Contracts :

Subject to any requirement in the contract as to completion of any portions or portions of the works before completion of the whole, the contractor shall fully and finally complete the whole of the works comprised in the contract (with such modifications as may be directed under conditions of this contract) by the date entered in the contract or extended date in terms of the following clauses:

a) Extension attributable to MCGM

(i) Extension Due To Modification: If any modifications have been ordered which in the opinion of the Engineer have materially increased the magnitude of the

work, then such extension of the contracted date of completion may be granted as shall appear to the Engineer to be reasonable in the circumstances, provided moreover that the Contractor shall be responsible for requesting such extension of the date as may be considered necessary as soon as the cause thereof shall arise and in any case **should not be less than 30 days before the expiry of the date fixed for completion of the works.**

(ii)Extension For Delay Due To MCGM: In the event of any failure or delay by the MCGM to hand over the Contractor possession of the lands necessary for the execution of the works or to give the necessary notice to commence the works or to provide the necessary drawings or instructions or any other delay caused by the MCGM due to any other cause whatsoever, then such failure or delay shall in no way affect or vitiate the contract or alter the character thereof or entitle the contractor to damages or compensation therefore, but in any such case, the MCGM may grant such extension(s) of the completion date as may be considered reasonable.

Note: For extension of time period as governed in (i) and (ii) above, any modifications in design/drawings, specifications, quantities shall be needed to be justified with recorded reasons with approval of Ch.Eng. for not anticipating the same while preparing estimates and draft tender.

(b) Extension Of Time For Delay Due To Contractor: The time for the execution of the work or part of the works specified in the contract documents shall be deemed to be the essence of the contract and the works must be completed no later than the date(s) / the programme for completion of work as specified in the contract. If the contractor fails to complete the works within the time as specified in the contract for the reasons other than the reasons specified in above as (a.i) and (a.ii), the MCGM may, if satisfied that the works can be completed by the contractor within reasonable short time thereafter, allow the contractor for further extension of time as the Engineer may decide. On such extension the MCGM will be entitled without prejudice to any other right and remedy available on that behalf, to recover the compensation as governed by Clause 8(e) of GCC.

For the purpose of this Clause, the contract value of the works shall be taken as value of work as per contract agreement including any supplementary work order/contract agreement issued.

Further, competent authority while granting extension to the currency of contract under Clause (b) of as above may also consider levy of penalty, as deemed fit based on the merit of the case. Also, the reasons for granting extension shall be properly documented.

25. Delays Ordered by the Engineer

The Engineer may instruct the Contractor to delay the start or progress of any activity within the Works. Delay/delays totaling more than 30 days will require prior written approval of the DMC/AMC.

26. Management Meetings

26.1 The Engineer may require the Contractor to attend a management meeting. The business of a management meeting shall be to review the plans for progress of the Works.

The Engineer shall record the business of management meetings and provide copies of the record to those attending the meeting. The responsibility of the parties for actions to be taken shall be decided by the Engineer either at the management meeting or after the management meeting and stated in writing to all those who attended the meeting.

C. Quality Control

27.1. Work to be open to Inspection and Contractor or Responsible agent to be presesnt

All works under or in course of execution or executed in pursuance of the contract shall at all times be open to the inspection and supervision of the Eng-in-charge and his subordinates and the contractor shall at all times during the usual working hours, at all other times, during the usual working hours and at all other times at which reasonable notice of the intention of the Eng-in-charge and his subordinates to visit the works shall have been given to the contractor, either himself be present to receive orders and instruction or have responsible agent duly

accredited in writing present for that purpose. Order given to the contractors' duly authorized agent shall be considered to have the same force and effect as if they had been given to the contractor himself.

27.2. Notice To Be Given Before Work Is Covered Up

The contractor shall give not less than ten days' notice in writing to the Eng-In-Charge or his subordinate in charge of the work before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured and correct dimension thereof taken before the same is so covered up or placed beyond the reach of measurements and shall not cover up or place beyond the reach of measurement any work without the consent in writing of the Eng-In-Charge or his subordinate in-charge of the work, and if any work shall be covered up or placed beyond the reach of measurement, without such notice having been given or consent obtained the same shall be uncovered at the contractors expenses, and in default thereof no payment or allowance shall be made for such work or for the materials with which the same was executed

27.3 Works to be executed in accordance with specifications / drawings / orders etc. :

The contractor shall execute the whole and every part of the work the most substantial and workman like manner and both has regards material and every other respect in strict accordance with specifications. The contractor shall also confirm exactly, fully and faithfully to the designs, drawings and instructions in writing relating to the work signed by the Engineer In-charge and lodged in his office and to which the contractor shall be entitled to have access for the purpose of inspection at such office, or on the site or work during office hours. The contractor shall be entitled to receive three sets of contract drawings and working drawings as well as one certified copy of the accepted tender along with the work order free of cost.

27.4 Ready Mix Concrete/ Asphalt Mix

- i) The contractor shall have to arrange Ready Mix concrete (RMC)/Asphalt from RMC/ASPHALT producing plants registered with MCGM
- ii) The contractor shall, within a 7 days of award of the work, submit a list of at least three RMC/Asphalt producers with details of such plants including details and

The Engineer-in-charge will reserve right to inspect at any stage and reject the concrete if he is not satisfied about quality of product at the user's end.

iii) The Engineer-in-charge reserves the right to exercise control over the:-

- a) Calibration check of the RMC/Asphalt plant.
- b) Weight and quantity check on the ingredients, water and admixtures added for batch mixing for RMC plants
- c) Time of mixing of concrete/grade of asphalt.
- d) Testing of fresh concrete/asphalt mix, recording of results and declaring the mix fit or unfit for use. This will include continuous control on the work ability during production and taking corrective action, if required.
- e) For exercising such control, the Engineer-in-charge shall periodically depute his authorized representative at the RMC/Asphalt plant. It shall be responsibility of the contractor to ensure that all necessary equipment, manpower & facilities are made available to Engineer-in-charge and or his authorized representative at RMC/Asphalt plant.
- f) All required relevant records of RMC/Asphalt mix shall be made available to the Engineer-in-charge or his authorized representative. Engineer-in-charge shall, as required, specify guidelines & additional procedures for quality control & other parameters in respect of material production & transportation of concrete mix which shall be binding on the contractor & the RMC/Asphalt plant. Only concrete as approved in design mix by Engineer-in-charge shall be produced in RMC plant and transported to the site.
- g) The contractor shall have to produce a copy of chalan receipts/SCADA reports/VTs reports as issued by the RMC/Asphalt plant as a documentary proof in lieu of supply of RMC/Asphalt mix before releasing payment.

28. Identifying Defects

28.1 The Engineer shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer considers may have a Defect.

28.2 The Contractor shall permit the Employer's technical person(s) to check the Contractor's work and notify the Engineer and Contractor if any defects that are found.

29. Tests

29.1 For carrying out mandatory tests as prescribed in the specifications, the Contractor shall establish field laboratory at the location decided by Engineer. The field laboratory will have minimum of equipments as specified in the Contract Data. The contractor shall be solely responsible for:

- a. Carrying out the mandatory tests prescribed in the Specifications, and
- b. For the correctness of the test results, whether preformed in his laboratory or elsewhere.

29.2 If the Engineer instructs the Contractor to carry out a test not specified in the Specification/ Quality Assurance Handbook to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no defect, the test shall be a compensation event.

When required by the Engineer-in-charge the contractor(s) shall supply for the purpose of testing samples of all materials proposed to be used in the works. Samples submitted either to govern bulk supplies or required for testing before use shall be in suitable packages to contain them and shall be provided free of charge by the contractor. The cost of testing shall be borne by the contractor even if the result of the sample confirm or do not confirm to the relevant BIS code specifications.

1. All expenditure required to be incurred for taking the samples conveyance, packing shall be borne by the contractor himself.
2. The failed material shall be removed from the site by the contractor at his own cost within a week time of written order of the Engineer-in-charge.

Setting of Site Laboratories:

Contractors shall set up a laboratory at site before commencement of work at their cost for performing various tests and at least the following machines and equipments shall be provided therein –

- 1.Set of Sieves as per I.R.C. /I.S.

2.Compressive Testing Machine(For new works)

3.Oven, Electrically Operated

4. Weighing Balance (20 kg capacity)

5. 3 m straight edge

6. Sieve shaker

7. First Aid Box

8. Measuring Jar (for silt content)

9. Other Machines/apparatus as may be directed by the Engineer

10. Vernier Caliber

11. Level / Theodolite

All the test records shall be maintained in the site office and made available as and when required. The laboratory must be established within 15 days from the date of receipt of the orders from Engineer In charge. On failure to do so, a penalty of Rs 1000/- per day shall be imposed.

The contractor shall install testing equipment at site. The contractor shall ensure and certify the calibration of the equipment so installed and shall maintain the same in working order throughout the period of construction. The contractor shall also provide necessary technically qualified experienced trained staff for carrying out such tests for using such equipment. The tests shall be carried out under the supervision of the Engineer-in-charge. The calibration shall be checked every twelve months as directed by Engineer-in-charge.

30. Correction of Defects noticed during the Defects Liability Period.

30.1 (a) The Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion and ends after five years. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.

(b) Every time notice of Defect/Defects is given, the Contractor shall correct the notified Defect/Defects within the duration of time specified by the Engineer's notice.

(c) The Engineer may issue notice to the Contractor to carry out removal of defects or deficiencies, if any, noticed in his inspection, or brought to his notice. The Contractor shall remove the defects and deficiencies within the period specified in the notice and submit to the Engineer a compliance report.

31. Uncorrected Defects and Deficiencies

31.1 If the Contractor has not corrected a Defect pertaining to the Defect Liability Period under clause and deficiencies in maintenance, to the satisfaction of the Engineer, within the time specified in the Engineer's notice, the Engineer will assess the cost of having the Defect or deficiency corrected, and the Contractor shall pay this amount, on correction of the Defect or deficiency by another agency.

D. Cost Control

32. Variations

The Engineer shall, having regard to the scope of the Works and the sanctioned estimated cost, have power to order, in writing, Variations within the scope of the Works he considers necessary or advisable during the progress of the Works. Such Variations shall form part of the Contract and the Contractor shall carry them out and include them in updated Programmes produced by the Contractor. Oral orders of the Engineer for Variations, unless followed by written confirmation, shall not be taken into account.

33. Payments for Variations

33.1 If rates for Variation items are specified in the Bill of Quantities, the Contractor shall carry out such work at the same rate.

33.2 The rate for Extra/Excess shall be governed by clause 10.A of Standard General Condition of Contract

34. Cash Flow Forecasts

When the Programme is updated, the Contractor shall provide the Engineer with an updated cash flow forecast.

35. Payment Certificates

The payment to the Contractor will be as follows for construction work:

(a) A bill shall be submitted by the Contractor monthly or before the date fixed by the Engineer In-charge for all works executed in the previous month, and the Engineer In-charge shall take or cause to be taken requisite measurement for the purpose of having the same verified and the claim, so far as it is admissible, shall be adjusted, if possible, within 10 days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer In-charge may depute a subordinate to measure up the said work in the presence of

the contractor or his duly authorized agent whose counter signature to the measurement list shall be sufficient warrant, and Engineer In-Charge may prepare a bill from such list which shall be binding on the contractor in all respects.

(b) The Engineer shall check the Contractor's fortnightly/monthly statement within 14 days and certify the amount to be paid to the Contractor.

(c) The value of work executed shall be determined, based on measurements by the Engineer.

(d) The value of work executed shall comprise the value of the quantities of the items in the Bill of Quantities completed.

(e) The value of work executed shall also include the valuation of Variations and Compensation Events.

(f) The Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

(g) The contractor shall submit all bills on the printed forms at the office of Engineer In-charge. The charges to be made in the bills shall always be entered at the rates specified in tender.

36. Payments

36.1 Payments shall be adjusted for deductions for advance payments, retention, security deposit, other recoveries in terms of the Contract and taxes at source, as applicable under the law. The Employer shall pay the Contractor the amounts certified by the Engineer within 15 days of the date of each certificate.

36.2 All sums payable by a contractor by way of compensation under any of these conditions, shall be considered as a reasonable compensation to be applied to the use of MCGM without reference to the actual loss or damage sustained and whether any damage has or has not been sustained.

36.3 No payment shall be made for any work estimated to cost less than Rupees One Thousand till after the whole of work shall have been completed and the certificate of completion given. But in the case of works estimated to cost more than Rs. One Thousand, the contractor shall on submitting a monthly bill therefore be entitled to receive payment proportionate to the part of the work than approved and passed by the Engineer In-charge, whose certificate of such approval and passing of the sum so payable shall be final and conclusive against the contractor.

All such intermediate payments shall be regarded as payments by way of advance against the final payments only and not as payments for work actual done and completed and shall not preclude the Engineer In-charge from requiring any bad, unsound, imperfect or unskillful work to be removed or taken away and reconstructed or re-erected nor shall any such payment be considered as an admission of the due performance of the contract or any part thereof in any respect or the offering of any claim nor shall it conclude, determine or effect in any other way, the powers of the Engineer In-charge as to the final settlement and adjustment of the accounts or otherwise, or in any other way vary or effect the contract. The final bill shall be submitted by the Contractor within one month of the date fixed for the completion of the work otherwise the Engineer In-charge's certificate of the measurements and of the total amount payable for the work shall be final and binding on all parties.

37. The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor for not having given early warning or not having cooperated with the Engineer.

38. Tax

"G.S.T and other state levies/cess which are not subsumed under GST will be applicable. The tenderer shall quote inclusive of all taxes. It is clearly understood that MCGM will not bear any additional liability toward payment of any Taxes & Duties.

Whenever the service to be provided by the tenderer, falls under Reverse Charge Mechanism, the Price quoted shall be exclusive of GST, but inclusive of Taxes/Duties/Cess other than GST, if any.

Rate accepted by MCGM shall hold good till completion of work and no additional individual claim shall be admissible on account of fluctuations in market rates; increase in taxes/ any other levies/ tolls etc except that payment/ recovery for overall market situation shall be made as per Price Variation."

39. Currencies

All payments will be made in Indian Rupees.

40. Liquidated Damages

Both, the Contractor and the Employer have agreed that it is not feasible to precisely estimate the amount of losses due to delay in completion of works and the losses to the public and the economy, therefore, both the parties have agreed that the Contractor shall pay liquidated damages to the Employer and not by way of penalty, at the rate per week or part thereof stated in the Contract Data for the period that the Completion Date is later than the Intended Completion Date. Liquidated damages at the same rates shall be withheld if the Contractor fails to achieve the milestones prescribed in the Contract Data. However, in case the Contractor achieves the next milestone, the amount of the liquidated damages already withheld shall be restored to the Contractor by adjustment in the next payment certificate. The Employer and the contractor have agreed that this is a reasonable agreed amount of liquidated damage. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's other liabilities.

41. Cost of Repairs

Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at his cost if the loss or damage arises from the Contractor's acts or omissions.

E. Finishing the Contract

42. Completion of Construction and Maintenance

42.1 The Contractor shall request the Engineer to issue a certificate of completion of the construction of the works, and the Engineer will do so upon deciding that the works is completed. This shall be governed as per clause no. 8(g) of Standard General Conditions of Contract.

43. Taking Over

43.1 The Employer shall take over the works within seven days of the Engineer issuing a certificate of completion of works. The Contractor shall continue to remain responsible for its routine maintenance during the maintenance period if specified in the contract.

44. Final Account

Final joint measurement along with the representatives of the contractor should be taken recorded and signed by the Contractors. Contractors should submit the final bill within 1 month of physical completion of the work.

If the contractor fails to submit the final bill within 1 month, the MCGM staff will prepare the final bill based on the joint measurement within next 3 months.

Engineer's decision shall be final in respect of claims for defect and pending claims against contractors.

No further claims should be made by the Contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payment of those items of the bills in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by the Commissioner shall be made within a reasonable period as may be necessary for the purpose of verification etc.

After payment of the final bill as aforesaid has been made, the contractor may, if he so desires, reconsider his position in respect of a disputed portion of the final bills and if he fails to do so within 84 days, his disputed claim shall be dealt with as provided in the contract.

A percentage of the retention money, over and above the actual retention money as indicated below shall be held back from payments till the finalization of final bill to be submitted as per above and will be paid within 30 days of acceptance of the final bill.

Sr.no.	Amount of Contract Cost	Minimum Payable Amount in final bill
1	Upto Rs.5 Crs.	Rs.10 Lacs or final bill whichever is more
2	Upto Rs.25 Crs.	Rs.1 Crore or final bill amount whichever is more
3	Upto Rs. 50 Crs.	Rs.2 Crores or final bill amount whichever is more
4	Upto Rs.100 Crs.	Rs.4 Crore or final bill amount whichever is more
5	More than Rs.100 Crs..	Rs.7 Crore or final bill amount whichever is more

The contractor have to submit the bill for the work carried out within 15 days from the date of completion of the work to the respective executing department. If the

contractor fails to submit their bills to concerned executing department, penalty or action as shown below will be taken for each delayed bill:-

After 15 days from the date of completion/running bill upto certain date, upto next 15 days i.e. upto 30 days	Equal to 5% of bill amount
Next 15 days upto 45 days from the date of completion/running bill upto specified date	Equal to 10% of bill amount
If not submitted within 45 days from the date of completion/ R.A. bill	Bill will not be admitted for payment.

45. Operating and Maintenance Manuals

45.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the Contract Data.

45.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the Contract Data, or they do not receive the Engineer's approval, the Engineer shall withhold the amount stated in the Contract Data from payments due to the Contractor.

46. Termination

46.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

46.2 Fundamental breaches of Contract shall include, but shall not be limited to, the following:

- a) the Contractor stops work for 30 days when no stoppage of work is shown on the current Programme and the stoppage has not been authorized by the Engineer;
- b) the Contractor is declared as bankrupt or goes into liquidation other than for approved reconstruction or amalgamation;
- c) the Engineer gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
- d) the Contractor does not maintain a Security, which is required;
- e) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in relevant clause.

f) the Contractor fails to provide insurance cover as required under relevant clause .
g) if the Contractor, in the judgment of the Employer, has engaged in the corrupt or fraudulent practices as defined in GCC in competing for or in executing the Contract.

h) if the Contractor fails to set up a field laboratory with the prescribed equipment, within the period specified in the Contract Data; and

i) any other fundamental breaches as specified in the Contract Data.

j) if the Contractor fails to deploy machinery and equipment or personnel as specified in the Contract Data at the appropriate time.

46.3 When either party to the contract gives notice of a breach of contract to the Engineer for a cause other than those listed above, the Engineer shall decide whether the breach is fundamental or not.

46.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.

46.5 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

47. Payment upon Termination

47.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for value of the work done and materials ordered less liquidated damages, if any, less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as indicated in the Contract Data. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be recovered from the security deposit, and performance security. If any amount is still left un-recovered it will be a debt due from the Contractor to the Employer

47.2 If the Contract is terminated at the Employer's convenience, the Engineer shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries

due in terms of the Contract, and less taxes due to be deducted at source as per applicable law.

48. Property

48.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer for use for completing balance construction work if the Contract is terminated because of the Contractor's default, till the Works is completed after which it will be transferred to the Contractor and credit, if any, given for its use.

49. Release from Performance

If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of the Employer or the Contractor, the Engineer shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

A) Other Conditions of Contract

50. Labour

50.1 The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.

50.2 The Contractor shall, if required by the Engineer, deliver to the Engineer a return in detail, in such form and at such intervals as the Engineer may prescribe, showing the staff and the number of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the Engineer may require.

51. Compliance with Labour Regulations

(a) During continuance of the Contract, the Contractor and his sub-Contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority.

(b) Furthermore, the Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the Engineer/Employer shall have the right to deduct any money due to the Contractor including his amount of performance guarantee. The Employer/Engineer shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.

(c) The Contractor shall require his employees to obey all applicable laws, including those concerning safety at work.

(d) The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

52. Drawings and Photographs of the Works

52.1 The Contractor shall do photography/video photography of the site firstly before the start of the work, secondly mid-way in the execution of different stages of work as required by Engineer In-charge and lastly after the completion of the work. No separate payment will be made to the Contractor for this.

52.2 The Contractor shall not disclose details of Drawings furnished to him and works on which he is engaged without the prior approval of the Engineer in writing. No photograph of the works or any part thereof or plant employed thereon, except those permitted under above clause, shall be taken or permitted by the Contractor to be taken by any of his employees or any employees of his sub-Contractors without the prior approval of the Engineer in writing. No photographs/ Video photography shall be published or otherwise circulated without the approval of the Engineer in writing.

53. The Apprentices Act, 1961

The Contractor shall duly comply with the provisions of the Apprentices Act 1961 (III of 1961), the rules made there under and the orders that may be issued from time to time under the said Act and the said Rules and on his failure or neglect to do so, he

shall be subject to all liabilities and penalties provided by the said Act and said Rules.

54. Contract Document

The documents forming the contract are to be taken as mutually explanatory of one another. Unless otherwise provided in the contract, the priority of the documents forming the contract shall be, as follows:

- 1) Contract Agreement (if completed)
- 2) The letter of Acceptance
- 3) The Bid:
- 4) Addendum to Bid; if any
- 5) Tender Document
- 6) The Bill of Quantities:
- 7) The Specification:
- 8) Detailed Engineering Drawings
- 9) Standard General Conditions of Contracts (GCC)
- 10) All correspondence documents between bidder/contractor and MCGM.

55. Conflict of Interest

The Applicant shall not have a conflict of interest (the "Conflict of Interest") that affects the Bidding Process. Any Applicant found to have a Conflict of Interest shall be disqualified. An Applicant shall be deemed to have a Conflict of Interest affecting the Bidding Process, if

1. A constituent of such Applicant is also a constituent of another Applicant; or
2. Such Applicant has the same legal representative for purposes of this Application as any other Applicant; or
3. Such Applicant, or any Associate thereof has a relationship with another Applicant, or any Associate thereof, directly or through common third party/ parties, that puts either or both of them in a position to have access to each other's information about, or to influence the Application of either or each other; or
4. The Applicant shall be liable for disqualification if any legal, financial or technical adviser of the Authority in relation to the Project is engaged by the Applicant, its Member or any Associate thereof, as the case may be, in any manner for matters related to or incidental to the Project. For the avoidance of doubt, this

disqualification shall not apply where such adviser was engaged by the Applicant, its Member or Associate in the past but its assignment expired or was terminated 6 (six) months prior to the date of issue of this TENDER. Nor will this disqualification apply where such adviser is engaged after a period of 3 (three) years from the date of commercial operation of the Project.

56. Applications and costs thereof

No Applicant shall submit more than one Application for the Project. An applicant applying individually shall not be entitled to submit another application either individually. The Applicant shall be responsible for all of the costs associated with the preparation of their Applications and their participation in the Bid Process. The Authority will not be responsible or in any way liable for such costs, regardless of the conduct or outcome of the Bidding Process.

57. Acknowledgment by Applicant

It shall be deemed that by submitting the Application, the Applicant has:

- a. made a complete and careful examination of the tender;
 - b. received all relevant information requested from the Authority;
 - c. accepted the risk of inadequacy, error or mistake in the information provided in the tender or furnished by or on behalf of the Authority relating to any of the matters referred; and
 - d. Agreed to be bound by the undertakings provided by it under and in terms hereof.
- “The Authority” shall not be liable for any omission, mistake or error in respect of any of the above or on account of any matter or thing arising out of or concerning or relating to the TENDER or the Bidding Process, including any error or mistake therein or in any information or data given by the Authority.

58. Right to accept or reject any or all Applications/ Bids

Notwithstanding anything contained in this TENDER, “The Authority” reserves the right to accept or reject any Application and to annul the Bidding Process and reject all Applications/ Bids, at any time without any liability or any obligation for such acceptance, rejection or annulment, and without assigning any reasons therefore. In

the event that the Authority rejects or annuls all the Bids, it may, in its discretion, invite all eligible Bidders to submit fresh Bids hereunder.

“The Authority” reserves the right to reject any Application and/ or Bid if:

- (a) at any time, a material misrepresentation is made or uncovered, or
- (b) the Applicant does not provide, within the time specified by the Authority, the supplemental information sought by the Authority for evaluation of the Application.

In case it is found during the evaluation or at any time before signing of the Agreement or after its execution and during the period of subsistence thereof including the concession thereby granted by “The Authority”, that one or more of the pre-qualification conditions have not been met by the Applicant, or the Applicant has made material misrepresentation or has given any materially incorrect or false information, the Applicant shall be disqualified forthwith if not yet appointed as the Successful Bidder either by issue of the LOA (Letter of Approval) or entering into of the Agreement, and if the Applicant has already been issued the LOA or has entered into the Concession Agreement, as the case may be, the same shall, notwithstanding anything to the contrary contained therein or in this TENDER, be liable to be terminated, by a communication in writing by “The Authority” to the Applicant, without the Authority being liable in any manner whatsoever to the Applicant and without prejudice to any other right or remedy which the Authority may have under this TENDER, the Bidding Documents, the Concession Agreement or under applicable law.

“The Authority” reserves the right to verify all statements, information and documents submitted by the Applicant in response to the TENDER. Any such verification or lack of such verification by the Authority shall not relieve the Applicant of its obligations or liabilities hereunder nor will it affect any rights of the Authority there under.

59. The bid shall be rejected if the bidder-

Stipulates the validity period less than 180 days.

Stipulates own condition/conditions.

Does not fill and (digital) sign undertaking forms, which are incorporated, in the document.

60. Clarifications

Applicants requiring any clarification on the tender may notify “the Authority” in writing or by fax or e-mail. They should send in their queries before the date specified in the header data. “The Authority” shall Endeavor to respond to the queries within the period specified therein. The responses will be sent by fax and/or e-mail. The Authority will forward all the queries and its responses thereto, to all purchasers of the TENDER without identifying the source of queries.

“The Authority” shall Endeavor to respond to the questions raised or clarifications sought by the Applicants. However, the Authority reserves the right not to respond to any question or provide any clarification, in its sole discretion, and nothing in this Clause shall be taken or read as compelling or requiring the Authority to respond to any question or to provide any clarification, but not later than the date provided in header data.

“The Authority” may also on its own motion, if deemed necessary, issue interpretations and clarifications to all Applicants. All clarifications and interpretations issued by the Authority shall be deemed to be part of the tender. Verbal clarifications and information given by Authority or its employees or representatives shall not in any way or manner be binding on the Authority.

61. Amendment of tender

At any time prior to the deadline for submission of Application, the Authority may, for any reason, whether at its own initiative or in response to clarifications requested by an Applicant, modify the tender by the issuance of Addendum.

Any Addendum thus issued will be sent in writing/ Fax/ Email to all those who have purchased the tender.

In order to afford the Applicants a reasonable time for taking an Addendum into account, or for any other reason, the Authority may, in its sole discretion, extend the Application Due Date.

Preparation and Submission of Application**62. Language**

The Application and all related correspondence and documents in relation to the Bidding Process shall be in English language. Supporting documents and printed literature furnished by the Applicant with the Application may be in any other

language provided that they are accompanied by translations of all the pertinent passages in the English language, duly authenticated and certified by the Applicant. Supporting materials, which are not translated into English, may not be considered. For the purpose of interpretation and evaluation of the Application, the English language translation shall prevail.

63. Format and signing of Application

The Applicant shall provide all the information sought under this TENDER. The Authority will evaluate only those Applications that are received in the required formats and complete in all respects. Incomplete and /or conditional Applications shall be liable to rejection.

The Applicant will upload bid in One Folder in electronic form which shall contain the scanned certified copies of the documents given below and the documents uploaded has to be digitally signed by the bidder. These copies shall be certified by Practicing Notary approved by the Govt. of Maharashtra or Govt. of India with his stamp, clearly stating his name & registration number, except where original documents are demanded

64. Marking of Applications

The Applicant shall submit the Application in the format specified at Appendix-I, together with the documents, upload in folder as "VENDOR" together with their respective enclosures

Applications submitted by fax, telex, telegram shall not be entertained and shall be rejected outright.

65. Late Applications

Applications received by the Authority after the specified time on the Application Due Date shall not be eligible for consideration and shall be summarily rejected.

66. Confidentiality

Information relating to the examination, clarification, evaluation, and recommendation for the short-listed qualified Applicants shall not be disclosed to any person who is not officially concerned with the process or is not a retained professional advisor advising the Authority in relation to or matters arising out of, or concerning the Bidding Process. The Authority will treat all information, submitted as part of Application, in confidence and will require all those who have access to

such material to treat the same in confidence. The Authority may not divulge any such information unless it is directed to do so by any statutory entity that has the power under law to require its disclosure or is to enforce or assert any right or privilege of the statutory entity and/ or the Authority or as may be required by law or in connection with any legal process.

67. Clarification Of Financial Bids

To assist in the examination, evaluation and comparison of Bids, the Engineer may, at his discretion, ask any bidder for clarification of his Bid, including breakdown of unit rates. The request for clarification and the response shall be in writing or by post/facsimile/e-mail. No Bidder shall contact the Engineer on any matter relating to his bid from the time of the bid opening to the time the contract is awarded. Any effort by the Bidder to influence the Engineer in the Engineer's bid evaluation, bid comparison or contract award decisions may result in the rejection of the Bidder's bid.

68. Inspection of site and sufficiency of tender:

1. The Contractor shall inspect and examine the site and its surrounding and shall satisfy himself before submitting his tender as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the quantities and nature of the work and materials necessary for the completion of the works and means of access to the site, the accommodation he may require and in general shall himself obtain all necessary information as to risk, contingencies and other circumstances which may influence or affect his tender. He shall also take into consideration the hydrological and climatic conditions.
2. The Employer may make available to the Contractor data on hydrological and sub-surface conditions as obtained by or on his behalf from investigations relevant to the works but the Contractor shall be responsible for his own interpretation thereof. The contractor shall engage his investigating agency with prior approval of the Engineer from the approved list of such agencies by MCGM or Govt. at his cost initially before commencing actual work and which shall be reimbursed immediately subject to satisfaction of the Engineer for faithful compliance and submission of required data regarding such investigation within specified time.

3. The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the schedule of works / items / quantities, or in Bill of Quantities, which rates and prices shall, except as otherwise provided cover all his obligations under the Contract and all matters and things necessary for proper completion and maintenance of the works. No extra charges consequent on any misunderstanding.

4. Not Foreseeable Physical Obstructions or Conditions: If, however, during the execution of the Works the Contractor encounters physical obstructions or physical conditions, other than climatic conditions on the Site, which obstructions or conditions were, in his opinion, not foreseeable by an experienced contractor, the Contractor shall forthwith give notice thereof to the Engineer. On receipt of such notice, the Engineer shall, if in his opinion such obstructions or conditions could not have been reasonably foreseen by an experienced contractor, after due consultation with the Contractor, determine:

- Ñ any extension of time to which the Contractor is entitled and
- Ñ The amount of any costs which may have been incurred by the Contractor by reason of such obstructions or conditions having been encountered, which shall be added to the Contract Price.
- Ñ and shall notify the Contractor accordingly. Such determination shall take account of any instruction which the Engineer may issue to the Contractor in connection therewith, and any proper and reasonable measures acceptable to the Engineer which the Contractor may take in the absence of specific instructions from the Engineer. However such costings shall be got approved by the competent authority as governed vide rules prevailing with authority.

5. Office for the Engineer (Works costing upto Rs.50 Lakhs)

The Contractor shall at his own cost and to satisfaction of the Engineer provide a small temporary office, at the work-site which will include tables, chairs and lockers for keeping the records. He shall also make necessary arrangements for drinking water, telephone with a pre-requisite of e-governance and electronic communication. These offices are not to be allowed on public roads without the written instruction of the Engineer. These offices should be preferably located within

50 to 500 m of the worksite. In case the office is more than 500m away from the worksite, the contractor is to provide conveyance for Municipal Staff.

6. Office for the Engineer (Works costing above Rs.50 lakhs)

The Contractor shall at his own cost and to satisfaction of the Engineer provide a temporary office at the work-site which will include tables, chairs and lockers for keeping the records. He shall also make necessary arrangements for drinking water, latrines, with doors, windows, locks, bolts and fastenings sufficient for security for the Engineer, and his subordinates, as close to the works from time to time in progress as can be conveniently arranged, and shall at his own cost furnish the office with such chairs, tables, lockers, locks and fastenings as may be required by the Engineer, and no expense of any kind in connection with the erection or upkeep of the offices or fittings shall be borne by the Corporation, but all such work shall be carried out by the Contractor and the expenses thereof defrayed by him. The Contractor shall also make water connections and fit up stand pipe with a bib tap at each office. The latrines and the water connections shall be subject to all the conditions herein elsewhere laid down for temporary water connection and latrines generally with all requisite equipment for e-governance and electronic and digital communication. These offices are not to be allowed on public roads without the written instruction of the Engineer. These offices should be preferably located within 50 to 500 m of the worksite. In case the office is more than 500m away from the worksite, the contractor is to provide conveyance. Also, for staff working beyond working hours the contractor has to provide conveyance.

7. Permission for provision and removal of office on completion of work: The Bidder shall obtain permission for provision of site office, cement go-down, store, etc. on payment of necessary cost implication. The cement go-down, Watchman cabins, etc. shall be provided as directed and shall be removed by the Bidders on completion of the work at their cost. It is binding on the Bidder to fulfill requirements of Environmental Authorities. The location of such office shall be finalized and got approved from the Engineer before erection/commencement work.

8. Contractor's office near works: The Contractor shall have an office near the works at which notice from the Commissioner or the Engineer may be served and shall, between the hours of sunrise and sunset on all working days, have a clerk or some other authorized person always present at such office upon whom such

notices may be served and service of any notices left with such clerk or other authorized person or at such office shall be deemed good service upon the Contractor and such offices shall have pre-requisite facilities for e-governance.

69. Official Secrecy:

The Contractor shall of all the persons employed in any works in connection with the contract that the India Official Secrets Act 1923 (XIX of 1923) applies to them and will continue to apply even after execution of the said works and they will not disclose any information regarding this contract to any third party. The contractor shall also bring into notice that, any information found to be leaked out or disclosed the concern person as well as the Contractor will be liable for penal action; further the Corporation will be at liberty to terminate the contract without notice.

70. Subsequent Legislation:

If on the day of submission of bids for the contract, there occur changes to any National or State stature, Ordinance, decree or other law or any regulation or By-laws or any local or other duly constituted authority or the introduction of any such National or State Statute, Ordinance, decree or by which causes additional or reduced cost to the Contractor, such additional or reduced cost shall, after due consultation with the Contractor, be determined by the concerned Engineering Department of MCGM and shall be added to or deducted from the Contract Price with prior approval of competent authority and the concerned Engineering Department shall notify the Contractor accordingly with a copy to the Employer. MCGM reserve the right to take decision in respect of addition/reduction of cost in contract.

71. Patent, Right and Royalties:

The contractor shall save harmless and indemnify the Corporation from and against all claims and proceedings for or on account of infringement of any Patent rights, design trademark or name of other protected rights in respect of any constructional plant, machine work, or material used for or in connection with the Works or any of them and from and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect thereof or in relation thereto. Except where otherwise specified, the contractor shall pay all tonnage and other

royalties, rent and other payments or compensation, if any, for getting stone, sand, gravel, clay or other materials required for the works or any of them.

72. Payments, Tax and Claims:

- **The limit for unforeseen claims**

Under no circumstances whatever the contractor shall be entitled to any compensation from MCGM on any account unless the contractor shall have submitted a claim in writing to the Eng-in-charge within 1 month of the case of such claim occurring.

- **No interest for delayed payments due to disputes, etc:**

It is agreed that the Municipal Corporation of Greater Mumbai or its Engineer or Officer shall not be liable to pay any interest or damage with respect of any moneys or balance which may be in its or its Engineer's or officer's hands owing to any dispute or difference or claim or misunderstanding between the Municipal Corporation of Greater Bombay or its Engineer or Officer on the one hand and the contractor on the other, or with respect to any delay on the part of the Municipal Corporation of Greater Bombay or its Engineer or Officers in making periodical or final payments or in any other respect whatever.

73. Settlement of Disputes:

- **Termination of contract for death**

If the Contractor is an individual or a proprietary concern and the individual or the proprietor dies and if the Contractor is a partnership concern and one of the legal representative of the individual Contractor or the proprietor of the proprietary concern and in case of partnership, the surviving partners, are capable of carrying out and completing the contract, the Commissioner shall be entitled to cancel the contract as to its uncompleted part without the Corporation being in any way liable to payment of any compensation to the estate of the deceased Contractor and or to the surviving partners of the Contractor's firm on account of the cancellation of the contract. The decision of the Commissioner that the legal representative of the deceased Contractor or surviving partners of the Contractor's firm cannot carry out and complete the contract shall be final and binding on the parties. In the event of such cancellation the Commissioner shall not hold estate of the deceased

Contractor and or surviving partners of the Contractor's firm liable in damages for not completing the contract.

- **Settlement of Disputes:**

If any dispute or differences of any kind whatsoever other than those in respect of which, the decision of any person is, by the Contract, expressed to be final and binding) shall arise between the Employer and the Contractor or the Engineer and the Contractor in connection with or arising out of the Contract or carrying out of the Works (Whether during the progress of the Works or after their completion and whether before or after the termination, abandonment or breach of the Contract) it, the aggrieved party may refer such dispute within a period of 7 days to the concerned Addl. Municipal Commissioner who shall constitute a committee comprising of three officers i.e. concerned Deputy Municipal Commissioner or Director (ES&P), Chief Engineer other than the Engineer of the Contract and concerned Chief Accountant. The Committee shall give decision in writing within 60 days. Appeal on the Order of the Committee may be referred to the Municipal Commissioner within 7 days. Thereafter the Municipal Commissioner shall constitute a Committee comprising of three Addl. Municipal Commissioners including Addl. Municipal Commissioner in charge of Finance Department. The Municipal Commissioner within a period of 90 days after being requested to do so shall give written notice of committee's decision to the Contractor. Save as herein provided such decision in respect of every matter so referred shall be final and binding upon both parties until the completion of the works, and shall forthwith be given effect to by the Contractor who shall proceed with the works with due diligence, whether he requires arbitration as hereinafter provided or not. If the Commissioner has given written notice of the decision to the Contractor and no Claim to arbitration has been communicated within a period of 90 days from receipt of such notice the said decision shall remain final and binding upon the Contractor.

74. Arbitration and Jurisdiction:

If the Commissioner shall fail to give notice of the decision as aforesaid within a period of 90 days after being requested as aforesaid, or if the Contractor be dissatisfied with any such decision, then and in any such case the Contractor may within 90 days after receiving notice of such decision or within 90 days after the expirations of the first named period of 90 days (as the case may be) require that

the matter or matters in dispute be referred to arbitration as hereinafter provided. All disputes or differences in respect of which the decision (if any) of the Commissioner has not become final and binding as aforesaid shall be finally settled by

Arbitration as follows:

Arbitration shall be effected by a single arbitrator agreed upon the parties. The arbitration shall be conducted in accordance with the provisions of the Arbitration Act, 1996 or any statutory modifications thereof, and shall be held at such place and time within the limits of Brihan Mumbai as the arbitrator may determine. The decision of the arbitrator shall be final and binding upon the parties hereto and the expense of the arbitration shall be paid as may be determined by the arbitrator. Performance under the Contract shall, if reasonably be possible, continued during the arbitration proceedings and payment due to the Contractor by the Employer shall not be withheld unless they are the subject matter of arbitration proceedings. The said arbitrator shall have full power to open up, review and revise any decision, opinion, direction, certification or valuation of the Commissioner and neither party shall be limited in the proceedings before such arbitrator to the evidence or arguments put before the Commissioner for the purpose of obtaining his said decision. No decision given by the Commissioner in accordance with the foregoing provisions shall disqualify him from being called as a witness and giving evidence before the arbitrator on any matters whatsoever relevant to the disputes or difference referred to the arbitrator as aforesaid. All awards shall be in writing and for claims equivalent to 5,00,000 or more such awards shall state reasons for amounts awarded. The expenditure of arbitration shall be paid as may be determined by arbitrator.

In case of any claim, dispute or difference arising in respect of a contract, the cause of action thereof shall be deemed to have arisen in Mumbai and all legal proceedings in respect of any claim, dispute or difference shall be instituted in a competent court in the City of Mumbai only.

75. Copyright:

The copyright of all drawings and other documents provided by the Contractor under the contract shall remain vested in the Contractor or his sub-contractors as the case may be the employer shall have a license to use such drawings and other

documents in connection with the design, construction, operation, maintenance of the works. At any time the Employer shall have further license without additional payment to the Contractor to use any such drawings or documents for the purpose of making any improvement of the works or enlargement or duplication of any part thereof, provided that such improvement, enlargement, or duplication by itself or in conjunction with any other improvements, enlargements or duplications already made in accordance with the further license does not result in the duplication of the whole works.

76. Receipts to be signed in firm's name by any one of the partners:

Every receipt for money which may become payable or for any security which may become transferable to the Contractor under these present shall, if signed in the partnership name by any one of the partners, be a good and sufficient discharge to the Commissioner and Municipal Corporation in respect of the money or security purporting to be acknowledged thereby, and in the event of death of any of the partners during the pendency of this contract, it is hereby expressly agreed that every receipt by any one of the surviving partners shall, if so signed as aforesaid, be good and sufficient discharge as aforesaid provided that nothing in this clause contained shall be deemed to prejudice or effect any claim which the Commissioner or the Corporation may hereafter have against the legal representatives of any partners so dying or in respect of any breach of any of the conditions thereof, provided also that nothing in this clause contained shall be deemed prejudicial or affect the respective rights or obligations of the Contractors and of the legal representatives of any deceased Contractors interest.

77. Proprietary data

All documents and other information supplied by the Authority or submitted by an Applicant to the Authority shall remain or become the property of the Authority. Applicants are to treat all information as strictly confidential and shall not use it for any purpose other than for preparation and submission of their Application. The Authority will not return any Application or any information provided along therewith.

78. Correspondence with the Applicant

Save and except as provided in this TENDER, the Authority shall not entertain any correspondence with any Applicant in relation to the acceptance or rejection of any Application.

79. Price Variation Clause

The Contractor shall be reimbursed or shall refund to the Corporation as the case may be the variation in the value of the work carried out from time to time, depending on whether the prices of material and labour as a whole rise or fall, and the method adopted for such computations shall be as given below, it being clearly understood that the contractor shall have no claim for being reimbursed on the ground that the price of a particular material or group of materials have risen beyond the limits of the presumptions made in the following paras, however, no price variations shall be made applicable for contracts upto 12 months:

A) Controlled materials: Price variations shall be permitted in respect of these materials the price level of which is controlled by the Government or its agency. The rate ruling on the date of submission of the tender shall be considered as the basic price of such material for adjustment. Any variation in this rate shall be considered for reimbursement to the contractor or refund to be claimed from the contractor as the case may be. The contractor shall, for the purpose of adjustment submit in original the relevant documents from the suppliers.

B) Labour and other materials: For the purpose of this contract and for allowing reimbursement or refund on account of variation of prices of (i) labour, and (ii) materials other than materials mentioned in A above, computation will be based on the formula enunciated below which is based on the presumptions that :

i) The general price level of labour, rises or falls in proportion to the rise or fall of consumer price index number 9 (general) for working class in Mumbai.

ii) The general price level of materials rises or falls in proportion to rise or fall of whole-sale price index as published by 'Economic Adviser to Govt. of India'.

iii) And that the component of labour is to the extent of 30 percent of 88 percent and the component of materials is to the extent of 70 percent of 88 percent of the value of the work carried out. The remaining 12 percent being the presumptive profit of the contractor.

a) Formula for Labour component:

$$VL = \frac{(0.88 R) \times 30}{100} \times (1 - IO)$$

b) Formula for Material component :

$$VM = \frac{(0.88 R \times 70 - C)}{100} \times \frac{(W - WO)}{WO}$$

Where –

VL = Amount of price variation to be reimbursed or claimed as refund on account of general rise or fall of index referred to above.

I = Consumer Price Index number of working class for Mumbai (declared by the Commissioner of Labour and Director of Employment, Mumbai) applicable to the period under reference (base year ending 2004-05 as 100 i.e. new series of indices).

IO = Consumer price index number for working class for Mumbai (declared by the Commissioner of labour and Director of Employment, Mumbai) prevailing, on the day of 28 days prior to the date of submission of the tender.

VM = The amount of price variation to be reimbursed or claimed as refund on account of general rise or fall of wholesale price index for period under reference.

W = Average wholesale price index as published by Economic Adviser to Govt. of India applicable to the period under reference.

WO = Wholesale price index as stated above prevailing on the day of 28 days prior to the date of submission of the tender.

R = Total value of the work done during the period under reference as recorded in the Measurement Book excluding water charges and sewerage charges but including cost of excess in respect of item upto 50 percent

C = Total value of Controlled materials used for the works as recorded in Measurement Book and paid for at original basic rate plus the value of materials used .

i) The quantity of the Controlled material adopted in working out the value of 'C' shall be inclusive of permitted wastages as / if mentioned in specifications.

ii) The basic rate for the supply of controlled material shall be inclusive of all the components of cost of materials excluding transport charges incurred for bringing the material from place of delivery to the site.

Computations based on the above formula will be made for the period of each bill separately and reimbursement will be made to (when the result is plus) and refund will claimed from (when the result is minus) the contractor's next bill. The above formulae will be replaced by the formulae in Annexure-I as and when mentioned in special conditions of contract

The operative period of the contract for application of price variation shall mean the period commencing from the date of commencement of work mentioned in the work order and ending on the date when time allowed for the work order and ending on the date when time allowed for the work specified in the contract for work expires, taking into consideration, the extension of time, if any, for completion of the work granted by Engineer under the relevant clause of the conditions of contract in cases other than those where such extension is necessitated on account of default of the contractor.

The decision of the Engineer as regards the operative period of the contract shall be final and binding on the contractors.

iii) Where there is no supply of controlled items to contractor the component 'C' shall be taken as zero.

C) Adjustment after completion: If the Contractor fails to complete the works within the time for completion adjustment of prices thereafter until the date of completion of the works shall be made using either the indices or prices relating to the prescribed time for completion, or the current indices or prices whichever is more favorable to the employer, provided that if an extension of time is granted, the above provision shall apply only to adjustments made after the expiry of such extension of time.

D) Price variation will be calculated similarly and separately for extra items and / or excess quantities and provisional sums calculated under Sub Clause 10 (b)A (i)&(ii) and Sub Clause 10 (b) B(ii) based on the above formula/formulae in Annexure-I as and when mentioned in Special conditions of contract; IO and WO being the indices applicable to the date on which the rates under Sub Clause 10 (a)A (i)&(ii) and Sub Clause 10 (a) B(iii) are fixed. No price variation shall be admissible for FAIR items created during execution.

80. Maximum Price Variation shall be as follows:

Time Period of Project	Maximum limit of Price Variation
Up to 12 months	No variation allowed
Above 12 months to 24 months	5%
Above 24 months	10%

Note: 1) The extension in time period for the projects originally estimated including monsoon results in change of price variation slabs as mentioned above i.e. from first slab to second slab or from second slab to third slab, then the maximum limit of original slab will prevail.

2) Operative period shall mean original or extended time period of contract.

For example:

Extension of Time period	Maximum Price Variation
If original period of 11 months including monsoon extends to 16. The operative period will be 11+5 months.	No variation allowed
If original period of 11 months excluding monsoon extends to 16. The operative period will be 11+5 months.	Maximum 5% variation allowed

Price Variation during Extended Period of Contract:

(I) Extension Due To Modification & Extension for delay due to MCGM:

The price variation for the period of extension granted shall be limited to the amount payable as per the Indices. In case the indices increases or decreases, above/below the indices applicable, to the last month of the original or extended period vide clause 8(l)(a)(i) and (ii) of standard GCC

(ii) Extension Of Time For Delay Due To Contractor:

(a) The price variation for the period of extension granted shall be limited to the amount payable as per the Indices in case the indices increase, above the indices applicable, to the last month of the original completion period or the extended period vide above clause 8(l)(a)(i) and (ii) of standard GCC.

(b) The price variation shall be limited to the amount payable as per the indices, in case the indices decrease or fall below the indices applicable, to the last month of

original / extended period of completion period vide above clause 8(l)(b) of standard GCC, then lower indices shall be adopted.

(iii) Extension of Time For Delay due to reasons not attributable to MCGM and Contractor (Reference Cl.8(d) of Standard GCC):

The price variation for the period of extension granted shall be limited to the amount payable as per the Indices in case the indices increases or decreases, above/below the indices applicable, to the last month of the original period.

81. Payment:

Interim Payment :

1. Interim bills shall be submitted by the Contractor from time to time (but at an interval of not less than one month) for the works executed. The Engineer shall arrange to have the bill s verified by taking or causing to be taken, where necessary, the requisite measurement of work.
2. Payment on account for amount admissible shall be made on the Engineer certifying the sum to which the Contractor is considered entitled by way of interim payment for all the work executed, after deducting there from the amount already paid, the security deposit / retention money and such other amounts as may be deductible or recoverable in terms of the contract.
3. On request, the contractor will be paid upto 75 percent of the value of the work carried out as an adhoc payment in the first week of next month after deducting there from recoveries on account of advances, interest, retention money, income tax etc. The balance payment due will be paid thereafter.
4. No interim payment will be admitted until such time the Contractor have fully complied with the requirement of the Condition no.8 (g) and 8 (h) concerning submission and approval of Network Schedule for the works, as detailed in Condition 8 (h). A fixed sum shall be held in abeyance at the time of next interim payment for non-attainment of each milestone in the network and shall be released only on attainment of the said milestone.
5. An interim certificate given relating to work done or material delivered may be modified or corrected by a subsequent interim certificate or by the final certificate. No certificate of the Engineer supporting an interim payment shall of itself be

conclusive evidence that any work or materials to which it relates is / are in accordance with the contract.

82 . Banning/De-Registration of Agencies of Construction works in MCGM

The regulations regarding Demotion/ Suspension Banning for specific period or permanently / De-Registration shall be governed as per the respective condition in Contractor Registration Rules of MCGM.

83. Joint Venture

~~a) Joint Venture should be allowed only when the number of identifiable different works is more than one and/or the estimated cost of tender is more than Rs.100 Crores. JV shall also be allowed for complex technical work below Rs.100 Crores with the approval of concerned AMC.~~

~~b) Separate identity/name shall be given to the Joint Venture firm.~~

~~c) Number of members in a JV firm shall not be more than three in normal circumstances, if the work involves only one discipline (say Civil or Electrical). If number of members in JV is required to be more than three, then approval of concerned AMC needs to be sought.~~

~~d) A member of JV firm shall not be permitted to participate either in individual capacity or as a member of another JV firm in the same tender.~~

~~e) The tender form shall be purchased and submitted in the 'name of the JV firm or any constituent member of the JV.~~

~~f) Normally EMD shall be submitted only in the name of the JV and not in the name of constituent member. However, EMD in the name of lead partner can be accepted subject to submission of specific request letter from lead partner stating the reasons for not submitting the EMD in the name of JV and giving written confirmation from the JV partners to the effect that the EMD submitted by the lead partner may be deemed as EMD submitted by JV firm.~~

~~g) One of the members of the JV firm shall be the lead member of the JV firm who shall have a majority (at least 51%) share of interest in the JV firm. The other members shall have a share of not less than 20% each in case of JV firms with up to three members and not less than 10% each in case of JV firms with more than~~

~~three members. In case of JV firm with foreign member(s), the lead member has to be an Indian firm with a minimum share of 51%.~~

~~h) A copy of Letter of Intent or Memorandum of Understanding (MoU) executed by the JV members shall be submitted by the JV firm along with the tender. The complete details of the members of the JV firm, their share and responsibility in the JV firm etc. particularly with reference to financial technical and other obligation shall be furnished in the agree-ment.~~

~~i) Once the tender is submitted, the agreement shall not be modified/alterd/terminated during the validity of the tender. In case the tenderer fails to observe/comply with this stipulation, the full Earnest Money Deposit (EMD) shall be forfeited. In case of successful tenderer, the validity of this agreement shall be extended till the currency of the contract expires.~~

~~j) Approval for change of constitution of JV firm shall be at the sole discretion of the MCGM. The constitution of the JV firm shall not be allowed to be modified after submission of the tender bid by the JV firm except when modification becomes inevitable due to succession laws etc. and in any case the minimum eligibility criteria should not get vitiated. In any case the Lead Member should continue to be the Lead Member of the JV firm. Failure to observe this requirement would render the offer invalid.~~

~~k) Similarly, after the contract is awarded, the constitution of JV firm shall not be allowed to be altered during the currency of contract except when modification become inevitable due to succession laws etc. and in any case the minimum eligibility criteria should not get viti-ated. Failure to observe this stipulation shall be deemed to be breach of contract with all consequential penal action as per contract condition.~~

~~l) On award of contract to a JV firm, a single Performance Guarantee shall be required to be submitted by the JV firm as per tender conditions. All the Guarantees like Performance Guarantee, Bank Guarantee for Mobilization advance, machinery Advance etc. shall be ac-cepted only in the name of the JV firm and no splitting of guarantees amongst the members of the JV firm shall be permitted.~~

~~m) On issue of LOA, an agreement among the members of the JV firm (to whom the work has been awarded) has to be executed and got registered before the Registrar~~

~~of the Companies under Companies Act or before the Registrar / Sub-Registrar under the Registration Act, 1908. This agreement shall be submitted by the JV firm to the MCGM before signing the contract agreement for the work. (This agreement format should invariably be part of the tender condition). In case the tenderer fails to observe/comply with this stipulation, the full-~~

~~Earnest Money Deposit (EMD) shall be forfeited and other penal actions due shall be taken against partners of the JV and the JV. This joint venture agreement shall have, inter-alia, following clauses:-~~

~~**i. Joint and several liability** The members of the JV firm to which the contract is award-ed, shall be jointly and severally liable to the Employer (MCGM) for execution of the pro-ject in accordance with General and Special conditions of the contract. The JV members shall also be liable jointly and severally for the loss, damages caused to the MCGM during the course of execution of the contract or due to no execution of the contract or part there-of.~~

~~**ii. Duration of the Joint Venture Agreement** It shall be valid during the entire period of the contract including the period of extension if any and the maintenance period after the work is completed.~~

~~**iii. Governing Laws** The Joint Venture Agreement shall in all respect be governed by and interpreted in accordance with Indian Laws.~~

~~**iv. Authorized Member** Joint Venture members shall authorize one of the members on be-half of the Joint Venture firm to deal with the tender, sign the agreement or enter into con-tract in respect of the said tender, to receive payment, to witness joint measurement of work done, to sign measurement books and similar such action in respect of the said ten-der/contract. All notices/correspondences with respect to the contract would be sent only to this authorized member of the JV firm. No member of the Joint Venture firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other members and that of the employer in respect of the said tender/contract.~~

~~**n. Documents to be enclosed by the JV firm along with the tender:-**~~

~~i. In case one or more of the members of the JV firm is/are partnership firm(s), following documents shall be submitted:-~~

- ~~—— a. Notary certified copy of the Partnership Deed,~~
- ~~—— b. Consent of all the partners to enter into the Joint Venture Agreement on a stamp —— paper of appropriate value (in original).-~~
- ~~—— c. Power of Attorney (duly registered as per prevailing law) in favor of one of the —— partners to sign the MOU and JV Agreement on behalf of the partners and cre ate —— liability against the firm.-~~

~~ii. In case one or more members is/are Proprietary Firm or HUF, the following documents shall be enclosed:-~~

- ~~—— a. Affidavit on Stamp Paper of appropriate value declaring that his Concern is a —— Proprietary Concern and he is sole proprietor of the Concern OR he is in posi tion —— of "KARTA" of Hindu Undivided Family and he has the authority, power and —— consent given by other partners to act on behalf of HUF.-~~

~~iii. In case one or more members is/are limited companies, the following documents shall be submitted:-~~

- ~~a. Notary certified copy of resolutions of the Directors of the Company, permitting —— the company to enter into a JV agreement, authorizing MD or one of the Direc tors —— or Managers of the Company to sign MOU, JV Agreement, such other doc uments —— required to be signed on behalf of the Company and enter into liability against the —— company and/or do any other act on behalf of the company.-~~

- ~~—— b. Copy of Memorandum and articles of Association of the Company.-~~

- ~~—— c. Power of Attorney (duly registered as per prevailing law) by the Company au —— thorizing the person to do/act mentioned in the para (a) above.-~~

~~e. All the members of the JV shall certify that they have not been black listed or debarred by MCGM from participation in tenders/contract in the past either in their individual capacity or the JV firm or partnership firm in which they were members / partners.-~~

~~p. Credentials & Qualifying criteria: Technical and financial eligibility of the JV firm shall be adjudged based on satisfactory fulfilment of the following criteria:~~

~~**Technical eligibility criteria:** In case of Work involving single discipline, the Lead member of the JV firm shall meet at least 35% requirement of technical capacity as stipulated in tender document.~~

~~OR~~

~~In case of composite works (e.g. works involving more than one distinct component such as Civil Engineering works, M&E works, Electrical works, etc. and in the case of major bridges, substructure and superstructure etc.), atleast one member should have satisfactorily completed 35% of the value of any one component of the project work so as to cover all the components of project work or any member having satisfactorily completed 35% of the value of work of each component during last seven financial years.~~

~~**In such cases, what constitutes a component in a composite work shall be clearly defined as part of the tender condition without any ambiguity.**~~

~~**Financial eligibility criteria:** The contractual payments received by the JV firm or the arithmetic sum of contractual payments received by all the members of JV firm in any one of the previous three financial years and shall be at least **100% of the estimated value** of the work as mentioned in the tender~~

84. Compensation for delay:

If the Contractor fails to complete the works and clear the site on or before the Contract or extended date(s) / period(s) of completion, he shall, without prejudice to any other right or remedy of Municipal Corporation on account of such breach, pay as agreed compensation, amount calculated as stipulated below (or such smaller amount as may be fixed by the Engineer) on the contract value of the whole work or on the contract value of the time or group of items of work for which separate period of completion are given in the contract and of which completion is delayed for every week that the whole of the work of item or group of items of work concerned remains uncompleted, even though the contract as a whole be completed by the contract or the extended date of completion. For this purpose, the term 'Contract

Value' shall be the value of the work at Contract Rates as ordered including the value of all deviations ordered:

- Completion period for projects (originally stipulated or as extended) not exceeding 6 months: **to the extent of maximum 1 percent per week.**
- Completion period for projects (originally stipulated or as extended) exceeding 6 months and not exceeding 2 years: **to the extent of maximum ½ percent per week.**
- Completion period for projects (originally stipulated or as extended) exceeding 2 years: **to the extent of maximum ¼ percent per week.**

When the delay is not a full week or in multiple of a week but involves a fraction of a week the compensation payable for that fraction shall be proportional to the number of days involved.

Provided always that the total amount of compensation for delay to be paid this condition shall not exceed the undernoted percentage of the Contract Value of the item or group of items of work for which a separate period of completion is given.

- i) Completion period (as originally stipulated or as extended) not exceeding 6 months: **10 percent.**
- ii) Completion period (as originally stipulated or as extended) exceeding 6 months and not exceeding 2 years : **7½ percent.**
- iii) Completion period (as originally stipulated or as extended) exceeding 2 years : **5 percent.**

The amount of compensation may be adjusted set off against any sum payable to the contractor under this or any other contract with the Municipal Corporation.

85. Action and Compensation Payable In Case Of Bad Work And Not Done As Per Specifications

All works under or in course of execution or executed in pursuance of the contract, shall at all times be open and accessible to the inspection and supervision of the Engineer-in-charge, his authorized subordinates in charge of the work and all the superior officers, officer of the Vigilance Department of the MCGM or any organization engaged by the MCGM for Quality Assurance and the contractor shall, at all times, during the usual working hours and at all other times at which reasonable notice of the visit of such officers has been given to the contractor,

either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing, present for that purpose. Orders given to the Contractor's agent shall be considered to have the same force as if they had been given to the contractor himself.

If it shall appear to the Engineer-in-charge or his authorized subordinates in-charge of the work or to the officer of Vigilance Department, that any work has been executed with unsound, imperfect or unskillful workmanship or with materials of any inferior description, or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for or otherwise not in accordance with the contract, the contractor shall, on demand in writing which shall be made within twelve months of the completion of the work from the Engineer-in-Charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do so within a period specified by the Engineer-in-Charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause 8.e. of the general condition of contract in section 9 of tender document (for Compensation for delay) for this default. In such case the Engineer-in Charge may not accept the item of work at the rates applicable under the contract but may accept such items at reduced rates as the Engineer in charge may consider reasonable during the preparation of on account bills or final bill if the item is so acceptable without detriment to the safety and utility of the item and the structure or he may reject the work outright without any payment and/or get it and other connected and incidental items rectified, or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-Charge to be conveyed in writing in respect of the same will be final and binding on the contractor.

If the penalization amount exceeds maximum limit with respect to Clause 8.e of Standard General Conditions of Contract, then a show cause notice shall necessarily be issued to the contract as to why the contract should not be terminated.

86. Contractors remain liable to pay compensation:

In any case in which any of the powers conferred upon the Engineer In-charge by the **relevant clauses** in documents that form a part of contract as exercised or is exercisable in the event of any future case of default by the Contractor, he is declared liable to pay compensation amounting to the whole of his security deposit. The liability of the Contractor for past and future compensation shall remain unaffected.

In the event of the Executive Engineer taking action against these **relevant clauses**, he may, if he so desires, take possession of all or any tools and plant, materials and stores in or upon the work of site thereof or belonging to the Contractor or procured by him and intended to be used for the execution of the work or any part thereof paying or allowing for the same in account at the contract rates, or in the case of contract rates not being applicable at current market rates to be certified by the Executive Engineer, may after giving notice in writing to the Contractor or his staff of the work or other authorized agent require him to remove such tools and plants, materials or stores from the premises within a time to be specified in such notice and in the event of the Contractor failing to comply with any such requisition, the Executive Engineer may remove them at the contractors expense of sell them by auction or private sell on account of the Contractor at his risk in all respects and certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds an expense of any such sell be final and conclusive against the Contractor.

87. No Claim to Any Payment Or Compensation Or Alteration In Or Restriction Of Work

(a) If at any time after the execution of contract documents, the Engineer shall for any reason whatsoever, desires that the whole or any part of the works specified in the Tender should be suspended for any period or that the whole or part of the work should not be carried out, at all, he shall give to the Contractor a Notice in writing of such desire and upon the receipt of such notice, the Contractor shall forthwith suspend or stop the work wholly or in part as required after having due regard to the appropriate stage at which the work should be stopped or suspended so as not to

cause any damage or injury the work already done or endanger the safety thereof, provided that the decision of the Engineer as to the stage at which the work or any part of it could be or could have been safely stopped or suspended shall be final and conclusive against the contractor.

The Contractor shall have no claim to any payment or compensation whatsoever by reason of or in pursuance of any notice as aforesaid, on account of any suspension, stoppage or curtailment except to the extent specified hereinafter.

(b) Where the total suspension of Work Order as aforesaid continued for a continuous period exceeding 90 days the contractor shall be at liberty to withdraw from the contractual obligations under the contract so far as it pertains to the unexecuted part of the work by giving 10 days prior notice in writing to the Engineer within 30 days of the expiry of the said period of 90 days, of such intention and requiring the Engineering to record the final measurement of the work already done and to pay final bill. Upon giving such Notice, the Contractor shall be deemed to have been discharged from his obligations to complete the remaining unexecuted work under his contract. On receipt of such notice the Engineer shall proceed to complete the measurement and make such payment as may be finally due to the contractor within a period of 90 days from the receipt of such Notice in respect of the work already done by the contractor. Such payment shall not in any manner prejudice the right of the contractor to any further compensation under the remaining provisions of this clause.

(c) Where the Engineer required to Contractor to suspend the work for a period in excess of 30 days at any time or 60 days in the aggregate, the Contractor shall be entitled to apply to the Engineer within 30 days of the resumption of the work after such suspension for payment of compensation to the extent of pecuniary loss suffered by him in respect of working machinery remained idle on the site or on the account of his having to pay the salary of wages and labour engaged by him during the said period of suspension provided always that the contractor shall not be entitled to any claim in respect of any such working machinery, salary or wages for the first 30 days whether consecutive or in the aggregate or such suspension or in respect of any such suspension whatsoever occasioned by unsatisfactory work or any other default on his part, the decision of the Engineer in this regard shall be final and conclusive against the contractor.

88. Contractor to supply plant, ladder, scaffolding, etc and is liable for damages arising from non-provision of lights, fencing, etc.

The Contractor shall supply at his own cost all material, plant, tools, appliances, implements, ladders, cordage, tackle scaffolding and temporary works requisite or proper for the proper execution of the work, whether, in the original altered or substituted form and whether included in the specification of other documents forming part of the contract or referred to in these conditions or not and which may be necessary for the purpose of satisfying or complying with the requirements of the Eng-In-Charge as to any matter as to which under these conditions is entitled to be satisfied, or which is entitled to require together with the carriage therefore to and from the work.

The Contractor shall also supply without charge, the requisite number of person with the means and materials necessary for the purpose of setting out works and counting, weighing and assisting in the measurements of examination at any time and from time to time of the work or materials, failing which the same may be provided by the Engineer In-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract or from his security deposit or the proceeds of sale thereof, or offers sufficient portion thereof.

The contractor shall provide all necessary fencing and lights required to protect the public from accident and shall also be bound to bear the expenses of defence of every suit, action or other legal proceedings, that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit action or proceedings to any such person or which may with the consent of the contractor be paid for compromising any claim by any such person.

89. Prevention of Fire:

The contractor shall not set fire to any standing jungle, trees, brushwood or grass without a written permit from the Engineer In-charge. When such permit is given, and also in all cases when destroying cut or dug up trees brushwood, grass, etc., by fire, the contractor shall take necessary measure to prevent such fire

spreading to or otherwise damaging surrounding property. The Contractor shall make his own arrangements for drinking water for the labour employed by him.

90. Compensation for all damages done intentionally or unintentionally by contractor's labour whether in or beyond the limits of MCGM property including any damage caused by spreading the fire shall be estimated by the Engineer In-charge or such other officer as he may appoint and the estimate of the Engineer in-charge to the decision of the Dy. Chief Engineer on appeal shall be final and the contractor shall be bound to pay the amount of the assessed compensation on demand failing which the same will be recovered from the Contractor as damages or deducted by the Engineer In-charge from any sums that may be due or become due from MCGM to contractor under this Contract or otherwise. Contractor shall bear the expenses of defending any action or other legal proceedings that may be brought to prevent the spread of fire and he shall pay any damages and costs that may be awarded by the Court in consequence.

91. In the case of Tender by partners, any change in the constitution of the firm shall be forthwith, notified by the contractor through the Engineer In-charge for his information.

92. Action where no specifications:

In the case of any class of work for which there is no such specifications, such works shall be carried out in accordance with the specifications and in the event of there being no such specifications, then in such case, the work shall be carried out in all respects in accordance with all instructions and requirements of the Engineer In-charge.

93. Safety and medical help:

(i) The Contractor shall be responsible for and shall pay the expenses of providing medical help to any workmen who may suffer a bodily injury as a result of an accident. If such expenses are incurred by MCGM, the same shall be recoverable from the contractor forthwith and be included without prejudice to any other remedy of MCGM from any amount due or that may become due to the Contractor.

(ii) The contractor shall provide necessary personal safety equipment and first-aid box for the use of persons employed on the site and shall maintain the same in condition suitable for immediate use at any time.

(iii) The workers shall be required to use the safety equipments so provided by the contractor and the contractor shall take adequate steps to ensure the proper use of equipments by those concerned.

(iv) When the work is carried on in proximity to any place where there is risk or drawing all necessary equipments shall be provided and kept ready for use and all necessary steps shall be taken for the prompt rescue of any person in danger.

94. No compensation shall be allowed for any delay caused in the starting of the work on account of acquisition of land or in the case of clearance of works, on account of ant delay in according to sanction of estimates.

95. Anti-malaria and other health measures:

Anti-Malaria and other health measures shall be taken as directed by the Executive Health Officer of MCGM. Contractor shall see that mosquitogenic conditions are created so as to keep vector population to minimum level. Contractor shall carry out anti-malaria measures in the area as per the guidelines issued by the Executive Health Officer of MCGM from time to time.

In case of default, in carrying out prescribed anti-malaria measures resulting in increase in malaria incidence, contractor shall be liable to pay MCGM on anti-malaria measures to control the situation in addition to fine.

SECTION- 10 SPECIFICATIONS & SELECTION OF MATERIAL

SPECIFICATIONS & SELECTION OF MATERIAL

The tender is prepared on the basis of Unified Schedule of Rates and specifications 2018. The specifications of the items of USOR are available on MCGM portal <http://portal.mcgm.gov.in> under the Tender tab. Hence the deserving contractor shall either download the same from MCGM portal or the same may be collected in the soft copy format at the time of purchasing the tender from this office.

SELECTION OF MATERIAL

1. All materials brought on the site of work and meant to be used in the same, shall be the best of their respective kinds and to the approval of the Engineer. The Engineer or his representative will accept that the materials are really the best of their kinds, when it is proved beyond doubt that no better materials of the particular kind in question are available in the market.
2. The contractor shall obtain the approval of the Engineer of samples of all materials to be used in the works and shall deposit these samples with him before placing an order for the materials with the suppliers. The materials brought on the works shall conform in every respect to their approved samples. Fresh samples shall be deposited with the Engineer whenever the type or source of any material changes.
3. The contractor shall check each fresh consignment of materials as it is brought to the site of works to see that they conform in all respects to the Specifications of the samples approved by the Engineer, or both.
4. The Engineer will have the option to have any of the materials tested to find out whether they are in accordance with the Specifications and the Contractor will bear all expenses for such testing. All B bills, vouchers and test certificates, which in the opinion of the Engineer or his representative are necessary to convince him as to the quality of the materials or their suitability shall be produced for his inspection when required.
5. Any materials that have not been found to conform to the specifications will be rejected forthwith and shall be removed from the site by the contractor at his own cost within 24 hours.
6. The Engineer shall have power to cause the Contractors to purchase and use such materials from any particular source, as may in his opinion be necessary for the proper execution of the work.
7. Notwithstanding the source, the sand shall be washed using sand washing machine before use.

SECTION - 11

FRAUD AND CORRUPT PRACTICES

FRAUD AND CORRUPT PRACTICES

The Applicants and their respective officers, employees, agents and advisers shall observe the highest standard of ethics during the Bidding Process. Notwithstanding anything to the contrary contained herein, the Authority may reject an Application without being liable in any manner whatsoever to the Applicant if it determines that the Applicant has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice in the Bidding Process.

Without prejudice to the rights of the Authority under relevant Clause hereinabove, if an Applicant is found by the Authority to have directly or indirectly or through an agent, engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice during the Bidding Process, such Applicant shall not be eligible to participate in any tender or RFQ issued by the Authority during a period of 2 (two) years from the date such Applicant is found by the Authority to have directly or indirectly or through an agent, engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice, as the case may be.

For the purposes of this Clause, the following terms shall have the meaning hereinafter respectively assigned to them:

A **“corrupt practice”** means

the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the actions of any person connected with the Bidding Process (for avoidance of doubt, offering of employment to, or employing, or engaging in any manner whatsoever, directly or indirectly, any official of the Authority who is or has been associated in any manner, directly or indirectly, with the Bidding Process or the LOA or has dealt with matters concerning the Concession Agreement or arising there from, before or after the execution thereof, at any time prior to the expiry of one year from the date such official resigns or retires from or otherwise ceases to be in the service of the Authority, shall be deemed to constitute influencing the actions of a person connected with the Bidding Process); or

save and except as permitted under the relevant sub clause, engaging in any manner whatsoever, whether during the Bidding Process or after the issue of the LOA or after the execution of the Concession Agreement, as the case may be, any person in respect of any matter relating to the Project or the LOA or the Concession Agreement, who at any time has been or is a legal, financial or technical adviser of the Authority in relation to any matter concerning the Project;

- B **“fraudulent practice”** means a misrepresentation or omission of facts or suppression of facts or disclosure of incomplete facts, in order to influence the Bidding Process ;
- X **“coercive practice”** means impairing or harming or threatening to impair or harm, directly or indirectly, any person or property to influence any persons participation or action in the Bidding Process;
- Δ **“undesirable practice”** means (i) establishing contact with any person connected with or employed or engaged by the Authority with the objective of canvassing, lobbying or in any manner influencing or attempting to influence the Bidding Process; or (ii) having a Conflict of Interest; and
- E **“Restrictive practice”** means forming a cartel or arriving at any understanding or arrangement among Applicants with the objective of restricting or manipulating a full and fair competition in the Bidding Process.
- Φ If the Employer/Financier determines that the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Employer may, after giving 14 days’ notice to the Contractor, terminate the Contractor’s employment under the Contract and expel him from the Site, and the provisions of relevant Clause shall apply as if such expulsion had been made.
- Γ .Should any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the execution of the Works, then that employee shall be removed in accordance with relevant Clause.

For the purposes of this Sub-Clause:

□ □ “corrupt practice” is the offering, giving, receiving to soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;

□ □ □ “another party” refers to a public official acting in relation to the procurement process or contract execution. In this context, “public official” includes Financer staff and employees of other organizations taking or reviewing procurement decisions.

□ □ □ □ “fraudulent practice” is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

□ □ □ “collusive practice” is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;

□ □ “coercive practice” is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;

□ □ □ “obstructive practice” is deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede the Financier investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or

□ □ □ □ acts intended to materially impede the exercise of the Financer’s inspection and audit rights provided.

□ □ □ □ □ “party” refers to a public official; the terms “benefit” and “obligation” relate to the procurement process or contract execution; and the “act or omission” is intended to influence the procurement process or contract execution.

□ □ □ “parties” refers to participants in the procurement process (including public officials) attempting to establish bid prices at artificial, noncompetitive levels.

a “party” refers to a participant in the procurement process or contract execution

SECTION - 12

PREBID MEETING

PREBID MEETING

Pre-bid meeting of the interested parties shall be convened at the designated date, time and place. A maximum of three representatives of each Applicant shall be allowed to participate on production of authority letter from the Applicant.

During the course of Pre-bid meeting, the Applicants will be free to seek clarifications and make suggestions for consideration of the Authority. The Authority shall Endeavour to provide clarifications and such further information as it may, in its sole discretion, consider appropriate for facilitating a fair, transparent and competitive Bidding Process.

SECTION - 13

LIST OF APPROVED BANKS

LIST OF APPROVED BANKS

The following Banks with their branches in Greater Mumbai and in suburbs and extended suburbs up to Virar and Kalyan have been approved only for the purpose of accepting Banker's guarantee from 1997-98 onwards until further instructions.

The Bankers Guarantee issued by branches of approved Banks beyond Kalyan and Virar can be accepted only if the said Banker's Guarantee is countersigned by the Manager of a branch of the same Bank, within the Mumbai Limit categorically endorsing thereon that said bankers Guarantee is binding on the endorsing Branch of the bank within Mumbai limits and is liable to be on forced against the said branch of the Bank in case of default by the contractor/supplier furnishing the bankers Guarantee.

List of approved Banks:-

A	S.B.I and its subsidiary Banks
1	State Bank Of India.
2	State Bank Of Bikaner & Jaipur.
3	State Bank Of Hyderabad.
4	State Bank Of Mysore.
5	State Bank Of Patiyala.
6	State Bank Of Saurashtra.
7	State Bank Of Travankore.
B	Nationalized Banks
8	Allahabad Bank.
9	Andhra Bank.
10	Bank Of Baroda.
11	Bank Of India.
12	Bank Of Maharashtra.
13	Central Bank Of India.
14	Dena Bank.
15	Indian Bank.
16	Indian Overseas Bank.
17	Oriental Bank Of Commerce.
18	Punjab National Bank.
19	Punjab & Sindh Bank.
20	Syndicate Bank.
21	Union Bank Of India.
22	United Bank Of India.
23	UCO Bank.
24	Vijaya Bank.
24A	Corporation Bank.
C	Scheduled Commercial Banks
25	Bank Of Madura Ltd.
26	Bank Of Rajasthan Ltd.

27	Banaras State Bank Ltd.
28	Bharat Overseas Bank Ltd
29	Catholic Syrian Bank Ltd.
30	City Union Bank Ltd.
31	Development Credit Bank.
32	Dhanalakshmi Bank Ltd.
33	Federal Bank Ltd.
34	Indsind Bank Ltd.
35	I.C.I.C.I Banking Corporation Ltd.
36	Global Trust Bank Ltd.
37	Jammu & Kashmir Bank Ltd.
38	Karnataka Bank Ltd.
39	KarurVysya Bank Ltd.
40	Laxmi Vilas Bank Ltd.
41	Nedugundi Bank Ltd.
42	Ratnakar Bank Ltd.
43	Sangli Bank Ltd.
44	South Indian Bank Ltd.
45	S.B.I Corporation & Int Bank Ltd.
46	Tamilnadu Mercantile Bank Ltd.
47	United Western Bank Ltd.
48	Vysya Bank Ltd.
D	Schedule Urban Co-op Banks
49	Abhyudaya Co-op Bank Ltd.
50	Bassein Catholic Co-op Bank Ltd.
51	Bharat Co-op Bank Ltd.
52	Bombay Mercantile Co-op Bank Ltd.
53	Cosmos Co-op Bank Ltd.
54	Greater Mumbai Co-op Bank Ltd.
55	JanataSahakari Bank Ltd.
56	Mumbai District Central Co-op Bank Ltd.
57	Maharashtra State Co-op Bank Ltd.
58	New India Co-op Bank Ltd.
59	North Canara G.S.B. Co-op Bank Ltd.
60	Rupee Co-op Bank Ltd.
61	Sangli Urban Co-op Bank Ltd.
62	Saraswat Co-op Bank Ltd.
63	ShamraoVithal Co-op Bank Ltd.
64	Mahanagar Co-op Bank Ltd.
65	Citizen Bank Ltd.
66	Yes Bank Ltd.
E	Foreign Banks
67	ABM AMRO (N.Y.) Bank.
68	American Express Bank Ltd.
69	ANZ Grindlays Bank Ltd.
70	Bank Of America N.T. & S.A.
71	Bank Of Tokyo Ltd.
72	Bankindosuez.
73	BanqueNationale de Paris.
74	Barclays bank.
75	City Bank N.A.
76	Hongkong & Shanghai banking Corporation.

77	Mitsui Taiyokbe Bank Ltd.
78	Standard Chartered Bank.
79	Cho Hung Bank.

SECTION - 14

APPENDIX

FORM OF TENDER

To,

The Municipal Commissioner for Greater Mumbai

Sir,

I/ We have read and examined the following documents relating to the construction of _____

—

—

I . Notice inviting tender.

I I . Directions to Bidders (General and special)

I I I . General condition of contract for Civil Works of the Municipal Corporation of Greater Mumbai as amended up to date.

I V . Relevant drawings

V . Specifications.

VI . Special directions

VI I . Annexure A and B.

VI I I Bill of Quantities and Rates.

1A. I/We _____

(full name in capital letters, starting with surname), the Proprietor/ Managing Partner/ Managing Director/ Holder of the Business, for the establishment / firm / registered company, named herein below, do hereby offer to

.....

.....

.....

.....

.....

.....

Referred to in the specifications and schedule to the accompanying form of contract of the rates entered in the schedule of rates sent herewith and signed by me/ us" (strike out the portions which are not applicable).

1B. I/We do hereby state and declare that I/We, whose names are given herein below in details with the addresses, have not filled in this tender under any other name or under the name of any other establishment /firm or otherwise, nor are we in any way related or concerned with the establishment /firm or any other person, who have filled in the tender for the aforesaid work.”

2. I/We hereby tender for the execution of the works referred to in the aforesaid documents, upon the terms and conditions, contained or referred to therein and in accordance with the specifications designs, drawings and other relevant details in all respects.

* At the rates entered in the aforesaid Bill of Quantities and Rates.

3. According to your requirements for payment of Earnest Money amounting to Rs. _____ /-(Rs.

_____)

I/We have deposited the amount through online payment gateways with the C.E. of the Corporation not to bear interest

4. I/We hereby request you not to enter into a contract with any other person/s for the execution of the works until notice of non/acceptance of this tender has first been communicated to me/us, and in consideration of yours agreeing to refrain from so doing I/we agree not to withdraw the offer constituted by this tender before the date of communication to me/us of such notice of non/acceptance, which date shall be not later than ten days from the date of the decision of the Standing Committee or Education Committee of the Corporation, as maybe required under the Mumbai Municipal Corporation Act, not to accept this tender.(Subject to condition 5 below).

5. I/We also agree to keep this tender open for acceptance for a period of 180 days from the date fixed for opening the same and not to make any modifications in its terms and conditions which are not acceptable to the Corporation.

6. I/We agree that the Corporation shall, without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely, if.

a. I/We fail to keep the tender open as aforesaid.

b. I/We fail to execute the formal contract or make the contract deposit when called upon to do so.

c. I/we do not commence the work on or before the date specified by the Engineer in his work order.

7. I/We hereby further agree to pay all the charges of whatsoever nature in connection with the preparation, stamping and execution of the said contract.

8. I/We further agree that, I/we shall register ourselves as 'Employer' with the Bombay Iron and Steel Labour Board' and fulfill all the obligatory provisions of Maharashtra Mathadi, Hamal and other Manual workers (Regulation of Employment and Welfare) Act 1969 and the Bombay Iron and Steel unprotected workers Scheme 1970.

9. "I/We..... have failed in the accompanying tender with full knowledge of liabilities and, therefore, we will not raise any objection or dispute in any manner relating to any action, including forfeiture of deposit and blacklisting, for giving any information, which is found to be incorrect and against the instructions and directions given in this tender.

10. "I/We further agree and undertake that in the event it is revealed subsequently after the allotment of work/contract to me/us, that any information given by me/us in this tender is false or incorrect, I/We shall compensate the Municipal Corporation of Greater Mumbai for any such losses or inconvenience caused to the Corporation in any manner and will not resist any claim for such compensation on any ground whatsoever. I/we agree and undertake that I/we shall not claim in such case any amount by way of damages or compensation for cancellation of the contract given to me/us or any work assigned to me/us or is withdrawn by the Corporation,"

Address

Yours

faithfully,

.....

.....

Digital Signature of the

Bidder or the Firm

1.

.....

2.

.....

3.

.....

BID NO:-7200006764

Redevelopment of Ramgadh Building

4.

.....

5.

.....

Full Name and private residential address of
all the partners constituting the Firm

A/c No.

....

.....

.....

1.

Name of Bank

2.

.....

.....

3.

Name of Branch

4.

.....

.....

5.

Vender

No.

.....

BID NO:-7200006764

Redevelopment of Ramgadh Building
AGREEMENT FORM

Tender / Quotation dated
20...

Standing Committee/Education Committee Resolution No.
.....

CONTRACT FOR THE WORKS
.....
.....
.....
.....

This agreement made this day of
.....

Two thousand
..... Between
.....
.....
.....

inhabitants of Mumbai, carrying on business at.....
.....
.....

in Bombay under the style and name of Messrs
.....
..... (Hereinafter called "the contractor of the one
part and Shri
.....
.....

the Director(E.S.&P.) (hereinafter called "the commissioner" in which expression are included unless the inclusion is inconsistent with the context, or meaning thereof, his successor or successors for the time being holding the office of Director (E,S.& P)of the second part and the Municipal Corporation of Greater Mumbai (hereinafter called "the Corporation") of the third part, WHEREAS the contractor has tendered for the construction, completion and maintenance of the works described above and

BID NO:-7200006764

Redevelopment of Ramgadh Building

his tender has been accepted by the Commissioner (with the approval of the Standing Committee/Education Committee of the Corporation NOW THIS

THIS AGREEMENT WITNESSETH as follows:-

1. In this agreement words and expressions shall have the same meanings as are respectively assigned to them in the General Conditions of Contract for works hereinafter referred to:-
2. The following documents shall be deemed to form and be read and constructed as a part of this agreement viz.
 - a) The letter of Acceptance
 - b) The Bid:
 - c) Addendum to Bid; if any
 - d) Tender Document
 - e) The Bill of Quantities:
 - f) The Specification:
 - g) Detailed Engineering Drawings
 - h) Standard General Conditions of Contracts (GCC)
 - i) All correspondence documents between bidder and MCGM
3. In consideration of the payments to be made by the Commissioner to the contractor as hereinafter mentioned the contractor hereby covenants with the Commissioner to construct, complete and maintain the works in conformity in all respects with the provision of the contract.
4. The Commissioner hereby covenants to pay to the Contractor in consideration of the construction, completion and maintenance of the works the contract sum, at times and in the manner prescribed by the contract.

IN WITNESS WHERE OF the parties hereto have caused their respective common seals to be herein to affixed (or have hereunto set their respective hands and seals) the day and year above written.

Signed, Sealed and delivered by the contractors

In the presence of

Trading under the name and style of

BID NO:-7200006764

Redevelopment of Ramgadh Building

Full Name

Address

Contractors

Signed by the Director (ES&P) in the presence of Ex. City/ WS/ ES

Director (ES&P)

The Common seal of the Municipal Corporation
of Greater Mumbai was hereunto affixed on the
..... 20 in the presence of two
members of the Standing Committee.

1.	1.
2.	2.
And in the presence of the Municipal Secretary	Municipal Secretary

ANNEXURE 'A'

ANNEXURE 'A'

Name of work : Proposed Redevelopment of buildings known as
'Ramgadh' for Nurses and Doctors quarters on plot bearing C.S.No.
11(pt) of Sion Division on plot no 290-C(part) of Sion Koliwada estate
Scheme no 6 in F/N Ward, Sion ,Mumbai .

1. The Engineer for this work will be City Engineer

BID NO:-7200006764

Redevelopment of Ramgadh Building

2. **Estimated cost of Tender**

a.	Civil Works	Rs. 16,29,67,425.00/-
b.	Electrical Works	<u>Rs. 2,81,71,591.00/-</u>
	Total	Rs. 19,11,39,016.00/-

3. Earnest Money (1% of the Estimated cost through Online system) Rs. 19,11,395.00/-

4. **Time Period**

1. Contract as a whole Period completion 24 months
(Twenty four months)
* Inclusive of Monsoon

VI . **Defect liability period**

(For repair & works)

General	3 years
Structural	5 years
Waterproofing	5 years

Ch.Eng.(M&E)	As per sanction u/no AMC/P/3224/ Dtd. 15/12/2016, DLP/Warranty for all the M&E works. (Electrical Works)	1 year
Ch.Eng.(M&E)	In case of non-conventional /renewable energy system. i.e. Solar Energy	5 year

6. Percentage to be charged as supervision charges for the work got executed through other means**10**.percent.

The “Actual cost of the work” shall mean in the case of percentage rate contracts the actual cost of the work executed at the rates as mentioned in the Contract Schedule adjusted by the Contractor’s percentage rate and cost of extra and excess, but excluding the cost on account of Water Charges and Sewerage Charges if any, payable by the contractor and also excluding cost on account of price variation claims as provided in condition no. 74 of these conditions as amended up to date.

4 . In case of item rate contracts the actual cost calculated for the work executed at the rates mentioned in the contract schedule for different items including cost of excess and extra items of the work excluding the cost of water charges and sewerage charges if any, payable by the contractor and excluding cost on account of price

variation claims as provided in conditions no. 74 of these conditions as amended up to date.

- 5 . In case of lump sum contract the cost of the work actually carried out as per break up and program of the work and the schedule of payment included in the contract including cost of any excess and/or extra items, of the work, excluding the cost on account of water charges and sewerage charges and also excluding cost on account of price variation claims as provided in condition no. 74 of these conditions as amended up to.

Annexure- B

(On Rs. 500/- Stamp Paper)

PRE-CONTRACT INTEGRITY PACT

The Bidder commits himself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of his bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commits himself to the following:-

1. The Bidder will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the MCGM, connected directly or indirectly with the bidding process, or to any person,

organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the Contract.

2. The Bidder further undertakes that he has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the MCGM or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the Contract or any other Contract with the Government for showing or forbearing to show favour or disfavour to any person in relation to the Contract or any other Contract with the Government.

3. The Bidder will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.

4. The Bidder will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.

5. The Bidder, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the MCGM or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.

6. The Bidder shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the MCGM as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The Bidder also undertakes to exercise due and adequate care lest any such information is divulged.

7. The Bidder commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.

8. The Bidder shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.

9. The Bidder and their respective officers, employees, agents and advisers shall observe the highest standard of ethics during the Bidding Process. Notwithstanding anything to the contrary contained herein, the Authority may reject an Application

BID NO:-7200006764

Redevelopment of Ramgadh Building
without being liable in any manner whatsoever to the Applicant if it determines that the Applicant has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice in the Bidding Process

For the purposes of this Clause 9, the following terms shall have the meaning herein after respectively assigned to them:

“fraudulent practice” means a misrepresentation or omission of facts or suppression of facts or disclosure of incomplete facts, in order to influence the Bidding Process ;

“coercive practice” means impairing or harming or threatening to impair or harm, directly or indirectly, any person or property to influence any persons participation or action in the Bidding Process;

“undesirable practice” means (i) establishing contact with any person connected with or employed or engaged by the Authority with the objective of canvassing, lobbying or in any manner influencing or attempting to influence the Bidding Process; or (ii) having a Conflict of Interest; and

“restrictive practice” means forming a cartel or arriving at any understanding or arrangement among Applicants with the objective of restricting or manipulating a full and fair competition in the Bidding Process.

Signature of Bidder/Bidder

Annexure- C

(On Rs. 500/- Stamp Paper)

DECLARATION CUM INDEMNITY BOND

I, _____ of _____, do hereby declared and undertake as under.

1. I declare that I have submitted certificates as required to Executive engineer (Monitoring) at the time of registration of my firm/company _____ and there is no change in the contents of the certificates that are submitted at the time of registration.

2. I declare that I _____ in capacity as Manager/Director/Partners/Proprietors of _____ has not been charged with any prohibitory and /or penal action such as banning(for specific time or permanent)/de-registration or any other action under the law by any Government and/or Semi Government and/or Government undertaking.

3. I declare that I have perused and examined the tender document including addendum, condition of contract, specifications, drawings, bill of quantity etc. forming part of tender and accordingly, I submit my offer to execute the work as per tender documents at the rates quoted by me in capacity as _____ of _____.

4. I further declare that if I am allotted the work and I failed to carry out the allotted work in accordance with the terms and conditions and within the time prescribed and specified, MCGM is entitled to carry out the work allotted to me by any other means at my risk and cost, at any stage of the contract.

5. I also declare that I will not claim any charge/damages/compensation for non availability of site for the contract work at any time.

6. I declare that I will positively make the arrangements of the required equipment on the day of commencement or with respect to the progress of the work in phases, as per the instructions of site in charge

Signature of Bidder/Bidder

BANKERS GURANTEE IN LIEU OF CONTRACT DEPOSIT

THIS INDENTURE made this _____ day of _____ BETWEEN
THE _____ BANK incorporated under the English/Indian
Companies Acts and carrying on business in Mumbai (hereinafter referred to as 'the
bank' which expression shall be deemed to include its successors and assigns) of
the first part _____
_____ inhabitants carrying on business at
_____ in Mumbai under the style and name of
Messer's _____ (hereinafter referred to as 'the consultant') of the
second part Shri. _____

THE MUNICIPAL COMMISSIONER FOR GREATER MUMBAI (hereinafter
referred to as 'the commissioner' which expression shall be deemed, also to include

BID NO:-7200006764

Redevelopment of Ramgadh Building

his successor or successors for the time being in the said office of Municipal Commissioner) of the third part and THE MUNICIPAL CORPORATION OF GREATER MUMBAI (hereinafter referred to as 'the Corporation') of the fourth part WHEREAS the consultants have submitted to the Commissioner tender for the execution of the work of

” _____ and the terms of such tender /contract require that the consultants shall deposit with the Commissioner as/contract deposit/ earnest money and /or the security a sum of Rs. _____ (Rupees _____) AND WHEREAS if and when any such tender is accepted by the Commissioner, the contract to be entered into in furtherance thereof by the consultants will provide that such deposit shall remain with and be appropriated by the Commissioner towards the Security -deposit to be taken under the contract and be redeemable by the consultants, if they shall duly and faithfully carry out the terms and provisions of such contract and shall duly satisfy all claims properly chargeable against them there under AND WHEREAS the consultants are constituents of the Bank and in order to facilitate the keeping of the accounts of the consultants, the Bank with the consent and concurrence of the consultants has requested the Commissioner to accept the undertaking of the Bank hereinafter contained, in place of the contractors depositing with the Commissioner the said sum as earnest money and /or security as aforesaid AND WHEREAS accordingly the Commissioner has agreed to accept such undertaking NOW THIS AGREEMENT WITNESSES that in consideration of the premises, the Bank at the request of the consultants (hereby testified) UNDERTAKES WITH the commissioner to pay to the commissioner upon demand in writing , whenever required by him , from time to time , so to do , a sum not exceeding in the whole Rs. _____ (Rupees _____) under the terms of the said tender and /or the contract .The B.G. Is valid upto _____”Notwithstanding anything what has been stated above, our liability under the above guarantee is restricted to Rs. _____ only and guarantee shall remain in force upto _____ unless the demand or claim under this guarantee is made on us in writing on or before _____ all your right under the above guarantee shall be forfeited and we shall be released from all liabilities under the guarantee thereafter”
IN WITNESS WHEREOF

BID NO:-7200006764

Redevelopment of Ramgadh Building

WITNESS(1) _____

Name and _____

address _____

WITNESS(2)_____

Name and _____ the duly constituted Attorney Manager

address _____

the Bank and the said Messer's _____

_____ (Name of the Bank)

WITNESS(1)_____

Name and _____

address _____

WITNESS(2)_____

Name and _____

For Messer's _____

address _____

have here into set their respective hands the day and year first above written.

The amount shall be inserted by the Guarantor, representing the Contract Deposit in Indian Rupees.

Annexure- D
Rate Analysis

Item Description

Sr.No.	Description of rate analysis parameters	Unit	Quantity	Rate	Amount
1	Basic Material (Rate should be inclusive of all taxes)				
2	Machinery Hire Charges				
3	Labour Type		(labour components)		
4	Total of all components				
5	Overhead & Profit 15% on 4				
6	Total Rate (4+5)				
7	Per unit rate				

Sign & Seal of the Bidder

PROFORMAS:**PROFORMA- I**

The list of similar works as stated in para 'A' of Post qualification during last five years—

PROFORMA- I					
Sr.No.	Name of the Project	Name of the employer	Stipulated date of completion	Actual date of completion	Actual Cost of work done
1	2	3	4	5	6

NOTE:

Scanned Attested copies of completion/performance certificates from the Engineer-in-Charge for each work should be annexed in the support of information furnished in the above proforma.

Works shall be grouped financial year-wise.

PROFORMA- II

Yearly turnover of Civil Engineering Construction Works during the last five years.

PROFORMA- II					
Sr.No.	Financial year	Annual Turnover of Civil Engineering Works	Updated value to current year	Average of last 5years	Page No.
1					
2					
3					
4					
5					
Total					

NOTE: The above figures shall tally with the audited balance sheets uploaded by the Bidders duly certified by Chartered Accountant.

PROFORMA- III

List of similar work, as stated in para 'A' of Post qualification,.

PROFORMA- III							
Name of the Project	Name of the Employer	Cost of the Project	Date of issue of work Order	Stipulated Date of Completion	Actual Date of Completion	Actual cost of work done	Remarks explaining reasons for delay, if any
1	2	3	4	5	6	7	8

Note: Scanned Attested copies of completion/performance certificates from the Engineer-in-charge for each work should be annexed in support of information furnished in the above proforma.

PERSONNEL:**PROFORMA- IV**

Sr. No.	Post	Name (Prime Candidate/ Alternate)	Qualification	Work Experience	
				No. of Years	Name of Projects
1	Project Manager				
2	Quality Control Engineer				
3	Site Engineer				
4	Site Supervisor				

NOTE: Scanned Attested copies of qualification certificates and details of work experience shall be submitted /uploaded.

MACHINERY: (for special work only)

PROFORMA- V/A			
Sr.No.	Equipment	Number	Owned/Leased/Assured access

1	2	3	4
---	---	---	---

PROFORMA- V/B

Sr.No.	Equipment	Number	Owned
1	2	3	4

Note: The Bidder(s) shall furnish/upload the requisite Scanned Attested documents of ownership/leased of machineries. The undertaking from the suppliers will not be accepted.

PROFORMA - VI / A

Details of Existing Commitments and ongoing works –

PROFORMA - VI / A

Description of work	Place	Contract No. & Date	Name & Addresses of employer	& Value of Contract Rs.	Scheduled date of completion	Value of work remaining to be completed	Anticipated Date of completion
1	2	3	4	5	6	7	8

Note: Scanned Attested copies of completion/performance certificates from the Engineer-in-Charge for each work should be annexed in the support of information furnished in the above proforma.

PROFORMA - VI / B

Details of works for which bids are already uploaded –

PROFORMA - VI / B

Description of work	Place	Name & Addresses of employee	& Value of Contract Rs.	Time Period	Date on which decision is expected	Remarks
1	2	3	4	5	6	7

Note: Scanned Attested copies of certificates from the Engineer-in-charge for each work shall be annexed.

SECTION – 15

Circulars

- Prevailing Circulars issued from time to time will be applicable
- Special guidelines to the tenderer:-
 1. Municipal Corporation of Greater Mumbai do not have site available for disposal of Debris/ Demolition material/ Excavated earth for basement / foundation work., The contractor shall dispose these materials properly at his own risk and cost. The contractor shall quote the tender keeping these in mind. No separate payment shall be made for disposal of these debris/ demolition material/ excavated earth.