BRIHANMUMBAI MUNICIPAL CORPORATION SOLID WASTE MANAGEMENT

Sub: EoI for "Implementation of Data warehouse, Business Intelligence & Advance Analytics solution for SWM Dept. of BMC

Following bidders were present in the Prebid meeting held on 28.06.2022.

Sr. No.	Name of the firm	
1	M/s Finesse Information System Pvt.ltd.	
2	M/s Inspira Enterprises	
3	M/s Cloudstrats Technologies	

Also, Prebid queries letter received from 4th prospective bidder M/s. Bahwan Cybertek (BCT).

Minutes of Pre bid Meeting

Sr.	Queries raised by bidder	Clarification
no.		
M/s	Fluentgrid Limited	
1	Section 4.11.1, Page no: 7	Yes. Tender condition prevails.
	Detail concept note and approach paper to address scope of work, technical and functional specification of the proposed solution along with project milestone timeline chart, manpower resources required and hardware sizing of solution.	
	Does the bidder need to submit all these documents during the EOI stage?	
2	Section 7, Page no: 11 Experience of working with Municipal Corporations of Metro Cities in India Engagement with the BMC in the last 3 Years - 3 Marks Other Metro Cities - 2	Necessary changes made in Corrigendum-IV
	This is a restrictive clause kindly request you to remove this clause.	

3	Section 7.1, Page no: 13, Point 3 Bidder work experience: 1. The Bidder should have Positive Net worth more than of Rs. One Cr for the last three financial years: 2019-2020,2020-2021 & 2021-22 The Balance Sheet for the Financial year 2021-2022 is still under evaluation so we Request you to kindly amend this clause asbelow: The Bidder should have Positive Net worth more than of Rs. One Cr for the last three financial years: 2018-2019,2019-2020 & 2020-21	Tender condition prevails.
4	Section 7.1, Page no: 13, Point 3 Bidder work experience: 3. The Bidder should have a registered office in MMRDA Region. This clause is very restrictive for wider participation, so we request you to kindly amend this clause as below: The Bidder should have a registered office in MMRDA Region or the Undertaking of opening office in MMRDA Region after a successful Award of contract.	Necessary changes made in Corrigendum-IV
6	Section 7.3, Page no: 23 High-Performance, Scalable, Robust, Enterprise Platform The solution should have the BI & BA ability to enable users to conduct Fast, Thorough Explorations and Analysis on data from different data sources across BMC such as SAP, SQL, Any Web Services, Web Links, Mobile Applications, MS Access, MS Excel, Flat files etc. As per our understanding, BMC will provide SAP connectors, kindly confirm. Section 7.3, Page no: 25 The solution should provide Auto charting Based on data selected for analysis, solution should automatically choose best visualization suited to display the type of data selected. Our understanding is Auto charting shall be done through Adhoc Analysis for the	Solution is permitted, but not limited to adhoc analysis and auto charting should be as per BMC requirement.

	Selected data	
7	Section 7.3, Page no: 29 Platform licenses should be supplied only for On- Premise & No data should go out of BMC premises. Offered Solution should be on cloud platform. Also the offered solution should be cloud vendor agnostic This clause is contradictory, as one place in the RFP (Section 5.2, Page.no: 10) is talking about an on-premise data center while n the other it is mentioned as hosting on the cloud, kindly clarify.	Platform licenses should be supplied on the name of BMC also the offered solution should be on cloud platform.
8	Section 7.3, Page no: 30 In future if BMC intends to migrate to other OEM solution, the offered solution should support the migration. What is the size of the data to be migrated?	Tender condition prevails.
9	General Does the bidder need to provide cost estimation for this opportunity during the EOI stage? Will the RFP will be awarded on this estimation only	Please refer condition 7 on pg. no. 9
M/s	. Bahwan Cybertek (BCT)	
1	Request you to consider global experience in data warehousing solutions	Tender condition prevails
M/s	. Finesse	
1	The technical queries with respect to hardw	vare and software.
	Technical:-	
a)	Please specify the commercial Model in case there are increase in the application which are not a part of EoI stage	Please refer point no.7 (Annexure II)
b)	All other data sources except those from SAP should be in API or CSV format	Standard different available format.
c)	Please specify the SAP version	S4/HANA
d)	Software for data warehousing should be SQL server	No. software for data warehouse should be SQL server it is permitted but not limited to SQL server.
e)	Connectivity Provision for data upload & download. (Your networking team would be able to answer those)	It is provided by Cloud vendor.

Mention what is required on Premises and	Please refer point no. 7 above.
On Cloud. (Data Visualization tool will be cloud based)	Tiedde Teier pomie noi i' daovei
Subscription model For BI and Perpetual model for SQL Server	Tender condition prevails
Would there be increase in no of users. Pricing will keep changing in case of cloud model.	Tender condition prevails
Data analysis will be as of previous day please confirm in the EOI.	Tender condition prevails
Do you have data back-up policy?	Yes. Vendor should be specify data backup policy.
Who will be the SPOC for this project (Single Point of Contact)?	Will be informed in due course.
Hardware	
Following are the standard hardware specifications for your Data warehouse. Xeon Server (Latest) Operating System: Latest version of Windows Database: SQL Server Latest version 128 GB Ram 1 TB SSD/HDD (SSD Preferable for foster data transfer)	Data volume is not known & the hardware specifications are standard. Hardware should be scalable in real time.
	Subscription model For BI and Perpetual model for SQL Server Would there be increase in no of users. Pricing will keep changing in case of cloud model. Data analysis will be as of previous day please confirm in the EOI. Do you have data back-up policy? Who will be the SPOC for this project (Single Point of Contact)? Hardware Following are the standard hardware specifications for your Data warehouse. Xeon Server (Latest) Operating System: Latest version of Windows Database: SQL Server Latest version 128 GB Ram

Sd/- Sd/- Sd/- Sd/- Exe.Engg.(SWM)planning Dy.Ch.E.(SWM)planning Ch.E.(SWM)