

BRIHANMUMBAI MUNICIPAL CORPORATION
(Sewerage Operation Department)

Subject : Rehabilitation of Bhandup WWTF - Treatment of Sewage water by Bio-Remediation Technology.
Tender ID-2024_MCGM_1084272_1 due on 03.10.2024

**MINUTES OF PRE-BID MEETING HELD ON 20th SEPT. 2024 &
REPLY TO THE QUERIES RECEIVED**

The pre-bid meeting for the subject work was held on 20.09.2024 at 11:00 AM under the chairmanship of Ch.E.(S.O.) in his chamber at 1st Floor, Engineering Hub Building, Dr. E' Mozes Marg, Worli, Mumbai – 400 018.

Following BMC Engineers were present.

- | | | |
|--------------------------|---|--------------------|
| 1. Ms. P. D. Saraf | - | Dy.Ch.E.(S.O.)W.S. |
| 2. Shri. S. S. Valanju | - | Dy.Ch.E.(S.O.)E.S. |
| 3. Shri. K. B. Patil | - | A.E.(WWTF) W.S. |
| 4. Shri. U. S. Doke | - | A.E.(S.O.)E.S. |
| 5. Shri. D. W. Modak | - | A.E.(S.O.)E.S. |
| 6. Shri. A. G. Choudhari | - | S.E.(S.O.)E.S. |
| 7. Shri. G. P. Bandre | - | S.E.(S.O.)E.S. |
| 8. Shri. S. M. Khetmal | - | S.E.(Malad WWTF) |

The prospective bidders/participants present at the meeting are listed in Attendance Sheet attached to these minutes

At the outset, Ch.E.(S.O.) welcomed the prospective bidders/participants to the pre-bid meeting and encouraged the participants to seek clarifications and ask questions, if any.

The queries received via emails and during the Pre-Bid meeting are reproduced below.

Bhandup WWTF

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
1.	<p>A) Eligibility Criteria:</p> <p>1.For Regular, Routine and Maintenance works:</p> <p>1.1.Technical Capacity :</p>	<p>(i) The tenderer shall be the Manufacturer of the microbial products they intend to offer for the subject work.</p> <p>AND</p> <p>(ii) The tenderer in their own name should have satisfactorily executed the work of similar nature ...</p>	<p>Being specialised work as well allowed in previous specialised tenders too, kindly allow Authorized representative having MoU with Indian/Foreign manufacturer wherein Bidder (Auth representative) or Manufacturer should have executed the work of similar nature.</p> <p>In line with previous tenders for Bandra and Worli and others works, we respectfully request that the authority allow an authorized representative, who holds a valid Memorandum of Understanding (MoU) with an Indian or Foreign manufacturer, to qualify for this tender. We seek your kind consideration to permit the bidder (authorized representative) or the manufacturer to demonstrate the required experience in executing similar works of a specialized nature.</p>	M/s. Accord Watertech & Infrastructure Pvt. Ltd.	<p>Tender condition prevails.</p> <p>Refer Corrigendum - I</p>

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
			This would ensure alignment with past precedents and maintain fair competition for qualified representatives and manufacturers."		
2.	Section 11 Specifications: D. Scope of Work: Sr. No. 1	1. Determination of baseline values of inlet sewage parameter.	Baseline Data: Are there any historical data on the inlet sewage parameters that can be shared before the commencement of the work? If not, what is the expected timeline to determine the baseline values.	M/s. Accord Watertech & Infrastructure Pvt. Ltd.	Tender specification is self-explanatory.
3.	Section 11 Specifications: K. Testing	Sr. No. 1 to 5	Testing Frequency: How often will the sewage samples be tested before and after treatment? Is there a predefined schedule?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
4.	Section 11 Specifications: K. Testing	Sr. No. 4	Accredited Labs: Can we select from the institutions like IIT, VJTI, NEERI, or NABL-accredited labs, or will BMC assign the testing institutions?	M/s. Accord Watertech & Infrastructure Pvt Ltd.	Tender specification is self-explanatory.
5.	Section 11 Specifications: C. Desired Outflow Parameters And J. Timeline for Achieving Desired Results	Entire Clause	Acceptance of Testing Reports: What are the acceptance criteria for the test reports submitted by these institutions? Will the client verify them independently? Is there any TPI in place for verification of testing?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
6.	Section 11 Specifications: C. Desired Outflow Parameters, J. Timeline for Achieving Desired Results And O. Penalty	Entire Clause	Effluent Quality Targets: There are already predefined outflow parameters (BOD, COD, TSS, and pH), is there any flexibility if technology constraints or external conditions affect the outcomes? Since there could be several possible scenarios and several varying outcomes?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
7.	Section 10 Special Instructions to Bidders - Sr. No. 11 AND Section 11 Specifications: E. Technical Specifications F. Eco-Toxicity Certificate And H. Declarations to be provided	Entire Clause	Microbial Product Supply: Is there any requirement to provide samples of microbial products or bio-culture for prior approval before deployment? If so, what is the approval process?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender condition is self-explanatory.
8.	Section 11 Specifications: A. Objective B. Existing Site Details	Entire Clause	Existing Infrastructure: Is there any existing electromechanical infrastructure at the site that can be leveraged for microbial dosing, or is the contractor required to install the	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
	D. Scope of Work E. Technical Specifications		entire infrastructure?		
9.	Section 11 Specifications: A. Objective B. Existing Site Details D. Scope of Work E. Technical Specifications	Entire Clause	Is there any set distance after which the product infrastructure needs to be repeated or it is at contractors discretion?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
10.	Section 11 Specifications: D. Scope of Work		Online Monitoring System: What are the specifications for the state-of-the-art online monitoring system to be installed at the outlet of the WWTF? Will BMC provide the required equipment for this system, or is the contractor responsible?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
11.	Section 11 Specifications: D. Scope of Work N. Payment Term: Sr. No. 2 : Phase B	The bills shall be accompanied with the laboratory test reports	Data Transmission: What will be the method for transmitting real-time monitoring data to BMC or other authorities? Are there any security or encryption requirements for the data?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
12.	Section 9: General Conditions of Contract: Clause 79: Price Variation	Not applicable	Escalation and Adjustments: Will there be any price escalation clauses for materials, manpower, or equipment costs over the two-year contract period?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender condition is self-explanatory.
13.	Section 11 Specifications: E. Technical Specifications F. Eco-Toxicity Certificate And H. Declarations to be provided	Entire Clause	Permits and Approvals: What regulatory approvals (if any) need to be obtained by the contractor, particularly related to environmental and safety standards? Will the BMC assist in obtaining these permits?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
14.	Section 11 Specifications: O. Penalty	Entire Clause	NGT Norm Compliance: What are the consequences if the treated sewage fails to meet the specified NGT norms during any periodic testing? Will there be an opportunity for corrective measures?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
15.	Section 10 Special Instructions to Bidders And Section 11 Specifications: E. Technical Specifications	Entire Clause	Site Visit: Is a site visit scheduled as part of the pre-bid process to better understand the conditions at the WWTF? Will contractors have unrestricted access to the site during the project?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
16.	Section 10 Special Instructions to Bidders	Entire Clause	Operating WWTF: Since this is a rehabilitation project, will the said WWTF remain operational during the implementation of the bioremediation treatment, or will there be downtime?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
17.	Section 11 Specifications: O. Penalty	Entire Clause	Non-Compliance Penalties: What are the penalties for not meeting the prescribed effluent discharge parameters or other contractually agreed outcomes?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
18.	Section 11 Specifications: N.Payment Term	Entire Clause	Incentives for Early Completion: Are there any incentives for early completion or overachievement of the desired effluent quality parameters?	M/s. Accord Watertech & Infrastructure Pvt Ltd	Tender specification is self-explanatory.
19.	Section 2: Eligibility Criteria A) Eligibility	In case of ongoing works to be considered, the bidder must have received the payment bills of 50%	Why MCGM is not following its own guidelines for preparing the tender documents. Why there is a deviation from the	M/s. Aquachem Enviro Engineers Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
	Criteria 1.1 Technical Capacity On-going Works	of the contract sum for the work / works executed last day of the month previous to the one in which bids are invited.	<p>SBD.</p> <p>Since this project bid not being floated for the first time, why there is a condition of 50% payment received of ongoing work.</p> <p>In recent time MCGM has floated a tender for the first time i.e., Rehabilitation of Love Grove WWTF, Worli and Bandra WWTF - Treatment of Sewage Water by Bioremediation Technology. (Ref: 2024_MCGM_1074598_1), on page number 10," In case of ongoing works to be considered, the bidder must have received the payment bills of 80% of the contract sum for the work / works executed last day of the month previous to the one in which bids are invited."</p> <p>Please remove consideration of ongoing work norm from the released tender document and ask only 100% completed works only.</p>		
20.	Section 2: Eligibility Criteria A) Eligibility Criteria 1.2 Financial Capacity	Achieved an average annual financial turnover as certified by 'Chartered Accountant' equal to Rs.10.55 Cr. in last three (3) financial years immediately preceding	Since MCGM has already asked the 3,09,00,800/- turnover in the old [(Bid No: 7200032415) Bid published on 07.06.2022 and its CORRIGENDUM & ADDENDUM – IV] tender then it is our humble request pls consider it again for the same	M/s. Aquachem Enviro Engineers Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
	Turnover	the financial year in which bids are invited.	tender. When we compare the current tender to the prior one, the flow required in the technical qualification criterion has been reduced (From i.e., as per OLD tender technical criteria of Bid No: 7200032415, Three work of 35 MLD, Two work of 45 MLD and one work of 65 MLD, To and as per new tender of Tender ID: 2024_MCGM_1084272_1, Three work of 22 MLD, Two work of 28 MLD and one work of 44 MLD) while the financial requirements have increased (which you can we in the adjacent columns), which does not explain the qualifying parameters under which MCGM is releasing these bids.		
21.	Section 15: Appendix and Proforma Proforma VIII	In the current tender MCGM has asked for Proforma VIII - Memorandum of Understanding between Manufacturer & Authorised Representative.	According to tender condition, the bidder must be a manufacturer or an authorised dealer to participate in the said tender. If the bidder is not a manufacturer but an authorised dealer, then manufacturer's experience shall be considered for the bidder. i.e., we humbly ask that the experience certificate from the authorized dealer's manufacturer be	M/s. Aquachem Enviro Engineers Pvt. Ltd.	Tender condition prevails. Refer Corrigendum - I

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
			also taken into consideration.		
22.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	Similar Experience: For assessing the technical capacity; Similar work shall mean, the completed or ongoing works in respect of "Treatment of concentrated sewage in drains / concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions.	Similar Experience: For assessing the technical capacity; Similar work shall mean, the completed or ongoing works in respect of "Treatment of concentrated sewage in river/ sewer network/ canal in respect of reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions.	M/s. Aquachem Enviro Engineers Pvt. Ltd.	Tender condition prevails.
23.	Section 1: E-Tender Notice EMD GST	EMD and Estimated Cost are inclusive of GST i.e. why turnover value i.e. calculated on the inclusive cost of GST	GST should not be taken into account for assessing any financial condition, such as turnover, EMD, or solvency	M/s. Aquachem Enviro Engineers Pvt. Ltd.	Tender condition prevails.
24.	Section 2- A) Eligibility Criteria: Clause 1.1 (i) and (ii)	(i) The tenderer shall be the Manufacturer of the microbial products they intend to offer for the subject work. AND	The tenderer shall be the authorized dealer / service provider of the manufacturer of microbial products they intend to offer for the subject work. AND	M/s. Bharat Construction	Tender condition prevails. Refer Corrigendum - I

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		(ii) The tenderer in their own name should have satisfactorily executed the work of similar nature..	The tenderer shall submit the MOU between the manufacturer and the authorized dealer / service provider. The manufacturer's experience of satisfactory execution of similar nature work shall be considered.		
25.	Section 11- Specification: Clause K(5)- Post Stabilization Period- Testing Page 134	The successful contractor shall test the sewage parameters before and after treatment every three months from the institutions like IIT, VJTI, NEERI and submit the report to the office of Executive Engineer (Sewerage Operation) Eastern Suburbs.	As routine weekly sampling is proposed we would suggest to remove this clause.	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition prevails.
26.	Section 9 – General Terms and Condition, 83-Joint Venture Page 111	Joint Venture (Not Applicable)	Kindly clarify whether JV is acceptable	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.
27.	Section 6- Instruction to applicant- Important Directions (5), Page 49	GST and other state levies/cess which are not subsumed under GST will be applicable. The tenderer shall quote inclusive of all taxes applicable at the time of	Kindly Clarify	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		bid submission. It is clearly understood that BMC will not bear any additional liability towards payment of any Taxes & amp; Duties. Wherever the services to be provided by the Tenderers, falls under Reverse Charge Mechanism, the Price quoted shall be exclusive of GST, but inclusive of Taxes/Duties/Cess other than GST, if any			
28.	Section 10-Special Instruction to Bidder (1), Page 125	The Lagoons at Ghatkopar, Bhandup and Versova WWTF are provided with treatment ponds and floating Aerators arrangement.	Kindly update the functional Status of aerators.	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.
29.	Section 2-Eligibility Criteria-1.3(B), Page 10	Bid Capacity: (Not applicable)	Kindly share the Estimated cost of Project for Bid Capacity Calculation	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.
30.	Section 11-Specification (B), Page 128	"Existing Site Details: The average inlet sewage parameters at Bhandup WWTF are; For COD: Avg. Dry Weather Values - 150	The values of COD in Dry Weather Flow Should be higher than the Wet Weather Flow. Kindly clarify.	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		to 200 mg/l Avg. Wet Weather Values - 200 to 250 mg/l"			
31.	Section 9- General Condition of Contract, C (29.3), Page 78	Setting of Site Laboratories: (Not Applicable)	It is mentioned not applicable. Kindly clarify.	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.
32.	Section6: Instructions to Applicants: Part B, Note 1, Page 34	Asked to Submit Attested Scanned copy of the valid registration certificate in Electrical category shall be uploaded with the tender along with the undertaking from registered Electrical Contractor stating his willing to carry out the tender work.	Kindly Clarify	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition is self-explanatory.
33.	Section 1: E-Tender Notice EMD	The Bidders will have to provide Earnest Money Deposit through the payment gateways while submitting the bids. The Bid shall be summarily rejected if it is not accompanied by the Earnest Money Deposit. The e-tender is available on Brihanmumbai	We request to provide Bank details of MCGM for payment of EMD through RTGS/NEFT as an additional option as we have faced difficulty in the portal link earlier.	M/s. Bioxgreen Technology Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		Municipal Corporation portal (http://portal.mcgm.gov.in)			
34.	Section 2, Eligibility Criteria, Clause 1.1 (i) & (ii)	The tenderer shall be the manufacturer of the microbial products they intend to offer for the subject work. AND The tenderer in their own name should have satisfactorily executed the work of similar nature...	Kindly amend the clause to: The tenderer shall be the authorized representative of the manufacturer of the microbial products they intend to offer for the subject work. AND The tenderer can claim the qualification by doing a technical tie up in form of MOU with the technology provider who has the said qualifications.	M/s. Gypsum Structural India Pvt. Ltd.	Tender condition prevails. Refer Corrigendum - I
35.	Section 2, Eligibility Criteria, Clause 1.1 (ii)	In case of ongoing works to be considered, the bidder must have received the payment bills of 50% of the contract sum for the work / works executed last day of the month previous to the one in which bids are invited.	Kindly amend the clause to: In case of ongoing works to be considered, the bidder must have received the payment bills of 80% of the contract sum for the work / works executed last day of the month previous to the one in which bids are invited.	M/s. Gypsum Structural India Pvt. Ltd.	Tender condition prevails.
36.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	"Treatment of concentrated sewage in drains / concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and pH	Kindly allow for experience of having done bioremediation in river for 12 months.	M/s. Gypsum Structural India Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions."			
37.	Section 7: Scope of work Sr. No. 3	Supply of microbial product/bio-culture, allied material, dosing system and deployment of required manpower, etc.	Kindly allow for use of foreign culture.	M/s. Gypsum Structural India Pvt. Ltd.	Tender condition prevails.
38.	Section 2: B)Bid Capacity (Not applicable) Page No.: 10	Bid Capacity (Not applicable)	As per page No. 33 point no. h) – It indicates that assessed available Bid capacity needs to be submitted in Packet B at the same time it is mentioned not applicable in Page 10. Please clarify.	M/s Maple Orgtech (India) Ltd.	Tender condition is self-explanatory.
39.	Section 2: A) Eligibility Criteria- 1.1 Technical Capacity	The tenderer shall be the Manufacturer of the microbial products they intend to offer for the subject work.	Nano Bubbles Tech Private limited (NBT) respectfully recommends that the eligibility criteria should include manufacturers of in-situ remediation processes of advanced engineering solutions and technologies, such as our innovative nanobubbles generation technology, which guarantees more effective and sustainable results in water treatment. This would ensure that cutting-edge approaches that are globally	M/s. Nanobubbles Technology Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
			recognized and utilized for the subject work, ultimately contributing to assured outcomes.		
40.	Section 2: B) Eligibility Criteria- 1.1 Technical Capacity	The tenderer in their own name should have satisfactorily executed the work of similar nature in Brihanmumbai Municipal Corporation / Semi Govt. / Govt. & Public Sector Organizations during last seven (7) years ending last day of month previous to the one in which bids are invited as a prime Contractor (or as a nominated sub-Contractor, where the subcontract had involved similar nature of work as described in the scope of works in this bid document, provided further that all other qualification criteria are satisfied)	The consortium of Nano Bubbles Tech Private Limited (NBT) is a globally recognized firm specializing in addressing complex water treatment challenges through our advanced Nano Bubble technology which enable us to treat wastewater and heavily contaminated water with unparalleled efficiency, surpassing conventional technologies delivering exceptional results, including the reduction of BOD to levels as low as less than 10 mg/L, ensuring compliance with stringent water quality standards. We respectfully request that the collective performance of the consortium of innovative companies involved in development of in-situ-remediation technologies be considered eligible for this tender, in alignment with our Honorable Prime Minister's vision of fostering and promoting innovation. This inclusion would support innovation, encourage emerging technologies, and contribute to the growth of new businesses, in line with	M/s. Nanobubbles Technology Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
			the government's commitment to empowering innovation across various sectors.		
41.	Section 2: Eligibility Criteria B) Eligibility Criteria 1.3 Financial Capacity Turnover	Achieved an average annual financial turnover as certified by 'Chartered Accountant' equal to Rs.10.55 Cr. in last three (3) financial years immediately preceding the financial year in which bids are invited.	We request that collective global experience/performance of the companies having proven technologies, demonstrated in Indian conditions through government collaborations be considered eligible for this tender. This would align with the government's vision of promoting innovative and allow emerging technology firms with validated technologies to contribute to the project, fostering innovation and growth in the industry.	M/s. Nanobubbles Technology Pvt. Ltd.	Tender condition prevails.
42.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	For assessing the technical capacity of Regular and Routine works; Similar work shall mean, the completed or ongoing works in respect of "Treatment of concentrated sewage in drains / concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for	We request that the eligibility criteria for technical capacity be expanded to include advanced and emerging in-situ remediation based water treatment technologies. The technical evaluation be based on the duly validated performance certificated issued by the Central and state Government departments and research organisations during various technology validation trial projects of in-situ remediation of sewage projects undertaken in India.	M/s. Nanobubbles Technology Pvt. Ltd.	Tender condition prevails.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		continuous one year (12 months) inclusive of all seasonal conditions.”			
43.	Section 6: Instructions to Applicants - Important Directions Page No. 48	4. Notwithstanding Joint Venture is not allowed in the instance tender.	We kindly request that the client should allow consortiums or joint ventures (JVs) to qualify based on the combined experience of all JV partners. This would enable the consortium to leverage the relevant experience and capabilities of its partners to meet the eligibility criteria.	M/s. Nanobubbles Technology Pvt. Ltd.	Tender condition prevails.
44.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	For assessing the technical capacity; Similar work shall mean, the completed or on-going works in respect of "Treatment of concentrated sewage in drains / of concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and of pH levels by Bioremediation Technology for continuous one year (12 months) inclusive The of all seasonal conditions.	We request that experience of having done bioremediation work in river for 12 months shall be considered.	M/s. N. K. Shah Infraprojects	Tender condition prevails.
45.	Section 2: Eligibility Criteria	In case of ongoing works to be considered, the bidder must have received	We request that for ongoing works instead of payment of 80%, payment of 50% shall be considered	M/s. N. K. Shah Infraprojects	Tender condition is self-explanatory.

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
	B) Eligibility Criteria 1.4 Technical Capacity Ongoing Works	the payment bills of 50% of the contract sum for the work / works executed last day of the month previous to the one in which bids are invited.			
46.	Section 11 Specifications: E. Technical Specifications	Sr. No. 5: The microbial product shall be native suitable for Indian ecological system	We request that manufacturer of foreign culture should be allowed	M/s. N. K. Shah Infraprojects	Tender condition prevails
47.	Section 2: C) Eligibility Criteria- 1.1 Technical Capacity	(i) The tenderer shall be the Manufacturer of the microbial products they intend to offer for the subject work.	We request any bidder who may not have the qualification can claim the qualification by doing a technical tie up in form of MOU with the technology provider / manufacturer who have the said qualifications.	M/s. N. K. Shah Infraprojects	Tender condition prevails. Refer Corrigendum - I
48.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	For assessing the technical capacity; Similar work shall mean, the completed or on-going works in respect of "Treatment of concentrated sewage in drains / of concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and of pH levels by Bioremediation Technology for	For assessing the technical capacity; Similar work shall mean, the completed or on-going works in respect of "Treatment of concentrated sewage in river and canal work only, in respect of reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions.	M/s. Sophisticated Industrial Materials Analytic Labs Pvt. Ltd.	Tender condition prevails

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		continuous one year (12 months) inclusive The of all seasonal conditions.			
49.	Section 15: Appendix and Proforma VIII	In the current tender MCGM has asked for proforma VIII	According to tender condition, the bidder must be a manufacturer or an authorised dealer to participate in the said tender. If the bidder is not a manufacturer but an authorised dealer, then manufacturer's experience shall be considered for the bidder. It is a kind request from us that the experience certificate from the authorized dealer's manufacturer be also taken into consideration.	M/s. Sophisticated Industrial Materials Analytic Labs Pvt. Ltd.	Tender condition prevails. Refer Corrigendum - I
50.	Section 2: Eligibility Criteria C) Eligibility Criteria 1.5 Financial Capacity Turnover	Achieved an average annual financial turnover as certified by 'Chartered Accountant' equal to Rs.10.55 Cr. In last three (3) financial years immediately preceding the financial year in which bids are invited. Tender ID: 2024_MCGM_1084272_1	Kindly consider the turnover condition from prior tender (Bid No: 7200032415) Bid published on 07.06.2022 and its CORRIGENDUM & ADDENDUM IV Which was released and executed or currently under execution. In order to allow fair competition If not, it omits to specify the qualifying conditions that MCGM is using to announce the tender.	M/s. Sophisticated Industrial Materials Analytic Labs Pvt. Ltd.	Tender condition prevails
51.	Section 6: Instructions to Applicants - Important	4. Notwithstanding Joint Venture is not allowed in the instance tender.	Kindly Allow Joint Venture.	M/s. Sophisticated Industrial Materials Analytic Labs Pvt. Ltd.	Tender condition prevails

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
	Directions Page No. 48				
52.	Section 2: Eligibility Criteria D) Eligibility Criteria 1.6 Financial Capacity Turnover	Achieved an average annual financial turnover as certified by 'Chartered Accountant' equal to Rs.10.55 Cr. In last three (3) financial years immediately preceding the financial year in which bids are invited.	Kindly consider the turnover condition from prior tender (Bid No: 7200032415) Bid published on 07.06.2022 and its CORRIGENDUM & ADDENDUM - IV Which was released and executed or currently under execution. In order to allow fair competition. If not, it omits to specify the qualifying conditions that MCGM is using to announce the tender.	M/s. Vertex Engineers Pvt. Ltd.	Tender condition prevails
53.	Section 15: Appendix and Proforma - Proforma VIII	In the current tender MCGM has asked for Proforma VIII - Memorandum of Understanding between Manufacturer & Authorised Representative.	According to tender condition, the bidder must be a manufacturer or an authorised dealer to participate in the said tender. If the bidder is not a manufacturer but an authorised dealer, then manufacturer's experience shall be considered for the bidder. i.e., we humbly ask that the experience certificate from the authorized dealer's manufacturer be also taken into consideration.	M/s. Vertex Engineers Pvt. Ltd.	Tender condition prevails. Refer Corrigendum - I
54.	Section 2: A) Eligibility Criteria- 1.3 Similar Experience	Similar Experience: For assessing the technical capacity; Similar work shall mean, the completed or ongoing works in respect of "Treatment of	Similar Experience: For assessing the technical capacity; Similar work shall mean, the completed or ongoing works in respect of "Treatment of concentrated sewage in river/ sewer network/ canal in respect of	M/s. Vertex Engineers Pvt. Ltd.	Tender condition prevails

Sr. No.	Tender Clause reference	Provision in Tender Clause	Query Raised	Name of the Bidder	Response
		concentrated sewage in drains / concentrated sewage in Ponds / STPs in respect of reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions.	reduction in BOD, COD, TSS and pH levels by Bioremediation Technology for continuous one year (12 months) inclusive of all seasonal conditions.		
55.	Section 1: E-Tender Notice EMD	EMD and Estimated Cost are inclusive of GST i.e. why turnover value i.e. calculated on the inclusive cost of GST	GST should not be taken into account for assessing any financial condition, such as turnover, EMD, or solvency.	M/s. Vertex Engineers Pvt. Ltd.	Tender condition prevails

The meeting was concluded with vote of thanks to the chair.

Sd/-
U. S. Doke
A.E.Mech (S.)E.S. – I

Sd/-
D. W. Modak
A.E.Mech (S.)E.S. – II

Sd/-
K.B. Patil
A.E. (WWTF) W.S.

Sd/-
S. S. Valanju
Dy.Ch.E.(S.O.)E.S.

Sd/-
P. D. Saraf
Dy.Ch.E.(S.O.)W.S.

Sd/-
P. S. Gavali
Ch.E.(S.O.)