

# MUNICIPAL CORPORATION OF GREATER MUMBAI

## Sewerage Operation Department

No. Dy.Ch.E./S.O./P.M.S./7511/City; Dt. 08.09.2022.

### QUOTATION NOTICE

The Commissioner of MUNICIPAL CORPORATION OF GREATER MUMBAI invites the sealed quotations for the below mentioned supply-

Sr. No.	Subject	Qty.	Quotation Form Charges (Rs.)	Amount of E.M.D. (Rs.)	Due date
1	Supply of Portable Rechargeable Directional Vicinity Illumination Devices for Main Sewer & Pipe Sewer City Section of Sewerage Operation Department (11 Nos.).	11 Nos.	220.00 + 18% GST	6,000.00	26.09.2022

#### **Quotation Document:**

The blank Quotation copies will be available in the office of A.E.M.S.(W/shop)City between 11.00 a.m. to 3.00 p.m. on any working day except 2nd and 4th Saturday and Public Holidays. The last date of issue of quotation forms will be one day before the due date of the quotation.

#### **Earnest Money Deposit (EMD):**

The amount of EMD shall be paid by all the quotationer through cash. The EMD Challan shall be collected from the office and paid at any CFC centre. The copy of the receipt of EMD paid shall be submitted along with the quotation. Interested quotationer may obtain further information from the office E.E.Mech.(MS)City at following address-

**Ex. Eng. Mech. (Main Sewer) City,  
Sewerage Workshop building,  
121, Ramchandra Bhatt Marg,  
Opp. J. J. Hospital, Mumbai-400 009.  
Ph.:23738948 / 23738951.**

#### **Post Qualification Criteria (POC):**

1. The quotationer shall be either Manufacturer / Authorized Dealer of Manufacturer of Portable Rechargeable Directional Vicinity Illumination Device. If the quotationer is authorized dealer of manufacturer, they shall submit Letter of Authorization from manufacturer.
2. The quotationer should have supplied Portable Rechargeable Directional Vicinity Illumination Devices / Portable Flood Lights in any Govt. / Semi Govt. / Municipal Body in India. The quotationer shall submit Completion Certificate / Purchase Order along with their offer failing which their offer shall be treated as Non-Responsive.

3. The quotationer shall also submit sample of Portable Rechargeable Directional Vicinity Illumination Device of similar capacity and technical specifications along with manufacturer's specifications brochure at the time of submitting quotation. If the sample of Portable Rechargeable Directional Vicinity Illumination Device is not submitted at the time of submitting quotation OR if the submitted sample of Portable Rechargeable Directional Vicinity Illumination Device do not confirm with the Technical Specifications of quotation, the offer of the quotationer shall be treated as Non-Responsive and their offer shall not be opened.

The quotation shall be submitted in the office of A.E.M.S.(W/Shop) City before 3.00 P.M. on due date. The quotation will be opened on same day after 3.00 p.m. The quotation copies shall not be sent or received by post. The quotations will be opened in front of the quotationer who wishes to attend. If the office happens to be closed on the due date, the quotations will be received and opened on the next working day at the same time and venue.

**Sd/-**  
**A.E.M.S.(Workshop)**