

BRIHANMUMBAI MAHANAGARPALIKA

GARDEN & TREE AUTHORITY DEPARTMENT



**HORTICULTURE DEVELOPMENT, MAINTENANCE, GARDEN MATERIALS AND TREE PRESERVATION
& PROTECTION WORKS**

USOR - 2023

Office of Supdt. Of Gardens & Tree Authority
2nd Floor, Humbolt Penguin Building
Veer mata Jijabai Bhosale Vanspati Udyan & Zoo
Dr. Babasaheb Ambedkar Road,
Byculla, (East), Mumbai-400027.

BRIHANMUMBAI MAHANAGARPALIKA**GARDEN & TREE AUTHORITY DEPARTMENT**

| Sr. No. | Particulars | Page No. |
|----------------|--|-----------------|
| 1 | Horticulture Development and Maintenance of Lawn/Shrubs/Hedges etc.In Gardens/RG/PG/Traffic Islands/Central Medians etc. | 03 to 13 |
| 2 | Supply of Material i.e. Soil/Manure/Plants/Machineries/Irrigation System Items etc. | 13 to 79 |
| 3 | Tree Preservation and Protection works i.e. rates for trimming/cutting/Transplanting of Trees/Applying pesticides, fungicides/Lifting of Unclaimed tree cutting etc. | 79 to 84 |

BRIHANMUMBAI MUNICIPAL CORPORATION

1. HORTICULTURE DEVELOPMENT AND MAINTENANCE SCHEDULE

| Sr. No. | Item No | Short Description | UNIT | Rates | Long Description |
|----------------------------------|-------------|---|------|-------|---|
| CHAPTER-1 SOFTSCAPE WORKS | | | | | |
| 1 | R3-GW-1-5-A | Excavation for Planting of Tree on Soft Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum. | NOS | 420 | Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum. Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge |
| 2 | R3-GW-1-5-B | Excavation for Planting of Tree on Hard Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath | NOS | 552 | Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath, Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge |
| 3 | R3-GW-1-5-C | Excavation for Planting of Tree on Soft Surface for Afforestation – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum. | NOS | 330 | Digging of Pit having size 1Mtr.x 1Mtr.x 1Mtr. on soft surface like soil, Murum. Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge |
| 4 | R3-GW-6-1 | Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Soft Surface – Digging of Soft surface up to 30 Cm. Depth and removal of excavated material from site by contractor. | SqM | 179 | Excavation of soft Top soil like murum or infertile soil / debris up to 30 Cm. Depth, Removal of 30 cm top layer and transportation of excavated material to place as instructed by Engineer-in-Charge |
| 5 | R3-GW-6-2 | Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Hard Surface – Digging of Hard surface like concrete, tar, Paved area up to 30 Cm. Depth and removal of excavated material from site by contractor. | SqM | 219 | Excavation of Hard surface like concrete / tar up to 30 Cm. Depth, Removal of 30 cm top layer and transportation of excavated material tp place as instructed by Engineer-in-Charge |

| | | | | | |
|----------------------------------|---------------|--|-----|-----|---|
| 6 | R3-GW-6-3 | Restoration of soil – Excavation of Top soil up to 30 Cm. Depth in existing Gardens , Removal of 15 cm unwanted soil and restore 15 cm Good quality top soil along with 15 cm new RHE , CDM in 2:1 proportion at site as directed by site incharge. | Sqm | 371 | Digging up to 30 cm depth on existing garden soil, Removal of 15 cm top layer of infertile soil and restore 15 cm fertile soil alongwith 15 cm new RHE , CDM in 2:1 proportion at site as directed by site incharge. Loading and unloading and Transporting Ex |
| CHAPTER-2 SOFTSCAPE WORKS | | | | | |
| 7 | R3-GW-2-1-A-9 | Planting of lawn- Laying of Carpet lawn (zoysia / American / mexican/ korean carpet) | SQM | 234 | Carpet lawn should be free from weeds pathogens , compact, root should be healthy , undamaged laying on prepared ground uniformly , as instructed by site incharge watering immediately after laying and maintenance till settlement of lawn. |
| 8 | R3-GW-2-3-B | Preperation of Mound for planting of lawn/shrubs/ ground cover/ creeper/ climbers - Suply and Spreading of Red Hill Earth and Cow Dung Mannure in 2:1 Proportion up to 60 cm. Depth at centre and 30 cm depth at sideline of mound. (excluding cost of Lawn/shrubs/ ground cover/ creeper/ climbers .) | CUM | 144 | Preparation of mound as per the suitable design according to landscape of garden by supply of RHE and CDM Mixing of RHE and CDM in 2:1 proportion with Pesticides & fungicides as instructed by the site incharge 2 Ft Depth at Centre & 1 Ft Depth at sidle |
| 9 | R3-GW-2-4-E | Planting of shrubs/ creeper/ climbers/ ground Covers on Prepared Ground excluding cost of plants | SQM | 47 | Digging of Hole in a prepared ground ,Removal of shrub from pollybag without disturbing rootball and planting and resurfacing of planted area by Soil and manure as directed by site incharge. Maintenance of newly planted shrubs for one month and Filling |
| 10 | R3-GW-2-8-D | Maintenance of Newly planted Trees Excluding cost of water | NOS | 132 | Watering of tree @12 Lit. Per tree . Weeding, application of Fertilizers and pesticide as and when required,loosening of soil for maintaining the porosity , stacking of tree. Removal of lower side shoots time to time for proper growth of the tree. If any casualty found same should be replaced without extra cost. Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. Item should be operated wherever water supply is available through BMC. |
| 11 | R3-GW-7-1 | Preperation of ground for planting of lawn/shrubs/ ground cover/ creeper/ climbers - Suply and Spreading of Red Hill Earth and Cow Dung Mannure in 2:1 Proportion up to 30 cm. Depth (excluding cost of Lawn/shrubs/ ground cover/ creeper/ climbers .) | SqM | 480 | Supply and Spreading of Red Hill Earth and Cow Dung Manure in 2:1 Proportion up to 30 cm. Depth. Application of suitable pesticides and fungicides with RHE and CDM. |

| | | | | | |
|----|------------|--|------|------|---|
| 12 | R3-GW-7-2 | Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers excluding cost of water :- Mixing and leveling of Mixture of Red hill earth and cow dung manure 5000 Sq. Mtr. Area , Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month .(Excluding Cost of lawn/ shrubs/ creepers/ climbers/ ground covers) excluding cost of water. [Excluding cost of water] | SqM | 13 | Mixing and levelling of RHD and CDM , watering of levelled land till 30 days, weeding at every 10 days interval, such 3 weeding should be done , rolling after each weeding , application of fertilizers , pesticides, fungicides, and weediides as directed by site incharge. |
| 13 | R3-GW-7-3 | Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers including cost of water :- Mixing and leveling of Mixture of Red hill earth and cow dung manure , Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month . (Excluding Cost of lawn/ shrubs/ creepers/ climbers/ ground covers) [Including cost of water] | SqM | 26 | Mixing of RHE and CDM, crushing of mucks of RHE CDM , leveing of flat surface / mound at proper level, watering daily , weeding at every 10 days interval such 3 weeding should be done , rolling after each weeding , application of weedicides if required,application of fertilizers , pesticides, fungicides, and weedicides as directed by site incharge. |
| 14 | R3-GW-7-5 | Planting of Phosphulum / Saint Augustin lawn- Planting of lawn by dibbling method on Prepared ground (saint augustin lawn) | SqM | 266 | Planting of lawn by dibbling method i.e. 7 kg per sq. Mt. Watering of lawn immediately after planting of lawn. Should be maintain and water the lawn @ of 6 lit per Sq. Mtr. up to 60 days free of cost , Filling of casualty up to 30 days , lawn must be covers entire area within 60 days , if any gaps it should be filled and lawn should be maintained till completely cover the area free of cost. |
| 15 | R3-GW-7-9 | Supply and stacking of Red Hill Earth | CuM. | 1298 | Red hill earth should be fresh from quarry free from weeds, stones , rubbish like dry grass and other material, reddish in colour, should be well sieved 90% to pass through I.S. sieve of 10 mm. Size. |
| 16 | R3-GW-7-10 | Supply and stacking of Cow dung Manure | CuM. | 1298 | It should be well rotten and free from undecomposed grass (Husk/Grass) Dark Brownish to stint black in colour having 25% Moisture. |

| | | | | | |
|----|------------|--|------|------|--|
| 17 | R3-GW-7-11 | Supply and Spreading of Red Hill Earth | CuM. | 1590 | Red hill earth should be fresh from quarry free from weeds, stones , rubbish like dry grass and other material, reddish in colour, should be well sieved 90% to pass through I.S. sieve of 10 mm. Size. Spreading of Red Hill Earth at site as directed by site incharge. |
| 18 | R3-GW-7-12 | Supply and Spreading of Cow Dung Manure | CuM. | 1590 | It should be well rotten and free from undecomposed grass (Husk/Grass) Dark Brownish to stint black in colour having 25% Moisture. Spreading of Cow dung manure at site as directed by site incharge. |
| 19 | R3-GW-7-6 | Providng , Fixing and Preperation of Vertical biowall frame with black planters on prepared steel frame or any other metallic frame –Fixing of Vertical Biowall frame on prepared steel or any other metallic frame or wall having black colour planters Filling of Vermicompost and Cocopeat in Planters in 1:1 proportion and pant a Shrub/Creeper/ Climbers. Excluding Cost of plant and excluding cost of steel or metallic frame on which biowall tobe install. | Sqm | 1465 | Providing and fixing of colourful vertical biowall planters having 15 cm size with clips with on prefixed metallic frame . Minimum 9 planters per sq.mtr. Filling of fixed vertical biowall with Cocopit and vermicompost at 1:1 proportion , planting of shrubs / plants as suggested by site incharge. Watering immediately after planting . Should be maintain and water @ of 6 lit per Sq.Mtr. up to 60 days free of cost , Filling of casualty up to 30 days. |
| 20 | R3-GW-7-13 | Preperation of Pit and Planting of Tree In Escavated Pit hard surface – Filling of Excavatied Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and preperation of Tree Basin for proper Irrigation . Excluding cost of Tree. | Nos | 1417 | Felling of Excavated pit by Fresh RHE and CDM in 2:1 proportion , well mixing of RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost. |
| 21 | R3-GW-7-14 | Preperation of Pit and Planting of Tree In Escavated Pit Soft surface – Filling of Escavatied Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Escavated soil, Red Hill Earth and Cow Dung Mannure in 1:1:1 proportion and pant a tree with Stacking and preperation of Tree Basin for proper Irrigation. Excluding cost of Tree. | Nos | 976 | Felling of Excavated pit by Excavated soil , RHE and CDM in 1:1:1 proportion , well mixing of Excavated soil RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost. |

| | | | | | |
|----|------------|--|-----------|--------|---|
| 22 | R3-GW-7-15 | Preparation of Pit and Planting of Tree In Excavated Pit for afforestation – Filling of Escavated Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and preparation of Tree Basin for proper Irrigation. Excluding cost of Tree. | Nos | 695 | Felling of Excavated pit by Excavated soil , RHE and CDM in 1:1:1 proportion , well mixing of Excavated soil RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost. |
| 23 | R3-GW-7-16 | Providing and Fixing of Readymade High Density Polyethylene(HDPE) Vermibed of 450 GSMVermibed in Gardens having size 12ft.x4ft.x2ft | No. | 2345 | Vermibed made from HDPE material should be 450 GSM having size 12 Ft x 4 ft x 2 ft. (1000KG capacity) , Fixing of Bed on flat surface by bamboos. Should be proper rectangular shape |
| 24 | R3-GW-7-18 | Providing and Fixing of Shreading machine of 5 HP Motor (2 phase or 3 Phase) for shreading of garden waste in Gardens | No. | 168843 | shredding machine with 3 phase 5 Horse Power motor , starter, reverse gear having drum diameter 500 mm x 300 mm. Fixing of machine at designated place with wiring up to 50 to 75 mtr. Distance , fixing of control panel at suitable location. |
| 25 | R3-GW-7-20 | Maintenance of Vertical biowall Including cost of Water | SqM/Month | 88 | Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants immediately if noticed without extra cost .(cost of water excluded in item) |
| 26 | R3-GW-7-21 | Maintenance of Vertical biowall Excluding cost of Water | SqM/Month | 67 | Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants immediately if noticed without extra cost .(cost of water included in item) |

| | | | | | |
|------------------|------------|---|-----------------------|------|--|
| 27 | R3-GW-7-24 | Maintenance of Newly planted Trees Including cost of water. | No. of tree per month | 179 | Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants imidietly if noticed without extra cost .(cost of water included in item)Item should be operated for first two years only |
| 28 | R3-GW-7-26 | Operation and Maintenance of composting / vermicomposting bed Excluding cost of water | No. of bed per month | 1246 | 2 inch alternate Layering of shreaded green waste and cowdung manure in vermicomposting pit, proving earth worm of suitable species, watering to vermibed 20 lit per day. Cycle should be completed in 45 days, 2.71842 cubic mtr vermicampost must be generated from each vermibed at every 45 days cycle such minimum 4 cycle should be completed in a year (Excluding cost of water) |
| 29 | R3-GW-7-27 | Operation and Maintenance of composting / vermicomposting bed Including cost of water | No. of bed per month | 1334 | 2 inch alternate Layering of shredded green waste and cowdung manure in vermicomposting pit, providing earth worm of suitable species, watering to vermibed 20 lit per day. Cycle should be completed in 45 days, 2.71842 cubic mtr vermicompost must be generated from each vermibed at every 45 days cycle such minimum 4 cycle should be completed in a year (Cost of water included in item) |
| 30 | R3-GW-7-29 | Maintenance of Open Gym Apparatus , Play apparatus | No. per month | 139 | Oiling, greasing, Minor repair such as replacing bearing, minor welding , replacing rubber belt etc. of apparatus and smooth working of each part apparatus Till declared as non working or non operation not fit and safe for use / fit to discard by Site in charge or concern authority. |
| 31 | R3-GW-7-30 | Cleaning of Urinal & Toilet Block | per month/ seat | 1948 | Washing of urinal, platform and entire area of urinal seat by using detergent , anti bacterial chemicals and acids . Keep soap for washing of hands of users. Area should be free from toxic odour. Use room freshener if required. |
| New Items | | | | | |

| | | | | | |
|----|------------|---|----------|-----|--|
| 32 | R3-GW-7-36 | Maintenance of greenery in central divider / Traffic is-land/ Strip Garden/ greenery, excluding cost of water. | Sq. Mtr. | 32 | Maintenance of Lawn,shrubs,creepers,climbers,topiary and all greenery excluding tree variety by watering,prunning, and shapping as instructed by site incharge,, keeping greenery weed free, disease free, healthy, daily watering by watering avaiable at site by Municipal or supply from any other ready sources like well , bore well fround water etc. at the rate of 6 lit/sq mtr. .Application of weedicides, pesticides, fungicides as when required and as instructed by site incharge, keeping softscape Rhodent free applying suitable chemical for rhodents.Top dressing upto 5 cm twice in a year with mixture of RHE and CDM in 2:1 proportion. Cost of water excluded. Item should be operated where no protection arrangement require. |
| 33 | R3-GW-7-37 | Maintenance of greenery in Central median/ Road Devider/ Traffic is-lands/ Strip Garden / greenery, including cost of water | Sq. Mtr | 51 | Maintenance of Lawn,shrubs,creepers,climbers,topiary and all greenery excluding tree variety by watering,prunning, and shaping as instructed by site incharge,, keeping greenery weed free, disease free, healthy, daily watering at the rate of 6 lit/sq mtr. .Application of weedicides, pesticides, fungicides as when required and as instructed by site incharge, keeping softscape Rhodent free applying suitable chemical for rhodents. Top dressing upto 5 cm twice in a year with mixture of RHE and CDM in 2:1 proportion. Cost of water included considering 8 month watering daily @ of 6 Lit/ Sq. Mtr. Excluding monsoon period,Water arrangement should be made by contractor. For bellow fly over garden indoor gardens water supply from other item should be operate for 4 month of monsoon period . Item should be operated where no protection arrangement require. |
| 34 | R3-GW-7-38 | Maintenance of Electric fixtures in Garden | No/Month | 139 | Repair and Maintenance of ornamental Light fixtures including replacement of non working existing Lights bulbs, Tubes, Halogen, LED lights , Repair to minor defective wiring work , Fuse & Other electric features related to working of Lights Pole in Garden. |

| | | | | | |
|----|------------|--|-------------------|-------|---|
| 35 | R3-GW-7-39 | Protection and Maintenance of Garden excluding cost of water up to area 500 SqM Area | No/ Month | 13990 | Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seatings,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water not considered hence item should be operated wherever BMC water supply or groundwater or any other water availability like pond /water stream is available) |
| 36 | R3-GW-7-40 | Lead for Every Sq. Mtr of Garden for Protection and Maintenance of Garden excluding cost of water above 500 Sq mtr | Per Sq. Mt/ Month | 28 | Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seating,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water not considered hence item should be operated wherever BMC water supply or groundwater or any other water availability like pond /water stream is available) |

| | | | | | |
|----|------------|--|-----------------------|-------|--|
| 37 | R3-GW-7-41 | Protection and Maintenance of Garden including cost of water up to area 500 SqM Area | Per Month | 23836 | Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seating,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water considered for eight months excluding monsoon period) |
| 38 | R3-GW-7-42 | Lead for every Sq. Mtr of Garden for Protection and Maintenance of Garden including cost of water above 500 Sq mtr | Per Sq. Mtr per Month | 48 | Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seatings,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman / care taker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water considered for eight months excluding monsoon period) |

| | | | | | |
|----|------------|---|-----------------------|------|--|
| 39 | R3-GW-7-43 | Protection and Maintenance of Open Ground / Playground up to area 500 SqM Area | Per Month | 4230 | Protection & Maintenance of Open Ground by sweeping , removal of rank vegetation by Weeding during Monsoon period , Removal of scattered stone regularly , Top Dressing with fine RHE @ 5 cm Depth twice in a year or @ 10 cm once in year Protecting Plot Round the clock by chowkidar/ Watchman that includes protecting from unauthorized encroachment , opening and closing of Ground , protecting all features which may damage by antisocial elements & from theft of any feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge. |
| 40 | R3-GW-7-44 | Lead for Every Sq. Mtr of Open Ground / Play Ground for Protection and Maintenance of Ground excluding cost of water above 500 Sq mtr | Per Sq. Mtr per Month | 8 | Protection & Maintenance of Open Ground by sweeping , removal of rank vegetation by Weeding during Monsoon period , Removal of scattered stone regularly , Top Dressing with fine RHE @ 5 cm Depth twice in a year or @ 10 cm once in year Protecting Plot Round the clock by chowkidar/ Watchman that includes protecting from unauthorized encroachment , opening and closing of Ground , protecting all features which may damage by antisocial elements & from theft of any feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge. |
| 41 | R3-GW-7-45 | * Watering to play ground as & when required including water cost upto 500 Sq.Mtr. Area | No. | 660 | sprinkling of water on the playground surface @ 3 lit per sqm as per site condition or as instructed by the site incharge. |
| 42 | R3-GW-7-46 | * Lead For Watering to Playground for Each Sq. Mtr. Above 500 Sq. Mtr. | Sq. Mtr | 1.32 | sprinkling of water on the playground surface @ 3 lit per sqm as per site condition or as instructed by the site incharge. |
| 43 | R3-GW-7-47 | Preparation of Pit and planting of tree in excavated pit for afforestation by Miyawaki method. | Sq. Mtr | 1695 | Preparation of Pit and planting of tree in excavated pit for afforestation by Miyawaki method- Excavation for planting of tree on soft surface to the depth of 1 Mtr on soft surface. Filling of excavated pit having 1 Mtr X1 Mtr X1 Mtr size with Red Hill earth and Cow Dung Manure in 2:1 prportion and 10 kg paddy husk , 1 Lit Jivamrut per square meter and plant a tree with staking and maintenance till one month.(Excluding Plants) |

| | | | | | |
|----|------------|---|-----------|----|---|
| 44 | R3-GW-7-48 | Maintenance of trees planted by Miyawaki Method including cost of water by watering daily, stacking as and when require, filling casuality. | sqm/month | 42 | Maintenance of trees planted by Miyawaki Method including cost of water by watering daily, stacking as and when require, filling casuality. Basic unit 1500 Sq.mtr per year |
|----|------------|---|-----------|----|---|

2. MATERIAL

| Sr. No. | Item No | Short Description | UNIT | Rates | Long Description |
|---------|-------------|---|------|-------|---|
| 45 | R3-GW-3-1-C | Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm | Kg | 69 | Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm |
| 46 | R3-GW-3-1-D | Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm | Kg | 63 | Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm |
| 47 | R3-GW-3-1-E | Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying | Kg | 63 | Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying |
| 48 | R3-GW-3-1-F | Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm. | Kg | 63 | Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm. |
| 49 | R3-GW-3-1-G | Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm | Kg | 63 | Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm |
| 50 | R3-GW-3-1-H | Providing and laying Polished White Pebbles of size 75mm to 125mm laying in 3 layers | Kg | 184 | Providing and laying Polished White Pebbles of size 75mm to 125mm laying in 3 layers |

| | | | | | |
|----|-------------|--|-----|-----|--|
| 51 | R3-GW-3-1-I | Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm laying in 3 layers | Kg | 207 | Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm laying in 3 layers |
| 52 | R3-GW-4-1-A | POLY TUBE 16 MM.RD. CL III AS PER IS:12786 | MTR | 21 | POLY TUBE 16 MM.RD. CL III AS PER IS:12786 |
| 53 | R3-GW-4-1-B | POLY TUBE 20 MM. RD. CL III AS PER IS:12786 | MTR | 36 | POLY TUBE 20 MM. RD. CL III AS PER IS:12786 |
| 54 | R3-GW-4-1-C | POLY TUBE 25 MM. RD.CL III AS PER IS:12786 | MTR | 43 | POLY TUBE 25 MM. RD.CL III AS PER IS:12786 |
| 55 | R3-GW-4-1-D | POLY TUBE 32 MM. RD.CL III AS PER IS:12786 | MTR | 55 | POLY TUBE 32 MM. RD.CL III AS PER IS:12786 |
| 56 | R3-GW-4-1-E | LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM. | MTR | 14 | LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM. |
| 57 | R3-GW-4-1-F | LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM. | MTR | 15 | LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM. |
| 58 | R3-GW-4-2-A | IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488 | MTR | 25 | IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488 |

| | | | | | |
|----|-------------|---|---------|-----|---|
| 59 | R3-GW-4-2-B | IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488 | MTR | 24 | IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488 |
| 60 | R3-GW-4-2-C | IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488 | MTR | 23 | IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488 |
| 61 | R3-GW-4-2-D | DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487 | NOS | 8 | DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487 |
| 62 | R3-GW-4-2-E | DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487 | NOS | 7 | DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487 |
| 63 | R3-GW-4-2-F | Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes With 3 year warranty . Excluding Pumping Unit | Sq. MTR | 241 | Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , roviding and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes With 3 year warranty. Excluding pumping system only. |
| 64 | R3-GW-4-2-G | Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. To 3000 Sq Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit | Sq. MTR | 279 | Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. To 3000 Sq Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty, Excluding pumping system only. |
| 65 | R3-GW-4-2-H | Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area above 3000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit | Sq. MTR | 332 | Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only with 1 year gauranty. |

| | | | | | |
|----|-------------|---|---------|------|---|
| 66 | R3-GW-4-2-I | Providing and Fixing , Installation of Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit | Sq. MTR | 1463 | Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Providing and Fixing, Installation of Drip and Fogger Irrigation system To Verticle biowall/Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding pumping system only. |
| 67 | R3-GW-4-2-J | Providing and Fixing , Installation of Automised Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit | Sq. MTR | 1729 | Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Providing and Fixing , Installation of Automised Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty Excluding pumping system only. |
| 68 | R3-GW-4-3-A | FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH. | NOS | 329 | FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH. |
| 69 | R3-GW-4-3-B | FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH. | NOS | 235 | FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH. |
| 70 | R3-GW-4-3-C | FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH. | NOS | 110 | FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH. |
| 71 | R3-GW-4-4-A | BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM | NOS | 188 | BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM |
| 72 | R3-GW-4-4-B | MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400 | NOS | 392 | MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400 |

| | | | | | |
|----|-------------|---|-----|------|---|
| 73 | R3-GW-4-4-C | TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F | NOS | 407 | TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F |
| 74 | R3-GW-4-4-D | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI | NOS | 705 | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI |
| 75 | R3-GW-4-4-E | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8 | NOS | 705 | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8 |
| 76 | R3-GW-4-4-F | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI | NOS | 1801 | LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI |
| 77 | R3-GW-4-5-A | FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT | NOS | 260 | FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT |
| 78 | R3-GW-4-5-B | SS 304 FRAMED MESH COVER | NOS | 392 | SS 304 FRAMED MESH COVER |
| 79 | R3-GW-4-6-A | 32MM. COMPRESSION JOINER | NOS | 16 | 32MM. COMPRESSION JOINER |
| 80 | R3-GW-4-6-B | 32MM. COMPRESSION TEE | NOS | 19 | 32MM. COMPRESSION TEE |

| | | | | | |
|----|-------------|---|-----|------|---|
| 81 | R3-GW-4-6-C | 32MM. COMPRESSION END | NOS | 14 | 32MM. COMPRESSION END |
| 82 | R3-GW-4-6-D | 25MM. COMPRESSION JOINER | NOS | 13 | 25MM. COMPRESSION JOINER |
| 83 | R3-GW-4-6-E | 25MM. COMPRESSION TEE | NOS | 14 | 25MM. COMPRESSION TEE |
| 84 | R3-GW-4-6-G | 25 MM. COMPRESSION END | NOS | 11 | 25 MM. COMPRESSION END |
| 85 | R3-GW-4-6-H | 40MM. COMPRESSION JOINER | NOS | 23 | 40MM. COMPRESSION JOINER |
| 86 | R3-GW-4-6-I | 40MM. COMPRESSION TEE | NOS | 31 | 40MM. COMPRESSION TEE |
| 87 | R3-GW-4-6-J | 40MM. COMPRESSION END | NOS | 22 | 40MM. COMPRESSION END |
| 88 | R3-GW-4-6-K | SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785 | NOS | 7125 | SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785 |

| | | | | | |
|----|-------------|---|-----|-------|---|
| 89 | R3-GW-4-6-L | SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785 | NOS | 8237 | SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785 |
| 90 | R3-GW-4-6-M | SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785 | NOS | 11870 | SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785 |
| 91 | R3-GW-4-6-N | PRESSURE GAUGE 2" GLY. FILLED | NOS | 548 | PRESSURE GAUGE 2" GLY. FILLED |
| 92 | R3-GW-4-7-A | MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI | NOS | 48566 | MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI |
| 93 | R3-GW-4-7-B | MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI | NOS | 38918 | MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI |
| 94 | R3-GW-4-7-C | MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI | NOS | 51127 | MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI |
| 95 | R3-GW-4-7-D | MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI | NOS | 38915 | MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI |
| 96 | R3-GW-4-7-E | MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI | NOS | 48655 | MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI |

| | | | | | |
|-----|-------------|---|-----|-------|---|
| 97 | R3-GW-4-7-G | MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA | NOS | 51127 | MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA |
| 98 | R3-GW-4-7-H | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606 | NOS | 48938 | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606 |
| 99 | R3-GW-4-7-I | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606 | NOS | 62302 | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606 |
| 100 | R3-GW-4-7-J | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606 | NOS | 66649 | MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606 |
| 101 | R3-GW-4-8-A | CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF | NOS | 2631 | CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF |
| 102 | R3-GW-4-8-B | CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF | NOS | 2631 | CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF |
| 103 | R3-GW-4-8-C | IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H | NOS | 877 | IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H |
| 104 | R3-GW-4-8-D | LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN | NOS | 9333 | LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN |

| | | | | | |
|-----|-------------|---|-----|-------|---|
| 105 | R3-GW-4-8-E | BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO | NOS | 13969 | BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO |
| 106 | R3-GW-4-8-G | 2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI | NOS | 1954 | 2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI |
| 107 | R3-GW-4-8-H | 4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED | NOS | 2474 | 4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED |
| 108 | R3-GW-4-8-I | PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA | NOS | 1018 | PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA |
| 109 | R3-GW-4-8-J | PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL | NOS | 1300 | PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL |
| 110 | R3-GW-4-8-K | 1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. | NOS | 2114 | 1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. |
| 111 | R3-GW-4-8-L | 2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. | NOS | 8237 | 2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. |
| 112 | R3-GW-4-8-M | 4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. | NOS | 31713 | 4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC. |

| | | | | | |
|-----|-------------|---|-----|-------|---|
| 113 | R3-GW-4-8-N | COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA | NOS | 39805 | COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA |
| 114 | R3-GW-4-9-A | UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF. | MTR | 67 | UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF. |
| 115 | R3-GW-4-9-B | UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF. | MTR | 104 | UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF. |
| 116 | R3-GW-4-9-C | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF. | MTR | 94 | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF. |
| 117 | R3-GW-4-9-D | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF. | MTR | 118 | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF. |
| 118 | R3-GW-4-9-E | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF. | MTR | 161 | UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF. |
| 119 | R3-GW-4-9-F | UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF. | MTR | 156 | UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF. |
| 120 | R3-GW-4-9-G | UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF. | MTR | 225 | UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF. |
| 121 | R3-GW-4-9-H | UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF. | MTR | 238 | UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF. |
| 122 | R3-GW-4-9-I | UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF. | MTR | 217 | UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF. |

| | | | | | |
|-----|---------------|--|-----|-----|--|
| 123 | R3-GW-4-9-J | UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF. | MTR | 306 | UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF. |
| 124 | R3-GW-4-9-K | UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF. | MTR | 340 | UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF. |
| 125 | R3-GW-4-9-L | UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF. | MTR | 308 | UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF. |
| 126 | R3-GW-4-9-M | UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF. | MTR | 437 | UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF. |
| 127 | R3-GW-4-9-N | UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF. | MTR | 487 | UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF. |
| 128 | R3-GW-4-9-O | UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF. | MTR | 447 | UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF. |
| 129 | R3-GW-4-9-P | UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF. | MTR | 624 | UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF. |
| 130 | R3-GW-4-9-Q | UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF. | MTR | 727 | UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF. |
| 131 | R3-GW-4-10-A | ELBOW 50 MM | NOS | 70 | ELBOW 50 MM |
| 132 | R3-GW-4-10-AA | SERVICE SADDLE 90 MM. | NOS | 235 | SERVICE SADDLE 90 MM. |

| | | | | | |
|-----|---------------|---------------------------------------|-----|-----|---------------------------------------|
| 133 | R3-GW-4-10-AB | TAIL PIECE WITH FLANGE 110MM. 10KGF. | NOS | 611 | TAIL PIECE WITH FLANGE 110MM. 10KGF. |
| 134 | R3-GW-4-10-AC | TAIL PIECE WITH FLANGE 90MM. 10KGF. | NOS | 485 | TAIL PIECE WITH FLANGE 90MM. 10KGF. |
| 135 | R3-GW-4-10-AD | TAIL PIECE WITH FLANGE 75MM. 10KGF. | NOS | 451 | TAIL PIECE WITH FLANGE 75MM. 10KGF. |
| 136 | R3-GW-4-10-AE | TAIL PIECE WITH FLANGE 63 MM. 10 KGF. | NOS | 388 | TAIL PIECE WITH FLANGE 63 MM. 10 KGF. |
| 137 | R3-GW-4-10-B | ELBOW 63 MM | NOS | 102 | ELBOW 63 MM |
| 138 | R3-GW-4-10-C | ELBOW 75 MM | NOS | 117 | ELBOW 75 MM |
| 139 | R3-GW-4-10-D | ELBOW 90 MM | NOS | 180 | ELBOW 90 MM |
| 140 | R3-GW-4-10-E | ELBOW 110 MM | NOS | 267 | ELBOW 110 MM |
| 141 | R3-GW-4-10-F | TEE 50 MM | NOS | 70 | TEE 50 MM |
| 142 | R3-GW-4-10-G | TEE 63 MM | NOS | 97 | TEE 63 MM |

| | | | | | |
|-----|--------------|----------------|-----|-----|----------------|
| 143 | R3-GW-4-10-H | TEE75 MM | NOS | 125 | TEE75 MM |
| 144 | R3-GW-4-10-I | TEE 90 MM | NOS | 205 | TEE 90 MM |
| 145 | R3-GW-4-10-J | TEE 110 MM | NOS | 352 | TEE 110 MM |
| 146 | R3-GW-4-10-K | END CAP 50 MM | NOS | 25 | END CAP 50 MM |
| 147 | R3-GW-4-10-L | END CAP 63 MM | NOS | 39 | END CAP 63 MM |
| 148 | R3-GW-4-10-M | END CAP 75 MM | NOS | 55 | END CAP 75 MM |
| 149 | R3-GW-4-10-N | END CAP 90 MM | NOS | 81 | END CAP 90 MM |
| 150 | R3-GW-4-10-O | COUPLER 50 MM. | NOS | 31 | COUPLER 50 MM. |
| 151 | R3-GW-4-10-P | COUPLER 63 MM. | NOS | 42 | COUPLER 63 MM. |
| 152 | R3-GW-4-10-Q | COUPLER 75 MM. | NOS | 55 | COUPLER 75 MM. |

| | | | | | |
|-----|--------------|---|-----|-----|---|
| 153 | R3-GW-4-10-R | COUPLER 90 MM. | NOS | 88 | COUPLER 90 MM. |
| 154 | R3-GW-4-10-S | COUPLER 110 MM. | NOS | 149 | COUPLER 110 MM. |
| 155 | R3-GW-4-10-T | REDUCER 110 X 90 MM. | NOS | 139 | REDUCER 110 X 90 MM. |
| 156 | R3-GW-4-10-U | REDUCER 90X 75 MM. | NOS | 83 | REDUCER 90X 75 MM. |
| 157 | R3-GW-4-10-V | REDUCER 75X 63 MM. | NOS | 61 | REDUCER 75X 63 MM. |
| 158 | R3-GW-4-10-W | REDUCER 63X50 MM. | NOS | 50 | REDUCER 63X50 MM. |
| 159 | R3-GW-4-10-X | SERVICE SADDLE 50 MM. | NOS | 172 | SERVICE SADDLE 50 MM. |
| 160 | R3-GW-4-10-Y | SERVICE SADDLE 63 MM. | NOS | 188 | SERVICE SADDLE 63 MM. |
| 161 | R3-GW-4-10-Z | SERVICE SADDLE 75 MM. | NOS | 219 | SERVICE SADDLE 75 MM. |
| 162 | R3-GW-4-11-A | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF. | MTR | 139 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF. |

| | | | | | |
|-----|--------------|--|-----|-----|--|
| 163 | R3-GW-4-11-B | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF. | MTR | 179 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF. |
| 164 | R3-GW-4-11-C | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF. | MTR | 211 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF. |
| 165 | R3-GW-4-11-D | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF. | MTR | 218 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF. |
| 166 | R3-GW-4-11-E | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF. | MTR | 277 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF. |
| 167 | R3-GW-4-11-F | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF. | MTR | 334 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF. |
| 168 | R3-GW-4-11-G | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF. | MTR | 310 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF. |
| 169 | R3-GW-4-11-H | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF. | MTR | 392 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF. |
| 170 | R3-GW-4-11-I | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF. | MTR | 471 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF. |
| 171 | R3-GW-4-11-J | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF. | MTR | 440 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF. |
| 172 | R3-GW-4-11-K | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF. | MTR | 561 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF. |
| 173 | R3-GW-4-11-L | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF. | MTR | 673 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF. |

| | | | | | |
|-----|--------------|--|-----|------|--|
| 174 | R3-GW-4-11-M | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF. | MTR | 659 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF. |
| 175 | R3-GW-4-11-N | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF. | MTR | 838 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF. |
| 176 | R3-GW-4-11-O | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF. | MTR | 998 | HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF. |
| 177 | R3-GW-4-12-D | QRC HDPE 63MM. SERVICE SADDLE | NOS | 235 | QRC HDPE 63MM. SERVICE SADDLE |
| 178 | R3-GW-4-12-E | QRC HDPE 75MM. SERVICE SADDLE | NOS | 251 | QRC HDPE 75MM. SERVICE SADDLE |
| 179 | R3-GW-4-12-F | QRC HDPE 90MM. SERVICE SADDLE | NOS | 313 | QRC HDPE 90MM. SERVICE SADDLE |
| 180 | R3-GW-4-12-G | QRC HDPE PUMP CONNECTING NIPPLE 63 MM | NOS | 548 | QRC HDPE PUMP CONNECTING NIPPLE 63 MM |
| 181 | R3-GW-4-12-H | QRC HDPE PUMP CONNECTING NIPPLE 75 MM | NOS | 626 | QRC HDPE PUMP CONNECTING NIPPLE 75 MM |
| 182 | R3-GW-4-12-I | QRC HDPE PUMP CONNECTING NIPPLE 90 MM | NOS | 673 | QRC HDPE PUMP CONNECTING NIPPLE 90 MM |
| 183 | R3-GW-4-12-S | HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M | NOS | 844 | HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M |
| 184 | R3-GW-4-12-T | RAIN GUN STAND 1.5 MTR HT. TRIPOD | NOS | 7078 | RAIN GUN STAND 1.5 MTR HT. TRIPOD |

| | | | | | |
|-----|--------------|-----------------------------------|-----|------|-----------------------------------|
| 185 | R3-GW-4-12-U | RAIN GUN STAND 2.0 MTR HT. TRIPOD | NOS | 8754 | RAIN GUN STAND 2.0 MTR HT. TRIPOD |
| 186 | R3-GW-4-13-A | HDPE ELBOW 50 MM | NOS | 133 | HDPE ELBOW 50 MM |
| 187 | R3-GW-4-13-B | HDPE ELBOW 63 MM | NOS | 149 | HDPE ELBOW 63 MM |
| 188 | R3-GW-4-13-C | HDPE ELBOW 75 MM | NOS | 274 | HDPE ELBOW 75 MM |
| 189 | R3-GW-4-13-D | HDPE ELBOW 90 MM | NOS | 329 | HDPE ELBOW 90 MM |
| 190 | R3-GW-4-13-E | HDPE TEE 50 MM. | NOS | 196 | HDPE TEE 50 MM. |
| 191 | R3-GW-4-13-F | HDPE TEE 63 MM. | NOS | 224 | HDPE TEE 63 MM. |
| 192 | R3-GW-4-13-G | HDPE TEE 75 MM. | NOS | 362 | HDPE TEE 75 MM. |
| 193 | R3-GW-4-13-H | HDPE TEE 90 MM. | NOS | 601 | HDPE TEE 90 MM. |
| 194 | R3-GW-4-13-I | HDPE SERVICE SADDLE 50 MM. | NOS | 188 | HDPE SERVICE SADDLE 50 MM. |
| 195 | R3-GW-4-13-J | HDPE SERVICE SADDLE 63 MM. | NOS | 204 | HDPE SERVICE SADDLE 63 MM. |

| | | | | | |
|-----|--------------|------------------------------|-----|-----|------------------------------|
| 196 | R3-GW-4-13-K | HDPE SERVICE SADDLE 75 MM. | NOS | 219 | HDPE SERVICE SADDLE 75 MM. |
| 197 | R3-GW-4-13-L | HDPE SERVICE SADDLE 90 MM. | NOS | 235 | HDPE SERVICE SADDLE 90 MM. |
| 198 | R3-GW-4-13-M | HDPE SERVICE SADDLE 110 MM. | NOS | 251 | HDPE SERVICE SADDLE 110 MM. |
| 199 | R3-GW-4-13-N | HDPE PIPE END 50 MM. 6 KGF. | NOS | 121 | HDPE PIPE END 50 MM. 6 KGF. |
| 200 | R3-GW-4-13-O | HDPE PIPE END 63 MM. 6 KGF. | NOS | 138 | HDPE PIPE END 63 MM. 6 KGF. |
| 201 | R3-GW-4-13-P | HDPE PIPE END 75 MM. 6 KGF. | NOS | 172 | HDPE PIPE END 75 MM. 6 KGF. |
| 202 | R3-GW-4-13-Q | HDPE PIPE END 90 MM. 6 KGF. | NOS | 305 | HDPE PIPE END 90 MM. 6 KGF. |
| 203 | R3-GW-4-13-R | HDPE PIPE END 110 MM. 6 KGF. | NOS | 305 | HDPE PIPE END 110 MM. 6 KGF. |
| 204 | R3-GW-4-13-S | FLUSH VALVE PLASTIC 50 MM. | NOS | 235 | FLUSH VALVE PLASTIC 50 MM. |
| 205 | R3-GW-4-13-T | FLUSH VALVE PLASTIC 63 MM. | NOS | 298 | FLUSH VALVE PLASTIC 63 MM. |
| 206 | R3-GW-4-13-U | SOLVENT CEMENT 1 LIT. | NOS | 861 | SOLVENT CEMENT 1 LIT. |

| | | | | | |
|-----|-----------|--|-----|----|--|
| 207 | R3-GW-5-1 | Acalypha wilkesiana 6 " hight Acalypha Batic 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 208 | R3-GW-5-2 | Acalypha wilkesiana 6 " hight Acalypha Dwarf 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 209 | R3-GW-5-3 | Acalypha wilkesiana 6 " hight Acalypha Java 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 210 | R3-GW-5-4 | Acalypha wilkesiana 6 " hight Acalypha Ceylon 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 211 | R3-GW-5-5 | Acalypha wilkesiana6 " hight Acalypha Acrophylla 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 212 | R3-GW-5-6 | Acalypha wilkesiana6 " hight Acalypha Tahiti 6 “ to 9 “ height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 213 | R3-GW-5-7 | Allamanda cathartica6 " hight Dwarf Green Allam 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 214 | R3-GW-5-8 | Allamanda cathartica6 " hight Dwarf Silver Allam 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|---|-----|----|--|
| 215 | R3-GW-5-9 | Alternanthera betzickiana 6 " hight Red/Green Alternanthera 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 216 | R3-GW-5-10 | Alternanthera betzickiana 6 " hight Verigated Alternanthera 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 217 | R3-GW-5-11 | Alternanthera versicolor 6 " hight Black Alternanthera 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 218 | R3-GW-5-12 | Asparagus springeri shatawari 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 219 | R3-GW-5-13 | Baxus microphylla 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 220 | R3-GW-5-14 | Bougainvillea glabra Purple Single Flowers 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 221 | R3-GW-5-15 | Bougainvillea butiana Lady Mary Bearing 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 222 | R3-GW-5-16 | Bougainvillea pixie 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|--|-----|----|--|
| 223 | R3-GW-5-17 | Bougainvillea purviana Partha Red Single 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 224 | R3-GW-5-18 | Bougainvillea purvian Mary Palmer 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 225 | R3-GW-5-19 | Bougainvillea purviana Shubhra (White) 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 226 | R3-GW-5-20 | Bougainvillea purviana Thimma 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 227 | R3-GW-5-21 | Bougainvillea sp. Dr. Rao , Dr. Bhabha 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 228 | R3-GW-5-22 | Bougainvillea sp. Mix Var. Specimen 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 229 | R3-GW-5-23 | Butiana mahara' Red Double Flowers 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 230 | R3-GW-5-24 | Butiana mohan' Pink double flower 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|--|-----|----|--|
| 231 | R3-GW-5-25 | Caeslapinia pulcherima Red / Pink /Yellow 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 232 | R3-GW-5-26 | Calliandra emarginata Dwarf Red Calliandra 6 "to 9 " height excluding pollybag | NOS | 51 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 233 | R3-GW-5-27 | Canna sp. Dwarf Canna Varieties 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 234 | R3-GW-5-28 | Canna sp. Ordinary Varieties 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 235 | R3-GW-5-29 | Canna variegata Canna Varigated 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 236 | R3-GW-5-30 | Cestrum nocturnum Raat Rani 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 237 | R3-GW-5-31 | Cestrum diurnum Din Ka Raja 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 238 | R3-GW-5-32 | Codieum variegatum Ordinary Croton 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|--|-----|----|--|
| 239 | R3-GW-5-33 | Codieum variegatum Yellow/Green Croton 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 240 | R3-GW-5-34 | Codieum variegatum Crispum Croton 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 241 | R3-GW-5-35 | Codieum variegatum Duck Foot Croton 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 242 | R3-GW-5-36 | Codieum variegatum Petra croton 6 "to 9 " height excluding pollybag | NOS | 67 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 243 | R3-GW-5-37 | Codieum variegatum Hybrid croton 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 244 | R3-GW-5-38 | Codieum variegatum Assorted variety 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 245 | R3-GW-5-39 | Chlorophytum comosum Spider Plant 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 246 | R3-GW-5-40 | Chlorophytum laxum Dwarf Chlorophytum 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 247 | R3-GW-5-41 | Chlorophytum Species Dusty Miller 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|---|-----|----|--|
| 248 | R3-GW-5-42 | Chrysothemis pulcherima 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 249 | R3-GW-5-43 | Vekhand 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 250 | R3-GW-5-44 | Coleus 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 251 | R3-GW-5-45 | Coleus 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 252 | R3-GW-5-46 | Coleus aromatica 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 253 | R3-GW-5-47 | Crossandra undulaefolia 6 "to 9 " height excluding pollybag | NOS | 48 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 254 | R3-GW-5-48 | Cynodon species American blue grass 10 kg pollybag | NOS | 71 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 255 | R3-GW-5-49 | Dracaena colorama 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 256 | R3-GW-5-50 | Dressina 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|--|-----|----|--|
| 257 | R3-GW-5-51 | Duranta repens Golden duranta 6 "to 9 " height excluding pollybag | NOS | 16 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 258 | R3-GW-5-52 | Duranta repens finge Sunshine duranta 6 "to 9 " height excluding pollybag | NOS | 21 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 259 | R3-GW-5-53 | Duranta speciosa Broad leaf variegated duranta 6 "to 9 " height excluding pollybag | NOS | 21 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 260 | R3-GW-5-54 | Duranta variegata Variegated Duranta 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 261 | R3-GW-5-55 | Eranthemum albomarginatum White Eranthemum` 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 262 | R3-GW-5-56 | Eranthemum bicolor Yellow Eranthemum 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 263 | R3-GW-5-57 | Eranthemum reticulatum Golden Eranthemum 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 264 | R3-GW-5-58 | Eranthemum Tricolor Pink Eranthemum 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 265 | R3-GW-5-59 | Euphorbia caracasana Burgandy leaves 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|---|-----|----|--|
| 266 | R3-GW-5-60 | Excoecaria bicolor Laila Majnu 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 267 | R3-GW-5-61 | Ficus benjamina Benjamina Corporata 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 268 | R3-GW-5-62 | Ficus benjamina Bushy Prince Ficus 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 269 | R3-GW-5-63 | Ficus benjamina Ficus Nuda 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 270 | R3-GW-5-64 | Ficus benjamina variegata Ficus Nuda 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 271 | R3-GW-5-65 | Ficus benjamina variegated Variegated Ficus 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 272 | R3-GW-5-66 | Ficus Nitida Ficus Panda 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 273 | R3-GW-5-67 | Ficus benjamina variegata Starlight Ficus 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 274 | R3-GW-5-68 | Galphimia glauca Canary Bush 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|--|-----|-----|--|
| 275 | R3-GW-5-69 | Gardenia jasminoides Anant 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 276 | R3-GW-5-70 | Gynura aurantica 6 "to 9 " height excluding pollybag | NOS | 54 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 277 | R3-GW-5-71 | Hamilia patens 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 278 | R3-GW-5-72 | Heliconia humilis Red / Oranger flowers 6 "to 9 " height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 279 | R3-GW-5-73 | Heliconia metallica Red leaf Heliconia 6 "to 9 " height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 280 | R3-GW-5-74 | Heliconia pisttacorom Yellow flower 6 "to 9 " height excluding pollybag | NOS | 63 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 281 | R3-GW-5-75 | Hibiscus mutabilis Bhendi Gulab 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 282 | R3-GW-5-76 | Hibiscus rosasinensis La France Pink / White 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 283 | R3-GW-5-77 | Hibiscus rosasinensis Hawaiian Hibiscus 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|---|-----|----|--|
| 284 | R3-GW-5-78 | Hibiscus rosasinensis Snow Flake Hibiscus 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 285 | R3-GW-5-79 | Hydrangia macrophylla Hy-drangia 6 "to 9 " height excluding pollybag | NOS | 75 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 286 | R3-GW-5-80 | Ixora chinensis Prince Of Orange 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 287 | R3-GW-5-81 | Ixora chinensis cv. Lutea Yellow Ixora 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 288 | R3-GW-5-82 | Ixora chinensis cv. Sunkist Ixora Nana Pink 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 289 | R3-GW-5-83 | Ixora chinensis cv. Sunkist Ixora Nana Red 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 290 | R3-GW-5-84 | Ixora Duffi Red Flowered Ixora 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 291 | R3-GW-5-85 | Ixora Singaporensis Orange Ixora 6 "to 9 " height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 292 | R3-GW-5-86 | Ixora Singaporensis Yellow Single Ixora 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|------------|---|-----|-----|--|
| 293 | R3-GW-5-87 | Iresine 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 294 | R3-GW-5-88 | Jasminum pubescens Kund 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 295 | R3-GW-5-89 | Jasminum sambac Mogra 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 296 | R3-GW-5-90 | Jasminum Sp. Jai / Jui 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 297 | R3-GW-5-91 | Jatropha Pandurifolia Jatropha 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 298 | R3-GW-5-92 | Juniperus prostate Cascading Juniperus 14"- 18" height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 299 | R3-GW-5-93 | Juniperus pyramidalis Temple Juniperus 3'-4 ' height excluding pollybag | NOS | 98 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 300 | R3-GW-5-94 | Lantena camera depressa Yellow Lantena 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 301 | R3-GW-5-95 | Lantena camera sanguinea Haldikunku Lantena 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|----|--|
| 302 | R3-GW-5-96 | Lantena camera Pink Pink Lantena 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 303 | R3-GW-5-97 | Lantena sellowiana Purple Creeping 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 304 | R3-GW-5-98 | Lantena sellowiana White Creeping 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 305 | R3-GW-5-99 | Magnolia pumila Kavthi Chapha 6 "to 9 " height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 306 | R3-GW-5-100 | Lawsonia inermis 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 307 | R3-GW-5-101 | Malpighia coccigera Barbados Cherry 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 308 | R3-GW-5-102 | Manihot esculentus Variegated tapioca 6 "to 9 " height excluding pollybag | NOS | 60 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 309 | R3-GW-5-103 | Maranta Zebrina 6 "to 9 " height excluding pollybag | NOS | 60 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 310 | R3-GW-5-104 | Mentha veridis 6 "to 9 " height excluding pollybag | NOS | 58 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|----|--|
| 311 | R3-GW-5-105 | Meyenia Erecta Meena 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 312 | R3-GW-5-106 | Murraya Exotica Kamini 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 313 | R3-GW-5-107 | Mussaenda Erythrophylla Red Single Mussaenda 9 "to 12" height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 314 | R3-GW-5-108 | Mussaenda Erythrophylla Orange Mussaenda 9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 315 | R3-GW-5-109 | Mussaenda erythrophylla Red Mussaenda 9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 316 | R3-GW-5-110 | Mussaenda Phillipica Pink Mussaenda 9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 317 | R3-GW-5-111 | Mussaenda Phillipica White Mussaenda 9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 318 | R3-GW-5-112 | Mussaenda Lutea Yellow Mussaenda9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 319 | R3-GW-5-113 | Mussaenda Red Double Mussaenda 9 "to 12" height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|----|--|
| 320 | R3-GW-5-114 | Nerium oleander album White Kanher 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 321 | R3-GW-5-115 | Nerium oleander carnea Pink Kanher 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 322 | R3-GW-5-116 | Nerium oleander variegata Pink variegated Kanher 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 323 | R3-GW-5-117 | Nerium petit salmon Dwarf Nerium 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 324 | R3-GW-5-118 | Oscimum scantum Tulsi 6 "to 9 " height excluding pollybag | NOS | 12 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 325 | R3-GW-5-119 | Pachystachys lutea Lolipop Plant 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 326 | R3-GW-5-120 | Pentas lanceolata alba White Pentas 6 "to 9 " height excluding pollybag | NOS | 37 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 327 | R3-GW-5-121 | Pentas lanceolata carnea Pink Pentas 6 "to 9 " height excluding pollybag | NOS | 36 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 328 | R3-GW-5-122 | Pentas karmesiana Red Pentas 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|----|--|
| 329 | R3-GW-5-123 | Phyllanthus nivosus Snow Bush 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 330 | R3-GW-5-124 | Pisonia alba Pisonia 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 331 | R3-GW-5-125 | Plumbago auriculata Chitrak / Plumbago 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 332 | R3-GW-5-126 | Punica granatum cv. Nana Mini Pomegranate 6 "to 9 " height excluding pollybag | NOS | 37 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 333 | R3-GW-5-127 | Ravenia spectabilis Limonia 6 "to 9 " height excluding pollybag | NOS | 37 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 334 | R3-GW-5-128 | Russelia juncea Weeping Mary 6 "to 9 " height excluding pollybag | NOS | 21 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 335 | R3-GW-5-129 | Russelia juncea Yellow Weeping Mary 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 336 | R3-GW-5-130 | Tabernaemontana coron Single / double Tagar 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 337 | R3-GW-5-131 | Philodendron Ceylon 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|----|--|
| 338 | R3-GW-5-132 | Phyllanthus 6 "to 9 " height excluding pollybag | NOS | 86 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 339 | R3-GW-5-133 | Hemigraphis colorata hemigraphis 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 340 | R3-GW-5-134 | Pilea cadeiri Aluminium plant 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 341 | R3-GW-5-135 | Pilea microphylla 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 342 | R3-GW-5-136 | Pilea muscosa 6 "to 9 " height excluding pollybag | NOS | 21 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 343 | R3-GW-5-137 | Pilea serpyllacea 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 344 | R3-GW-5-138 | Altanenthera red Ground cover Red bhaji 6 "to 9 " height excluding pollybag | NOS | 10 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 345 | R3-GW-5-139 | Altanenthera Green Ground cover White varigated 6 "to 9 " height excluding pollybag | NOS | 10 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 346 | R3-GW-5-140 | Altanenthera varigated Ground cover Red varigated 6 "to 9 " height excluding pollybag | NOS | 10 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|----|--|
| 347 | R3-GW-5-141 | Portulaca grandiflora Office Time Double 4" to 6" height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 348 | R3-GW-5-142 | Portulaca olracea Office Time 4" to 6" height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 349 | R3-GW-5-143 | Ficus repense IVY variegated 4" to 6" height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 350 | R3-GW-5-144 | Fire firm red Fire Firm Red 6 "to 9 " height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 351 | R3-GW-5-145 | Roheo discolor Rhoeo Nana 4" to 6" height excluding pollybag | NOS | 12 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 352 | R3-GW-5-146 | Roheo discolor Rhoeo Tall 4" to 6" height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 353 | R3-GW-5-147 | Brahmi Brahmi 6 "to 9 " height excluding pollybag | NOS | 37 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 354 | R3-GW-5-148 | Schefflera 12" to 18 "height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 355 | R3-GW-5-149 | Sedum S. 6 "to 9 " height excluding pollybag | NOS | 63 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|----|--|
| 356 | R3-GW-5-150 | Semecio contusus 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 357 | R3-GW-5-151 | Setcreasea purpurea Purple Herb 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 358 | R3-GW-5-152 | Spathiphyllum cupida/petite 6 "to 9 " height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 359 | R3-GW-5-153 | Tradescantia albiflora Trade., ThickStrip 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 360 | R3-GW-5-154 | Tradescantia fluminensis Trade Thin Strip 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 361 | R3-GW-5-155 | Spathiphyllum hybrid 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 362 | R3-GW-5-156 | Mini tagar 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 363 | R3-GW-5-157 | Thuja compacta 3' to 4' height excluding pollybag | NOS | 58 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 364 | R3-GW-5-158 | Verbena 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|------|--|
| 365 | R3-GW-5-159 | Waddlea trilobata 3 "to 4 " height excluding pollybag | NOS | 10 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 366 | R3-GW-5-160 | Zebrina pendula 3 "to 4 " height excluding pollybag | NOS | 12 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 367 | R3-GW-5-161 | Arundodonax verricosa 6 "to 9 " height excluding pollybag | NOS | 31 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 368 | R3-GW-5-162 | Ipomia batatus Golden ipomia 6 "to 9 " height excluding pollybag | NOS | 20 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 369 | R3-GW-5-163 | Lantena variegated Variegated leaf 6 "to 9 " height excluding pollybag | NOS | 14 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 370 | R3-GW-5-164 | Hypoestes sanguinolenta 6 "to 9 " height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 371 | R3-GW-5-165 | Bismarckia nobilis Poted Plastic Pots dia .24" on top plant height 3 ft excluding pot | NOS | 1955 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 372 | R3-GW-5-166 | Bismarckia nobilis 3 ft height excluding pollybag | NOS | 863 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 373 | R3-GW-5-167 | Aglaonema commutatum 6 "to 9 " height excluding pollybag | NOS | 150 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|------|--|
| 374 | R3-GW-5-168 | Alpinia speciosa 6 "to 9 " height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 375 | R3-GW-5-169 | Caladium hortulanum 6 "to 9 " height excluding pollybag | NOS | 98 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 376 | R3-GW-5-170 | Callistephus chinensis 6 "to 9 " height excluding pollybag | NOS | 75 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 377 | R3-GW-5-171 | Chamaedorea metallica Plastic Pot 18” at top and plant height 2 ft. 6 “ | NOS | 294 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 378 | R3-GW-5-172 | Chamaedorea metallica 2' height excluding pollybag | NOS | 403 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 379 | R3-GW-5-173 | Chrysalidocarpus lutecens Plastic Pot 18” at top and plant height 2 ft. 6 “ | NOS | 546 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 380 | R3-GW-5-174 | Chrysalidocarpus lutecens 3' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 381 | R3-GW-5-175 | Cycas revolute Plastic Pot 18” at top and plant height 3 “ | NOS | 3220 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 382 | R3-GW-5-176 | Cycas revolute 3' height excluding pollybag | NOS | 1725 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|-----|--|
| 383 | R3-GW-5-177 | Cyrtostachys renda Plastic Pot 18” at top and plant height 2 ft. 6 “ | NOS | 633 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 384 | R3-GW-5-178 | Cyrtostachys renda 3 ' Height excluding pollybag | NOS | 253 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 385 | R3-GW-5-179 | Dieffenbachia Ceylon 6 "to 9 " height excluding pollybag | NOS | 60 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 386 | R3-GW-5-180 | Dracaena colorama 9" to 12" height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 387 | R3-GW-5-181 | Euphorbia pulcherrima 12” to 18” height excluding pollybag | NOS | 250 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 388 | R3-GW-5-182 | Furcurea gigantea Pot 18” at top and plant height 2 ft. 6 “ | NOS | 575 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 389 | R3-GW-5-183 | Furcurea gigantea plant height 2 ft. 6 “ | NOS | 155 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 390 | R3-GW-5-184 | Gerbera hybrids tissue culture 6 "to 9 " height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 391 | R3-GW-5-185 | Impatiens walleriana 6 "to 9 " height excluding pollybag | NOS | 63 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|----|--|
| 392 | R3-GW-5-186 | Ipomea harsifolia 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 393 | R3-GW-5-187 | Jacquemontia 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 394 | R3-GW-5-188 | Jasminum officinanalisis 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 395 | R3-GW-5-189 | Kalanchoe blossfeldiana 6 "to 9 " height excluding pollybag | NOS | 98 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 396 | R3-GW-5-190 | Monstera deliciosa 6 "to 9 " height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 397 | R3-GW-5-191 | Monstera obliqua 6 "to 9 " height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 398 | R3-GW-5-192 | Nephrolepis aurea 6 "to 9 " height excluding pollybag | NOS | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 399 | R3-GW-5-193 | Nephrolepis biserrata 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 400 | R3-GW-5-194 | Nephrolepis cordifolia 6 "to 9 " height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|------|--|
| 401 | R3-GW-5-195 | Passiflora carrulea 6 "to 9 " height excluding pollybag | NOS | 39 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 402 | R3-GW-5-196 | Verbena white 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 403 | R3-GW-5-197 | Petunia grandiflora various colour 4 "to 6 " height at flowering stage excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 404 | R3-GW-5-198 | Phonix palm 4 ' Ft. height excluding pollybag | NOS | 1725 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 405 | R3-GW-5-199 | Pink singonium 6 "to 9 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 406 | R3-GW-5-200 | Piper betel 6 "to 9 " height excluding pollybag | NOS | 58 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 407 | R3-GW-5-201 | Plumeria acutifolia 4 ' Ft. height excluding pollybag | NOS | 403 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 408 | R3-GW-5-202 | Plumeria alba 4 ' Ft. height excluding pollybag | NOS | 359 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 409 | R3-GW-5-203 | Plumeria rubra 4 ' Ft. height excluding pollybag | NOS | 328 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|------|--|
| 410 | R3-GW-5-204 | Pyrostegia vemusta 6 "to 9 " height excluding pollybag | NOS | 31 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 411 | R3-GW-5-205 | Quisqualis indica 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 412 | R3-GW-5-206 | Salvia splendens 6 "to 9 " height at flowering stage excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 413 | R3-GW-5-207 | Schampegne palm 4 ' Ft. height excluding pollybag | NOS | 4600 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 414 | R3-GW-5-208 | Tagetes erecta 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 415 | R3-GW-5-209 | Thunburgia fragrans 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 416 | R3-GW-5-210 | Thurburgia laurifolia 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 417 | R3-GW-5-211 | Vernena 6 "to 9 " height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 418 | R3-GW-5-212 | Vinca Spp. Hybrid 6 "to 9 " height at flowering stage excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|------|--|
| 419 | R3-GW-5-213 | Washingtonia palm 3' to 4' height excluding pollybag | NOS | 4888 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 420 | R3-GW-5-214 | Song Of India 6 "to 9 " height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 421 | R3-GW-5-215 | Ficus Purvula 6 "to 9 " height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 422 | R3-GW-5-216 | Cuphea Blue 6 "to 9 " height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 423 | R3-GW-5-217 | Zafer Lily 6 "to 9 " height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 424 | R3-GW-5-218 | Brassia Actinophylla 6 "to 9 " height excluding pollybag | NOS | 98 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 425 | R3-GW-5-219 | Silver Yucca 9 "to 12 " height excluding pollybag | NOS | 127 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 426 | R3-GW-5-220 | Ticoma Gavdi Chavdi 9 "to 12 " height excluding pollybag | NOS | 46 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 427 | R3-GW-5-221 | Bambusa multiplex 12"height excluding pollybag | NOS | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|-----|--|
| 428 | R3-GW-5-222 | Bambusa Species 12 "to 18 "height excluding pollybag | NOS | 98 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 429 | R3-GW-5-223 | Bambusa ventricosa 12 "to 18 "height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 430 | R3-GW-5-224 | Bambusa vulgaris 12 "to 18 "height excluding pollybag | NOS | 52 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 431 | R3-GW-5-225 | Lagerstomia indica 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 432 | R3-GW-5-226 | Lagerstomia throlie 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 433 | R3-GW-5-227 | Lagerstomia falseregine 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 434 | R3-GW-5-228 | Lagerstomia speciosa 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 435 | R3-GW-5-229 | Acacia arubica Babul 4' to 5 ' height excluding pollybag | NOS | 138 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 436 | R3-GW-5-230 | Acacia mangium Austrelian Acacia 4' to 5 ' height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|-----|--|
| 437 | R3-GW-5-231 | Adenonia digitata Gorukhchinch 4' to 5 ' height excluding pollybag | NOS | 138 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 438 | R3-GW-5-232 | Adinantha pavonina Ratnagunj 4' to 5 ' height excluding pollybag | NOS | 575 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 439 | R3-GW-5-233 | Alstonia scholaris Satveen, Davil's Tree 4' to 5 ' height excluding pollybag | NOS | 109 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 440 | R3-GW-5-234 | Amoora rohituk Rohituk 4' to 5 ' height excluding pollybag | NOS | 213 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 441 | R3-GW-5-235 | Anthocephalus cadamba Cadamba 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 442 | R3-GW-5-236 | Areca catechu Kath 4' to 5 ' height excluding pollybag | NOS | 104 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 443 | R3-GW-5-237 | Azadiracta indica Neem 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 444 | R3-GW-5-238 | Barringtonia acutangula 4' to 5 ' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 445 | R3-GW-5-239 | Barringtonia speciosa 4' to 5 ' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|-----|--|
| 446 | R3-GW-5-240 | Bauhinia blackeana Kanchan 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 447 | R3-GW-5-241 | Bauhinia variegata Kanchan 4' to 5 ' height excluding pollybag | NOS | 21 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 448 | R3-GW-5-242 | Bignonia megapotomica Kanchan 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 449 | R3-GW-5-243 | Bombax mulbaricum Kateshevar 4' to 5 ' height excluding pollybag | NOS | 86 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 450 | R3-GW-5-244 | Brownia Coccinia 4' to 5 ' height excluding pollybag | NOS | 121 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 451 | R3-GW-5-245 | Caesalpinia corairia Dividivi 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 452 | R3-GW-5-246 | Callistemon viminalis Bottle brush 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 453 | R3-GW-5-247 | Calophyllum inophyllum Undi 4' to 5 ' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 454 | R3-GW-5-248 | Cassia fistula Amalas, Indian laburnum 4' to 5 ' height excluding pollybag | NOS | 104 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|-----|--|
| 455 | R3-GW-5-249 | Cassia javanica Java cassia 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 456 | R3-GW-5-250 | Cassia marginata Cassia 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 457 | R3-GW-5-251 | Casurina equisitifolia Casurina 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 458 | R3-GW-5-252 | Ceba pentandra Shevar 4' to 5 ' height excluding pollybag | NOS | 219 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 459 | R3-GW-5-253 | Colvillea racemosa 4' to 5 ' height excluding pollybag | NOS | 190 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 460 | R3-GW-5-254 | Cordia cebastina 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 461 | R3-GW-5-255 | Cordia mixa Bhokar 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 462 | R3-GW-5-256 | Couropita guianensis 4' to 5 ' height excluding pollybag | NOS | 209 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 463 | R3-GW-5-257 | Crysophyllum cynito 4' to 5 ' height excluding pollybag | NOS | 224 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|-----|--|
| 464 | R3-GW-5-258 | Dalbargia sisoo 4' to 5 ' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 465 | R3-GW-5-259 | Dellinia indica Karmal 4' to 5 ' height excluding pollybag | NOS | 63 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 466 | R3-GW-5-260 | Dellinia pentagyna 4' to 5 ' height excluding pollybag | NOS | 63 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 467 | R3-GW-5-261 | Delonix regia Gulmohar 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 468 | R3-GW-5-262 | Derris indica (Pongamia pinnata) Karanj 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 469 | R3-GW-5-263 | Diospyrous embriopteris Temburni 4' to 5 ' height excluding pollybag | NOS | 213 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 470 | R3-GW-5-264 | Eagle murmelos Bel 4' to 5 ' height excluding pollybag | NOS | 196 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 471 | R3-GW-5-265 | Emblica officinalis 4' to 5 ' height excluding pollybag | NOS | 213 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 472 | R3-GW-5-266 | Erithrina indica Pangara 4' to 5 ' height excluding pollybag | NOS | 144 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|-----|--|
| 473 | R3-GW-5-267 | Eucalyptus globosa Nilgiri 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 474 | R3-GW-5-268 | Ficus bengalensis Wad 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 475 | R3-GW-5-269 | Ficus panda 4' to 5 ' height excluding pollybag | NOS | 173 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 476 | R3-GW-5-270 | Ficus religiosa Pimple 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 477 | R3-GW-5-271 | Filicium decipiens 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 478 | R3-GW-5-272 | Garunia xanthochymus 4' to 5 ' height excluding pollybag | NOS | 186 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 479 | R3-GW-5-273 | Gliricidia muculata Undirmar 4' to 5 ' height excluding pollybag | NOS | 219 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 480 | R3-GW-5-274 | Gmelina arboria Shivan 4' to 5 ' height excluding pollybag | NOS | 198 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 481 | R3-GW-5-275 | Grevellia robusta 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|-----|--|
| 482 | R3-GW-5-276 | Hardwikiya pinnata Anjan 4' to 5 ' height excluding pollybag | NOS | 214 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 483 | R3-GW-5-277 | Hetrophtagrna roxburghii Varus 4' to 5 ' height excluding pollybag | NOS | 215 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 484 | R3-GW-5-278 | Holoptelia integrifolia 4' to 5 ' height excluding pollybag | NOS | 127 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 485 | R3-GW-5-279 | Jakaranda mimosifolia Nilmochar 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 486 | R3-GW-5-280 | Kigelia pinnata Sausage Tree 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 487 | R3-GW-5-281 | Klenhovia hospital 4' to 5 ' height excluding pollybag | NOS | 127 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 488 | R3-GW-5-282 | Lagerstroemia speciosa 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 489 | R3-GW-5-283 | Malleleuka leucodendron Bhojpatra 4' to 5 ' height excluding pollybag | NOS | 144 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 490 | R3-GW-5-284 | Mangifera indica Mango 4' to 5 ' height excluding pollybag | NOS | 144 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|-----|--|
| 491 | R3-GW-5-285 | Messua fessea Nagkeshar 4' to 5 ' height excluding pollybag | NOS | 155 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 492 | R3-GW-5-286 | Michelia champaca Son Chapha 4' to 5 ' height excluding pollybag | NOS | 144 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 493 | R3-GW-5-287 | Millingtonia hortensis Indian Cork, Aakash Neem 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 494 | R3-GW-5-288 | Mimusops elengi Bakul, Pagoda Tree 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 495 | R3-GW-5-289 | Parkia biglandulosa Tappo Phal 4' to 5 ' height excluding pollybag | NOS | 147 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 496 | R3-GW-5-290 | Polyalthia longifolia Spreading Ashok 4' to 5 ' height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 497 | R3-GW-5-291 | Polyalthia pendula Ashok 4' to 5 ' height excluding pollybag | NOS | 115 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 498 | R3-GW-5-292 | Pongamia glabra Karanj 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 499 | R3-GW-5-293 | Pterospermum acerifolium 4' to 5 ' height excluding pollybag | NOS | 147 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|-----|--|
| 500 | R3-GW-5-294 | Putranjeeva roxburghii Putranjeeva 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 501 | R3-GW-5-295 | Samanea saman Rain tree 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 502 | R3-GW-5-296 | Saraka indica Sita Ashok 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 503 | R3-GW-5-297 | Spathodea companulata Fountain Tree, Bahava 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 504 | R3-GW-5-298 | Sterculia alata Chinese Badam 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 505 | R3-GW-5-299 | Sterculia foetida Jangli Badam 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 506 | R3-GW-5-300 | Swetania mohagani Mohagani 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 507 | R3-GW-5-301 | Sygium cumini 4' to 5 ' height excluding pollybag | NOS | 221 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 508 | R3-GW-5-302 | Tabebuia rosea 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|------|--|
| 509 | R3-GW-5-303 | Tacoma argentina 4' to 5 ' height excluding pollybag | NOS | 92 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 510 | R3-GW-5-304 | Tamarindus indica Chinch 4' to 5 ' height excluding pollybag | NOS | 213 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 511 | R3-GW-5-305 | Tectona grandis Sagvan 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 512 | R3-GW-5-306 | Terminalia arjuna Arjuna, Sarda 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 513 | R3-GW-5-307 | Terminalia catappa Deshi Badam 4' to 5 ' height excluding pollybag | NOS | 81 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 514 | R3-GW-5-308 | Alstonia scholaris Satveen 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 515 | R3-GW-5-309 | Anthocephalus cadamba Kadamb 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 516 | R3-GW-5-310 | Azadiracta indica Neem 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 517 | R3-GW-5-311 | Bahunia purpurea Kanchan 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|------|--|
| 518 | R3-GW-5-312 | Barringtonia speciosa 10' to 12' height and 6 "girth excluding pollybag | NOS | 1265 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 519 | R3-GW-5-313 | Bottlepalm Bottlepalm 10' to 12' height and 6 "girth excluding pollybag | NOS | 1553 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 520 | R3-GW-5-314 | Cassia fistula Bahava 10' to 12' height and 6 "girth excluding pollybag | NOS | 1093 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 521 | R3-GW-5-315 | Casurina equisetifolia Casurina 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 522 | R3-GW-5-316 | Cocos nucifera Coconut 10' to 12' height and 6 "girth excluding pollybag | NOS | 1150 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 523 | R3-GW-5-317 | Cordia cebastina 10' to 12' height and 6 "girth excluding pollybag | NOS | 978 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 524 | R3-GW-5-318 | Delbergia sisoo Shisam 10' to 12' height and 6 "girth excluding pollybag | NOS | 932 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 525 | R3-GW-5-319 | Fern Tree Fern Tree 10' to 12' height and 6 "girth excluding pollybag | NOS | 2243 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|-----|------|--|
| 526 | R3-GW-5-320 | Ficus bengalensis Wad 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 527 | R3-GW-5-321 | Ficus religiosa Peepal 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 528 | R3-GW-5-322 | Foxtail palm Foxtail palm 10' to 12' height and 6 "girth excluding pollybag | NOS | 2588 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 529 | R3-GW-5-323 | Gunj Gunj 10' to 12' height and 6 "girth excluding pollybag | NOS | 1438 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 530 | R3-GW-5-324 | Jacaranda mimosifolia Neelmohar 10' to 12' height and 6 "girth excluding pollybag | NOS | 943 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 531 | R3-GW-5-325 | Kajjelia sp Kajjelia 10' to 12' height and 6 "girth excluding pollybag | NOS | 790 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 532 | R3-GW-5-326 | Kokam Garcinia indica 10' to 12' height and 6 "girth excluding pollybag | NOS | 1432 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 533 | R3-GW-5-327 | Largestromia indica Taman 10' to 12' height and 6 "girth excluding pollybag | NOS | 1018 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 534 | R3-GW-5-329 | Mimosops elengi Bakul 10' to 12' height and 6 "girth excluding pollybag | NOS | 506 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----|------|--|
| 535 | R3-GW-5-330 | Parkia biglandulosa Chendu phal 10' to 12' height and 6 "girth excluding pollybag | NOS | 1035 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 536 | R3-GW-5-331 | Peltophorum pheruginum Peltophorum 10' to 12' height and 6 "girth excluding pollybag | NOS | 1064 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 537 | R3-GW-5-332 | Spathodia companulatta Fountain Tree 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 538 | R3-GW-5-333 | Swetania mahogani Mahogani 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 539 | R3-GW-5-334 | Tabubia rosea Tabubia 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 540 | R3-GW-5-335 | Terminalia arjuna Arjun 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 541 | R3-GW-5-336 | Terminalia montana 10' to 12' height and 6 "girth excluding pollybag | NOS | 920 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 542 | R3-GW-5-337 | Thespecia populnia Bhendi 10' to 12' height and 6 "girth excluding pollybag | NOS | 978 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 543 | R3-GW-5-338 | Thevetia Bitti 10' to 12' height and 6 "girth excluding pollybag | NOS | 500 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 544 | R3-GW-5-339 | Thevetia | NOS | 857 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 545 | R3-GW-5-341 | Citronella Sp. 6 "height excluding pollybag | NOS | 29 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|--|-----------|--------|--|
| 546 | R3-GW-5-342 | Cyperus alternifolius 6 "height excluding pollybag | NOS | 35 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 547 | R3-GW-5-343 | Clerodendrum inerme 6 "height excluding pollybag | NOS | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 548 | R3-GW-5-344 | Ophiopogon japonicus brown 6 "height excluding pollybag | NOS | 18 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 549 | R3-GW-5-345 | Ophiopogon jaburan white 6 "height excluding pollybag | NOS | 18 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 550 | R3-GW-5-346 | Pennisetum Nueppeli white 6 "height excluding pollybag | NOS | 17 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 551 | R3-GW-5-348 | Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water | per Shift | 1250 | Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water |
| 552 | R3-GW-5-351 | Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour | per Shift | 9600 | Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour |
| 553 | R3-GW-5-354 | Supply of J.C.B. with bucket | Hr. | 1187.5 | Supply of J.C.B. with bucket |
| 554 | R3-GW-5-355 | Supply of cocopit | kg | 17 | Supply of cocopit |
| 555 | R3-GW-5-356 | Supply of vermicampost | kg | 10 | Supply of vermicompost |
| 556 | R3-GW-9-1 | Rounded plastic pot Black 12" | No. | 60 | Rounded plastic pot Black Upper dia.30cm lower dia 22 cm height 25 cm |

| | | | | | |
|-----|------------|---------------------------------------|-----|-----|--|
| 557 | R3-GW-9-2 | Rounded plastic pot Teracota 12" | No. | 69 | Rounded plastic pot Terracotta Upper dia.30cm lower dia 22 cm height 25 Cm |
| 558 | R3-GW-9-3 | Rounded plastic pot Black 16" | No. | 138 | Rounded plastic pot Black Upper dia.40cm lower dia 29.5 cm height 33 cm |
| 559 | R3-GW-9-4 | Rounded plastic pot Teracota 16" | No. | 150 | Rounded plastic pot Terracotta Upper dia.40cm lower dia 29.5 cm height 33 Cm |
| 560 | R3-GW-9-5 | Rounded plastic pot Black 24" | No. | 661 | Rounded plastic pot Black Upper dia.60cm lower dia 45.5 cm height 50 cm |
| 561 | R3-GW-9-6 | Rounded plastic pot Teracota 24" | No. | 690 | Rounded plastic pot Terracotta Upper dia.60cm lower dia 45.5 cm height 50 Cm |
| 562 | R3-GW-9-7 | Rectangular plastic planters black | No. | 230 | Rectangular plastic planters black Upper length.60cm lower 29 cm height 27 cm |
| 563 | R3-GW-9-8 | Rectangular plastic planters teracota | No. | 259 | Rectangular plastic planters terracotta Upper length.60cm lower 29 cm height 27 cm |
| 564 | R3-GW-9-9 | Rectangular plastic planters black | No. | 86 | Rectangular plastic planters black Upper length.45cm lower 20 cm height 27 cm |
| 565 | R3-GW-9-10 | Rectangular plastic planters Teracota | No. | 92 | Rectangular plastic planters terracotta Upper length.45cm lower 20 cm height 27 cm |
| 566 | R3-GW-9-11 | Orchid pot plastic | No. | 17 | Orchid pot plastic Upper dia.13cm lower dia 9 cm height 12 cm |
| 567 | R3-GW-9-12 | Bonsai oval plastic pot black | No. | 69 | Bonsai oval plastic pot black Upper dia.40cm lower dia 30 cm height 15 Cm |

| | | | | | |
|-----|------------|--|-----|------|--|
| 568 | R3-GW-9-13 | Rounded plastic pot Black | No. | 2070 | Rounded plastic pot Black Upper dia.70cm lower dia 52 cm height 55 cm |
| 569 | R3-GW-9-14 | Rounded plastic pot Teracota | No. | 2300 | Rounded plastic pot Terracotta Upper dia.Upper dia.70cm lower dia 52 cm height 55 cm |
| 570 | R3-GW-9-15 | Cubical plastic pot Black | No. | 3565 | Cubical plastic pot Black Upper dia.70cm lower dia 55 cm height 65 cm |
| 571 | R3-GW-9-16 | Cubical plastic pot Teracota | No. | 3968 | Cubical plastic pot Terracotta Upper dia.70cm lower dia 55 cm height 65 Cm |
| 572 | R3-GW-9-17 | Colourfull Plastic Pots for vertical biowall | No. | 46 | Colorful Plastic Pots for vertical biowall Upper dia.15cm lower dia 12 cm height 15 cm |
| 573 | R3-GW-9-18 | Clips for plastic Pots for vertical biowall | No. | 6 | Clips for plastic Pots for vertical biowall having 15 cm size |
| 574 | R3-GW-10-1 | Pendanus thorny | No. | 40 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 575 | R3-GW-10-2 | Pendanus Thornless | No. | 58 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 576 | R3-GW-10-3 | Varigated Pendanus | No. | 69 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 577 | R3-GW-10-4 | Roses outdoor (Various varities) | No. | 58 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |

| | | | | | |
|-----|-------------|---|------------|-------------|--|
| 578 | R3-GW-10-5 | Raphies palm | No. | 690 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 579 | R3-GW-10-6 | Golden Cyprus | No. | 748 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 580 | R3-GW-10-7 | Stachytarpheta | No. | 23 | Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag. |
| 581 | R3-GW-10-8 | Topiary Ficus benzamina black | No. | 4025 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage Ball. |
| 582 | R3-GW-10-9 | Topiary Ficus nitida | No. | 4025 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage Ball. |
| 583 | R3-GW-10-10 | Topiary Ficus panda | No. | 4025 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 4' height excluding pollybag with 3 foliage ball having 2' girth of each foliage Ball. |
| 584 | R3-GW-10-11 | Bamboo (3' height excluding pollybag) | Nos. | 40 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 585 | R3-GW-10-12 | * Ficus benzamina black(5' to 6 ft. Tall and 4” girth of trunk having Single rounded foliage ball not less than 3 ft girth .) | No. | 5000 | Topiary of Ficus benzamina black(5' to 6 ft. Tall and 4” girth of trunk having Single rounded foliage ball not less than 3 ft girth) Plant should be healthy ,diseased free and free from any pest at tack with sufficient moisture around root zone. |

| | | | | | |
|-----|-------------|---|-----|------|---|
| 586 | R3-GW-10-13 | * Ficus Nitida(5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth) | No. | 5500 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth. |
| 587 | R3-GW-10-14 | * Ficus Panda(3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth) | No. | 6500 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth. |
| 588 | R3-GW-10-15 | Golden Bamboo | No. | 230 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 589 | R3-GW-10-16 | Topiary of Bougainvillea glabra | No. | 3220 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth. |
| 590 | R3-GW-10-17 | Poted Phonix palm | No. | 2875 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 591 | R3-GW-10-18 | Anthurium For Indoor plantation | No. | 322 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 592 | R3-GW-10-19 | Poted Anthurium for indoor plantation | No. | 322 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 593 | R3-GW-10-20 | X mas tree | No. | 403 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 594 | R3-GW-10-21 | Poted X mas tree | No. | 518 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |

| | | | | | |
|-----|-------------|-------------------------------|-----|------|---|
| 595 | R3-GW-10-22 | Philodendron xanadu | No. | 46 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 596 | R3-GW-10-23 | Poted Philodendron xanadu | No. | 69 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 597 | R3-GW-10-24 | Heliconia rostratais | No. | 63 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 598 | R3-GW-10-25 | Red Ginger | No. | 75 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 599 | R3-GW-10-26 | Canna Durban | No. | 40 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 600 | R3-GW-10-27 | Rex Bigonia | No. | 83 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 601 | R3-GW-10-28 | Begonia aconitifolia | No. | 83 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 602 | R3-GW-10-29 | Begonia Double lady carol red | No. | 76 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 603 | R3-GW-10-30 | Ravenala Madagascariensis | No | 1035 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |

| | | | | | |
|-----|-------------|---------------------------------|----|-----|---|
| 604 | R3-GW-10-31 | Red Aglonema | No | 173 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 605 | R3-GW-10-32 | Poted Dendrobium Varius variety | No | 259 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 606 | R3-GW-10-33 | Alocasia Elephant Ears | No | 58 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 607 | R3-GW-10-34 | Cardinal Climber | No | 63 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 608 | R3-GW-10-35 | Clerodendron Thomsoniae | No | 46 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 609 | R3-GW-10-36 | Pyrostegia venusta | No | 70 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 610 | R3-GW-10-37 | Thunbergia gerandiflora | No | 23 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 611 | R3-GW-10-38 | Humming bird vine | No | 17 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 612 | R3-GW-10-39 | Antigonon lepopus | No | 63 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |

| | | | | | |
|------------------------------|-----------------|--|-------------|-------------|---|
| 613 | R3-GW-10-40 | Alocasia Odora | No | 83 | Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone, |
| 614 | R3-GW-10-41 | Green shed net 25% | Sq. Mtr | 33 | Green shed net 25% (25% light penetration) |
| 615 | R3-GW-10-42 | Green shed net 50% | Sq. Mtr | 40 | Green shed net 50% (50% light penetration) |
| 616 | R3-GW-10-43 | Green shed net 75% | Sq. Mtr | 48 | Green shed net 75% (75% light penetration) |
| 617 | R3-GW-10-44 | Pollysheet for pollyhouse | Sq.Mtr | 207 | Pollysheet for pollyhouse -200 Micron |
| 618 | R3-GW-11-01 | Hanging Basket 12 "diameter at top with 3 chains | No. | 506 | Hanging Basket 12 "diameter at top with 3 chains and compressed Cococoir |
| 619 | R3-GW-11-02 | Vermiculite | Kg. | 288 | Vermiculite for agriculture purpose only |
| 620 | R3-GW-11-03 | Perlite | Kg. | 288 | Perlite for agriculture purpose only |
| New Items in MATERIAL | | | | | |
| Sr. No. | ITEM No. | ITEM DESCRIPTION | UNIT | RATE | Specification |
| 621 | R3-GW-11-04 | Supply of Carpet lawn | SQ.M | 198 | Lawn should be lush green free from weeds & diseases |

| | | | | | |
|-----|--------------|---|-------------|-------|--|
| 622 | R3-GW-11-05 | Diffenbachia Crimson | NOS | 249 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 623 | R3-GW-11-06 | Agloanema Red Angel | NOS | 349 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 624 | R3-GW-11-07 | Philodendron Melinonii Gold | NOS | 349 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 625 | R3-GW-11-08 | Zamia Green | NOS | 179 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 626 | R3-GW-11-09 | Zamia Black | NOS | 259 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 627 | R3-GW-11-10 | Cobra Fern | NOS | 299 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 628 | R3-GW-11-11 | Calathea Makoyana | NOS | 249 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 629 | R3-GW-11-12 | Calathea Longifolia | NOS | 339 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 630 | R3-GW-11-13 | Draceana Darasingh | NOS | 349 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 8" P |
| 631 | R3-GW-11-14 | Sterlezia Nicolai (Bird of Paradise) | NOS | 449 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 8" P |
| 632 | R3-GW-11-15. | Sansevieria Tiger | NOS | 189 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 633 | R3-GW-11-16 | Sansevieria Black Jack | NOS | 269 | HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P |
| 634 | R3-GW-11-17 | Phospholum lawn (Free from weed , compact and lush green) | Kg. | 15 | Lawn should be lush green free from weeds & deseases |
| 635 | R3-GW-11-18 | Saint augustine lawn (Free from weed , compact and lush green) | Kg. | 15 | Lawn should be lush green free from weeds & deseases |
| 636 | R3-GW-11-19 | Hiring of Maclift (60ft) service with operatoer per shift without labour | shift 8 hrs | 15800 | supply of 60 ft Mac lift with operatoar for 1 shift |
| 637 | R3-GW-11-20 | Bougainvillea Topiary with pot height 2ft to 4 ft (Single or Multicolour) | NOS | 7500 | HEALTHY PLANTS |
| 638 | R3-GW-11-21 | Bougainvillea Topiary with pot height 5ft to 8ft (Single or Multicolour) | NOS | 15000 | HEALTHY PLANTS |
| 639 | R3-GW-11-22 | Red Fountain grass | NOS | 20 | HEALTHY PLANTS |

| | | | | | |
|-----|-------------|---|-----|-------|---|
| 640 | R3-GW-11-23 | Hybrid bougainvillea 9 to 12" plastic bag | NOS | 120 | HEALTHY PLANTS |
| 641 | R3-GW-11-24 | Rounded Earthen Pot Upper dia.8" Height 7" | NOS | 70 | GOOD QUALITY & WELL BAKED |
| 642 | R3-GW-11-25 | Rounded Earthen Pot Upper dia.10" Height 9" | NOS | 85 | GOOD QUALITY & WELL BAKED |
| 643 | R3-GW-11-26 | Rounded Earthen Pot Upper dia. 10" Height 9 1/2" | NOS | 125 | GOOD QUALITY & WELL BAKED |
| 644 | R3-GW-11-27 | Rounded Earthen Pot Upper dia.13" Height 10 1/2" | NOS | 150 | GOOD QUALITY & WELL BAKED |
| 645 | R3-GW-11-28 | Rounded Earthen Pot Upper dia.15" Height 12" | NOS | 200 | GOOD QUALITY & WELL BAKED |
| 646 | R3-GW-11-29 | Earthen Thali having dia.12" Height 6" | NOS | 125 | GOOD QUALITY & WELL BAKED |
| 647 | R3-GW-11-30 | Earthen Thali having dia.12" Height 5" | NOS | 105 | GOOD QUALITY & WELL BAKED |
| 648 | R3-GW-11-31 | Various shapes of Malphigia Potted Topiary plant, Size 14" pot and 3'height including pot (excluding Cone, Star, Round, Heart) | NOS | 4000 | Plant shall be healthy, good shape, disease and pest free. |
| 649 | R3-GW-11-32 | Various shapes of Malphigia Potted Topiary plant, Size 18" pot and 3'-4'height including pot (excluding Cone, Star, Round, Heart) | NOS | 5000 | Plant shall be healthy, good shape, disease and pest free. |
| 650 | R3-GW-11-33 | Various shapes of Malphigia Potted Topiary plant, Size 22" to 24" pot and 4'-5'height including pot (excluding Cone, Star, Round, Heart) | NOS | 8000 | Plant shall be healthy, good shape, disease and pest free. |
| 651 | R3-GW-11-34 | * Various shapes of Malphigia Potted Topiary plant, Size 26" pot and 5'-9'height including pot (excluding Cone, Star, Round, Heart) | NOS | 12000 | Plant shall be healthy, good shape, disease and pest free. |

| | | | | | |
|-----|-------------|--|-----|------|--|
| 652 | R3-GW-11-35 | Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 14” pot and 2’-2.5’height including pot (excluding Cone) | NOS | 2500 | Plant shall be healthy, good shape, disease and pest free. |
| 653 | R3-GW-11-36 | Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 18” -22” pot and 3’-3.5’height including pot (excluding Cone) | NOS | 5000 | Plant shall be healthy, good shape, disease and pest free. |
| 654 | R3-GW-11-37 | Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 24” -26” pot and 4’-5’height including pot (excluding Cone) | NOS | 6000 | Plant shall be healthy, good shape, disease and pest free. |
| 655 | R3-GW-11-38 | Cone shapes af Malphigia Potted Topiary plant, Size 14” pot and 2.5’-3’height including pot (excluding Star, Round, Heart) | NOS | 2500 | Plant shall be healthy, good shape, disease and pest free. |
| 656 | R3-GW-11-39 | Cone shapes af Malphigia Potted Topiary plant, Size 18”-22” pot and 4’-5’height including pot (excluding Star, Round, Heart) | NOS | 5000 | Plant shall be healthy, good shape, disease and pest free. |
| 657 | R3-GW-11-40 | Cone shapes af Malphigia Potted Topiary plant, Size 24”-26” pot and 6’-8’height including pot (excluding Star, Round, Heart) | NOS | 6000 | Plant shall be healthy, good shape, disease and pest free. |
| | | | | | |

3. TREE PRESERVATION AND PROTECTION ACTIVITY PROPOSED USOR

| Sr. No. | ITEM NO. | ITEM DESCRIPTION | UNIT | Rates | Specifications |
|---------|-----------|----------------------------------|------|---------|---|
| 658 | R3-GW-8-1 | Trimming of trees below 2' girth | No. | 1157.00 | Trimming of tree as directed by Site incharge / supervisor, depose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge. |

| | | | | | |
|-----|-----------|--|-----|---------|--|
| 659 | R3-GW-8-2 | Trimming of trees having girth between 2' to 5' | No. | 2343.00 | Trimming of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge. |
| 660 | R3-GW-8-3 | Trimming of trees above 5' girth | No. | 5623.00 | Trimming of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge. |
| 661 | R3-GW-8-4 | Removal of dead trees having girth below 2' | No. | 944.00 | Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 662 | R3-GW-8-5 | Removal of dead trees having girth between 2' to 5' | No. | 1638.00 | Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 663 | R3-GW-8-6 | Removal of dead trees having girth above 5' | No. | 2802.00 | Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 664 | R3-GW-8-7 | Removal of easily accessible fallen/dangerous tree having girth below 2' | No. | 1608.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |

| | | | | | |
|-----|------------|--|-----|----------|---|
| 665 | R3-GW-8-8 | Removal of easily accessible fallen/dangerous tree having girth between 2' to 5' | No. | 2648.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 666 | R3-GW-8-9 | Removal of easily accessible fallen/dangerous tree having girth above 5' | No. | 6997.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 667 | R3-GW-8-10 | Removal of non accessible fallen/dangerous tree having girth below 2' | No. | 2147.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 668 | R3-GW-8-11 | Removal of non accessible fallen/dangerous tree having girth between 2' to 5' | No. | 9008.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 669 | R3-GW-8-12 | Removal of non accessible fallen/dangerous tree having girth above 5' | No. | 24133.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 670 | R3-GW-8-13 | Removal of fruits and fronts of palm trees having height below 25' | No. | 1104.00 | removal of fruits and fronds by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |
| 671 | R3-GW-8-14 | Removal of fruits and fronts of palm trees having height above 25' | No. | 1236.00 | removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock. |

| | | | | | |
|-----|------------|---|-----|----------|--|
| 672 | R3-GW-8-15 | Transplantation of trees below 2' girth at same location | No. | 5091.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |
| 673 | R3-GW-8-16 | Transplantation of trees having girth between 2' to 5' at same location | No. | 11679.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |
| 674 | R3-GW-8-17 | Transplantation of trees above 5' girth at same location | No. | 13984.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |

| | | | | | |
|-----|------------|--|-----|----------|--|
| 675 | R3-GW-8-18 | Transplantation of trees below 2' girth at distant location | No. | 7188.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |
| 676 | R3-GW-8-19 | Transplantation of trees having girth between 2' to 5' at distant location | No. | 15874.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |
| 677 | R3-GW-8-20 | Transplantation of trees above 5' girth at distant location | No. | 18179.00 | Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge. |
| 678 | R3-GW-8-21 | Plant Protection measures for tree having girth below 2' | No. | 174.00 | application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be arranged by contractor . |
| 679 | R3-GW-8-22 | Plant Protection measures for tree having girth between 2'to 5' | No. | 289.00 | application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be arranged by contractor . |

| | | | | | |
|-----|------------|--|-----|--------|--|
| 680 | R3-GW-8-23 | Plant Protection measures for tree having girth above 5' | No. | 865.00 | application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be be arranged by contractor . |
| 681 | R3-GW-8-24 | Applying Lime Geru to tree having girth below 2' | No. | 28.00 | application of 3 or 2 belt of geru and lime as directed by site incharge. |
| 682 | R3-GW-8-25 | Applying Lime Geru to tree having girth between 2' to 5' | No. | 37.00 | application of 3 or 2 belt of geru and lime as directed by site incharge. |
| 683 | R3-GW-8-26 | Applying Lime Geru to tree having girth above 5' | No. | 56.00 | application of 3 or 2 belt of geru and lime as directed by site incharge. |
| 684 | R3-GW-8-27 | Lifting of Unclaimed Tree cutting per cum | cum | 419.00 | Lifting of unclaimed tree cutting from site and dispose off tree cutting out of BMC jurisdiction |

NOTE: * ITEMS to be used with prior approval of Concern DySG